

```

1 /*
2 <span id="gsh" data-title="GShell" data-author="sato@its-more.jp">
3 <meta charset="UTF-8">
4 <meta name="viewport" content="width=device-width, initial-scale=1.0">
5 <link rel="icon" id="GshFaviconURL" href=""><!-- place holder -->
6 <span id="GshVersion" hidden="">gsh--0.6.9--2020-10-15--SatoxITS</span>
7 <title id="GshTitle">GShell-0.6.9 by SatoxITS</title>
8
9 <div id="GshHeading">
10 <div id="GshTopbar" class="MetaWindow"></div>
11 <div id="GshPerfMon"></div>
12 <div id="GshSidebar" class="SbSidebar" style=""><div id="GshIndexer" style=""></div></div>
13 </div>
14 <div id="GshMain">
15 <div id="GshBanner" height="100px" onclick="shiftBG();">
16 <div align="right"><note><a href="http://archive.gshell.org">GShell</a> version 0.6.9 // 2020-10-15 // SatoxITS</note></div>
17 </div>
18 */
19
20 <!-- ----- Work { ----- -->
21 <span id="Topbar_WorkCodeSpan">
22 /*
23 <details><summary>Topbar</summary>
24 <!-- ----- Topbar // 2020-1008 SatoxITS { -->
25 <h2>Topbar</h2>
26 <input id="Topbar_WorkCodeViewOpen" class="HtmlCodeViewButton" type="button" value="ShowCode">
27 <input id="Topbar_WorkOpenSnapshot" class="HtmlCodeViewButton" type="button" value="Snapshot">
28 <input id="Topbar_WorkCodeSignature" class="HtmlCodeViewButton" type="button" value="Signature">
29 <span id="Topbar_WorkCodeView"></span>
30 </details>
31
32 <style>
33 #GshHeading {
34   display:inline;
35   overflow:visible;
36 }
37 .ConfigIcon {
38   position:absolute;
39   top:-6px;
40   left:92%;
41   width:32px;
42   height:32px;
43 }
44 .MetaWindow {
45   z-index:1000;
46   position:relative;
47   display:block;
48   overflow:visible !important;
49   width:99.9%;
50   height:22px;
51   top:-22px;
52   border:1px solid #22a;
53   margin:0px;
54   left:0.0%;
55   line-height:1.0;
56   font-family:Georgia;
57   color:#fff;
58   font-size:12pt;
59   text-align:center;
60   vertical-align:middle;
61   padding:4px;
62   xxbackground-color:rgba(0,8,170,0.8);
63   background-color:#3a4861;xxx-PBlue;
64   vertical-align:middle;
65 }
66 .MetaWindow:hover {
67   color:#000;
68   border:1px solid #22a;
69   background-color:rgba(255,255,255,1.0);
70 }
71 #GshBanner {
72   overflow:visible;
73   display:block;
74   width:100%;
75   height:100px;
76   left:inherit !important;
77 }
78 </style>
79 <script>
80 function Topbar_openWorkCodeView(){
81   function Topbar_showWorkCode(){
82     showHtmlCode(Topbar_WorkCodeView,Topbar_WorkCodeSpan);
83   }
84   Topbar_WorkCodeViewOpen.addEventListener('click',Topbar_showWorkCode);
85 }
86 Topbar_openWorkCodeView();
87 function ConfigClick(){
88   if( 0 <= AffView.style.zIndex ){
89     AffView.style.saved_zIndex = AffView.style.zIndex;
90     AffView.style.zIndex = -1000;
91     GshSidebar.style.zIndex = -1;
92     GshPerfMon.style.zIndex = -1;
93   }else{
94     //AffView.style.zIndex = AffView.style.saved_zIndex;
95     AffView.style.zIndex = 1;
96     GshSidebar.style.zIndex = 1;
97     GshPerfMon.style.zIndex = 1;
98     GMenu.style.zIndex = 100000000;
99   }
100   console.log('AffZidex='+AffView.style.zIndex);
101 }
102 function Gshell_initTopbar(){
103   GshTopbar.innerHTML = GshTitle.innerHTML;
104   <!--<img id="ConfigIcon" class="ConfigIcon">
105   if( true ){
106     cfigi = document.createElement('img');
107     cfigi.id = 'ConfigIcon';
108     cfigi.setAttribute('class','ConfigIcon');
109     GshTopbar.appendChild(cfigi);
110     cfigi.src = ConfigICON_DATA;
111
112     //cfigi.style.zIndex = 100000000000;
113     //cfigi.addEventListener('click',ConfigClick);
114     GshTopbar.addEventListener('click',ConfigClick);
115   }
116 }
117 </script>
118 <!-- Topbar_WorkCodeSpan } -->
119 */ </span>
120 <!-- ----- Work } ----- -->
121
122
123 <!-- ----- Work { ----- -->
124 <span id="Indexer_WorkCodeSpan">

```

```

125 /*
126 <details><summary>Indexer</summary>
127 <!-- ----- Indexer // 2020-1007 SatoxITS { -->
128 <h2>Indexer</h2>
129 <input id="Indexer_WorkCodeViewOpen" class="HtmlCodeViewButton" type="button" value="ShowCode">
130 <input id="Indexer_WorkOpenSnapshot" class="HtmlCodeViewButton" type="button" value="Snapshot">
131 <input id="Indexer_WorkCodeSignature" class="HtmlCodeViewButton" type="button" value="Signature">
132 <span id="Indexer_WorkCodeView"></span>
133 </details>
134 <style id="SidebarIndex">
135 #gsh {
136     display:block;
137     xxxoverflow:scroll !important;
138 }
139 #GshMain {
140     z-index:1;
141     position:relative;
142     display:block;
143     width:80% !important;
144     left:19.5% !important;
145 }
146 #GshSidebar {
147     z-index:0;
148     position:relative !important;
149     overflow:auto;
150     resize:both !important;
151     xxxoverflow-y:hidden !important;
152     xxxheight:100px !important;
153     xxxdisplay:inline !important;
154     left:0px;
155     top:0px;
156     width:19.5%;
157     min-width:80px;
158     xxxheight:100% !important;
159     height:0px;
160     color:#f00;
161     xxxbackground-color:rgba(64,64,64,0.5);
162     xxxbackground-color:#DFE3EB;xxx-PBlue;
163     background-color:#eeeeee;xxx-PBlue;
164 }
165 #GshPerfMon {
166     position:relative;
167     display:block;
168     overflow:visible;
169     z-index:0 !important;
170     xxheight:12pt;
171     font-family:monospace, Courier New !important;
172     font-size:9pt !important;
173     color:#f84;
174     top:-20px;
175 }
176 #GshPerfMon:hover {
177     z-index:3 !important;
178 }
179 #GshSidebar:hover {
180     z-index:2;
181     overflow-x:visible !important;
182     background-color:rgba(255,255,255,0.7);
183     width:50%;
184 }
185 #GshIndexer {
186     z-index:0;
187     position:relative;
188     resize:both !important;
189     height:100%;
190     left:0px;
191     top:0px;
192     scroll-behavior: overflow !important;
193     padding-left:4pt;
194     font-size:0.5em;
195     white-space:nowrap;
196     xxx-background-color:rgba(64,160,64,0.6) !important;
197     color:#794c6;xxx-PBlue;
198     xxxbackground-color:#DFE3EB;xxx-PBlue;
199     background-color:#eeeeee;xxx-PBlue;
200 }
201 #GshIndexer:hover {
202     z-index:10000000;
203     overflow-x:visible !important;
204     color:#000000 !important;xxx-PBlue;
205     xxxbackground-color:#FFFFFF;xxx-PBlue;
206     background-color:rgba(255,255,255,0.7);
207     padding-right:0px;
208     width:80%;
209 }
210 #GshIndexer:select {
211     color:#000000 !important;xxx-PBlue;
212     background-color:#FFFFFF;xxx-PBlue;
213 }
214 .IndexLine {
215     font-size:8pt !important;
216     font-family:Georgia;
217     display:block;
218     xxx-color:#fff;
219     xxx-color:#efff5;xxx-PBlue;
220     xxx-color:#41516d;xxx-PBlue;
221     xxx-color:#7794c6;xxx-PBlue;
222     padding-right:4pt;
223 }
224 .IndexLine:hover {
225     font-size:10pt !important;
226     xxx-color:#228;
227     xxx-background-color:#fff;
228     xxxcolor:#fff;xxx-PBlue;
229     color:#516487;xxx-PBlue;
230     background-color:rgba(220,220,255,1.0);xxx-PBlue;
231     xxxtext-shadow:1px 1px #3f3;
232     text-shadow:1px 1px #eee;
233     xxxbackground-color:#516487;xxx-PBlue;
234     xxxtext-decoration:underline !important;
235 }
236 </style>
237
238 <script id="Indexer_WorkScript">
239 function Indexer_openWorkCodeView(){
240     function Indexer_showWorkCode(){
241         showHtmlCode(Indexer_WorkCodeView,Indexer_WorkCodeSpan);
242     }
243     Indexer_WorkCodeViewOpen.addEventListener('click',Indexer_showWorkCode);
244 }
245 //Indexer_WorkCodeViewOpen.addEventListener('click',Indexer_openWorkCodeView);
246 Indexer_openWorkCodeView();
247
248 var startPerfDate = new Date();

```

```

249 var prevPerfDate = startPerfDate;
250 function ShowResourceUsage(){
251     d = new Date();
252     perf = '';
253     perf += '<' + 'font color="gray">UA: ' + window.navigator.userAgent + '<'+'/font><br>\n';
254     perf += DateShort0(startPerfDate) + '<br>\n';
255     perf += DateShort() + '<br>\n';
256     elps = d.getTime() - startPerfDate.getTime();
257     itvl = d.getTime() - prevPerfDate.getTime();
258     perf += 'Elapsed: ' + elps/1000 + ' s<br>\n';
259     perf += 'Skew: ' + (itvl-1000) + ' ms<br>\n';
260     prevPerfDate = d;
261
262     if( performance.memory !== undefined ){
263         m0 = performance.memory;
264         mu0 = (m0.usedJSHeapSize / 1000000.0); //.toFixed(6);
265         perf += 'Memory: '+mu0+' MB<br>\n';
266     }
267     perf += '<br>\n';
268
269     //GshSidebar.innerHTML = perf;
270     GshPerfMon.innerHTML = perf;
271     //GshIndexer.innerHTML = 'Memory: '+mu0+' MB';
272     //console.log('-- PerfMon heap: '+mu0+'/'+m0.totalHeapSize+'/'+m0.jsHeapSizeLimit);
273     if( true ){
274         GshSidebar.style.zIndex = 1000;
275         GshIndexer.style.zIndex = 0;
276         GshPerfMon.style.zIndex = 1;
277         //GshSidebar.appendChild(GshPerfMon);
278         if( document.getElementById('primary') == null ){ // not in WordPress
279             // GshPerfMon.style.position = 'absolute';
280         }
281         GshPerfMon.style.display = 'block';
282         GshPerfMon.style.marginLeft = '4px';
283         //GshPerfMon.style.top = '45px';
284         GshPerfMon.style.position = 'relative';
285         //GshPerfMon.style.position = 'absolute';
286         //topy = GshTopbar.getBoundingClientRect().top;
287         //topy = parseInt(topy) + 40;
288         //GshPerfMon.style.top = topy + 'px';
289         GshPerfMon.style.left = '0px';
290
291         GshMain.style.top = -GshPerfMon.getBoundingClientRect().height;
292     }
293 }
294 function ResetPerfMon(){
295     GshPerfMon.removeAttribute('style');
296     GshSidebar.removeAttribute('style');
297 }
298
299 var iserno = 0;
300 var GeneratedId = 0;
301 function generateIndex(ni,e,chv,nch,ht){
302     // https://developer.mozilla.org/en-US/docs/Web/API/Element
303     c = '';
304     if( e.classList != null ){
305         c = e.classList.value;
306     }
307     //console.log('-- <'+e.nodeName+'> #' + e.id + ' .'+c+' '+e.attributes);
308     if( e.nodeName == '#text' ){ return ''; }
309     if( e.nodeName == '#comment' ){ return ''; }
310     if( e.nodeName == 'H2' || e.nodeName == 'H3' ){
311         id = e.innerHTML;
312         GeneratedId += 1;
313         eid = 'GeneratedId-'+GeneratedId;
314         e.id = eid;
315     }else
316     if( e.nodeName == 'SUMMARY' ){
317         id = e.innerHTML;
318         GeneratedId += 1;
319         eid = 'GeneratedId-'+GeneratedId;
320         e.id = eid;
321     }else
322     if( and(e.nodeName == 'DIV',c=='xxxxxxxxxxxxxxxxxentry-content') ){
323         console.log('-- DIV entry-content begin');
324         id = e.innerHTML;
325         GeneratedId += 1;
326         eid = 'GeneratedId-'+GeneratedId;
327         e.id = eid;
328         console.log('-- DIV entry-content end hash-child='+e.hasChildNodes());
329     }else
330     if( e.id == '' || e.id == 'undefined' ){
331         return '';
332     }else{
333         id = '#' + e.id;
334         eid = e.id;
335     }
336     iserno += 1;
337     ht = '<' + 'div id="GeneratedEref '+iserno+' " class="IndexLine" href="'+eid+' ">'
338     + iserno + 'ni:' + e.nodeName + ' ' + id;
339     if( e.id == '' || e.id == 'undefined' ){ return ht + '<'+'/div>'; }
340     if( !e.hasChildNodes() ){ return ht + '<'+'/div>'; }
341     chv = e.childNodes;
342     nch = e.childNodes.length;
343     if( chv != null ){ nch = chv.length; }
344     ht += ' (' + nch + ') ' + '<'+'/div>';
345     for( let i = 0; i < chv.length; i++ ){
346         sec = ni + '.' + i;
347         if( ni == '' ){ sec = i; }
348         ht += generateIndex(sec,chv[i],null,0);
349     }
350     return ht;
351 }
352 function onClickIndex(e){
353     tid = e.target.id;
354     tge = document.getElementById(tid);
355     eid = tge.getAttribute('href');
356     rx = tge.getBoundingClientRect().left.toFixed(0)
357     ry = tge.getBoundingClientRect().top.toFixed(0)
358     if( false ){
359         alert('index clicked mouse(x='+e.x+', y='+e.y+')'
360             + '\ntid=#'+ tid + ' rx='+rx + ',ry='+ry
361             + '\neid= ' + eid + '\n'
362             + '\nhtml='+ tge.outerHTML);
363     }
364     ee = document.getElementById(eid);
365     sx = 'NaN';
366     sy = ee.getBoundingClientRect().top;
367     console.log('sx='+sx+',sy='+sy);
368     ee.scrollIntoView()
369     window.scrollTo(sx,sy)
370     //window.scrollTo({left:'Non',top:sy,behavior:'smooth'});
371 }
372 function Indexer_afterLoaded(){

```

```

373 sideindex = document.getElementById('GshIndexer');
374 ht = '<'+h3>G-Index<+'/h3>';
375 ht += generateIndex("",document.getElementById('gsh'),null,0,'');
376 if( (pri = document.getElementById('primary')) != null ){
377     ht += generateIndex("",pri,null,0,'');
378 }
379 ht += '<'+br>';
380 ht += '<'+br>';
381 ht += '<'+br>';
382 ht += '<'+br>';
383 sideindex.innerHTML = ht;
384 sideindex.addEventListener('click',onClickIndex);
385
386 if( (pri = document.getElementById('primary')) != null ){
387     console.log('-- Seems in WordPress');
388     pri.style.zIndex = 2000;
389
390     GshSidebar.style.setProperty('position','relative','important');
391     GshSidebar.style.top = '-1400px';
392     //GshSidebar.style.setProperty('position','absolute','important');
393     //GshSidebar.style.top = '0px';
394
395     GshSidebar.style.setProperty('width','200px','important');
396     GshSidebar.style.setProperty('overflow','scroll','important');
397     GshSidebar.style.resize = 'both';
398
399     GshSidebar.style.left = '-100px';
400     GshIndexer.style.left = '100px';
401     GshIndexer.style.height = '1400px';
402     gsh.appendChild(GshSidebar); // change parent
403 }else{
404     console.log('-- Seems not in WordPress');
405     GshSidebar.style.setProperty('position','fixed','important');
406 }
407 }
408 //document.addEventListener('load',Indexer_afterLoaded);
409
410 DestroyIndexBar = function(){
411     sideindex = document.getElementById('GshIndexer');
412     sideindex.innerHTML = "";
413     sideindex.style = "";
414 }
415 </script>
416
417 <!-- Indexer_WorkCodeSpan -->
418 *//</span>
419 //<!-- ----- Work } ----- -->
420
421 /*
422 <h2>GShell // a General purpose Shell built on the top of Golang</h2>
423 <p>
424 <note>
425 It is a shell for myself, by myself, of myself. --SatoxITS(^-^ )
426 <a href="gsh-0.6.2.go.html">prev.</a>
427 </note>
428 </p>
429 <div id="GJFactory_x"></div>
430
431 <div>
432 <span id="GshMenu">
433 <span class="GshMenu" id="GshMenuEdit" onclick="html_edit();">Edit</span>
434 <span class="GshMenu" id="GshMenuSave" onclick="html_save();">Save</span>
435 <span class="GshMenu" id="GshMenuLoad" onclick="html_load();">Load</span>
436 <span class="GshMenu" id="GshMenuVers" onclick="html_ver0();">Vers</span>
437 <span id="gsh-WinId" onclick="win_jump('0.1');">0</span>
438 <span class="GshMenu" id="gsh-menu-exit" onclick="html_close();"></span>
439 <span class="GshMenu" id="gsh-menu-fork" onclick="html_fork();">Fork</span>
440 <span class="GshMenu" id="GshMenuStop" onclick="html_stop(this,true);">Stop</span>
441 <span class="GshMenu" id="GshMenuFold" onclick="html_fold(this);">Unfold</span>
442 <span class="GshMenu" id="gsh-menu-cksum" onclick="html_digest();">Digest</span>
443 <span class="GshMenu" id="GshMenuSign" onclick="html_sign(this);" style="">Source</span>
444 <!-- | <span id="gsh-menu-pure" onclick="html_pure(this);">Pure</span> -->
445 </span>
446 </div>
447 *//
448 /*
449
450 <details id="GshStatement" class="gsh-document"><summary>Statement</summary>
451 <h3>Fun to create a shell</h3>
452 <p>For a programmer, it must be far easy and fun to create his own simple shell
453 rightly fitting to his favor and necessities, than learning existing shells with
454 complex full features that he never use.
455 I, as one of programmers, am writing this tiny shell for my own real needs,
456 totally from scratch, with fun.
457 </p><p>
458 For a programmer, it is fun to learn new computer languages. For long years before
459 writing this software, I had been specialized to C and early HTML2 :-).
460 Now writing this software, I'm learning Go language, HTML5, JavaScript and CSS
461 on demand as a novice of these, with fun.
462 </p><p>
463 This single file "gsh.go", that is executable by Go, contains all of the code written
464 in Go. Also it can be displayed as "gsh.go.html" by browsers. It is a standalone
465 HTML file that works as the viewer of the code of itself, and as the "home page" of
466 this software.
467 </p><p>
468 Because this HTML file is a Go program, you may run it as a real shell program
469 on your computer.
470 But you must be aware that this program is written under situation like above.
471 Needless to say, there is no warranty for this program in any means.
472 </p>
473 <address>Aug 2020, SatoxITS (sato@its-more.jp)</address>
474 </details>
475 *//
476 /*
477 <details id="GshFeatures" class="gsh-document"><summary>Features</summary><p>
478 </p>
479 <h3>Cross-browser communication</h3>
480 <p>
481 ... to be written ...
482 </p>
483 <h3>Vi compatible command line editor</h3>
484 <p>
485 The command line of GShell can be edited with commands compatible with
486 <a href="https://www.washington.edu/computing/unix/vi.html"><b>vi</b></a>.
487 As in vi, you can enter <b>command mode</b> by <b>ESC</b> key,
488 then move around in the history by <b>code>j k / ? n N</code>,
489 or within the current line by <b>code>l h f w b O $ %</code> or so.
490 </p>
491 </details>
492 *//
493 /*
494 <details id="gsh-gindex">
495 <summary>Index</summary><div class="gsh-src">

```

```

497 Documents
498 <span class="gsh-link" onclick="jumpto_JavaScriptView();">Command summary</span>
499 Go lang part<span class="gsh-src" onclick="document.getElementById('gsh-gocode').open=true;">
500 Package structures
501 <a href="#import">import</a>
502 <a href="#struct">struct</a>
503 Main functions
504 <a href="#comexpansion">str-expansion</a> // macro processor
505 <a href="#finder">finder</a> // builtin find + du
506 <a href="#grep">grep</a> // builtin grep + wc + cksum + ...
507 <a href="#plugin">plugin</a> // plugin commands
508 <a href="#ex-commands">system</a> // external commands
509 <a href="#builtin">builtin</a> // builtin commands
510 <a href="#network">network</a> // socket handler
511 <a href="#remote-sh">remote-sh</a> // remote shell
512 <a href="#redirect">redirect</a> // StdIn/Out redirection
513 <a href="#history">history</a> // command history
514 <a href="#rusage">rusage</a> // resource usage
515 <a href="#encode">encode</a> // encode / decode
516 <a href="#IME">IME</a> // command line IME
517 <a href="#getline">getline</a> // line editor
518 <a href="#scanf">scanf</a> // string decomposer
519 <a href="#interpreter">interpreter</a> // command interpreter
520 <a href="#main">main</a>
521 </span>
522 JavaScript part
523 <a href="#script-src-view" class="gsh-link" onclick="jumpto_JavaScriptView();">Source</a>
524 <a href="#gsh-data-frame" class="gsh-link" onclick="jumpto_DataView();">Builtin data</a>
525 CSS part
526 <a href="#style-src-view" class="gsh-link" onclick="jumpto_StyleView();">Source</a>
527 References
528 <a href="#" class="gsh-link" onclick="jumpto_WholeView();">Internal</a>
529 <a href="#gsh-reference" class="gsh-link" onclick="jumpto_ReferenceView();">External</a>
530 Whole parts
531 <a href="#whole-src-view" class="gsh-link" onclick="jumpto_WholeView();">Source</a>
532 <a href="#whole-src-view" class="gsh-link" onclick="jumpto_WholeView();">Download</a>
533 <a href="#whole-src-view" class="gsh-link" onclick="jumpto_WholeView();">Dump</a>
534 </div>
535 </details>
536 </details>
537 */
538 <<details id="gsh-gocode">
539 <<summary>Go Source</summary><div class="gsh-src" onclick="document.getElementById('gsh-gocode').open=false;">
540 // gsh - Go lang based Shell
541 // (c) 2020 ITS more Co., Ltd.
542 // 2020-0807 created by SatoxITS (sato@its-more.jp)
543
544 package main // gsh main
545
546 // <a name="import">Imported packages</a> // <a href="https://golang.org/pkg/">Packages</a>
547 import (
548     "fmt" // <a href="https://golang.org/pkg/fmt/">fmt</a>
549     "strings" // <a href="https://golang.org/pkg/strings/">strings</a>
550     "strconv" // <a href="https://golang.org/pkg/strconv/">strconv</a>
551     "sort" // <a href="https://golang.org/pkg/sort/">sort</a>
552     "time" // <a href="https://golang.org/pkg/time/">time</a>
553     "bufio" // <a href="https://golang.org/pkg/bufio/">bufio</a>
554     "io/ioutil" // <a href="https://golang.org/pkg/io/ioutil/">ioutil</a>
555     "os" // <a href="https://golang.org/pkg/os/">os</a>
556     "syscall" // <a href="https://golang.org/pkg/syscall/">syscall</a>
557     "plugin" // <a href="https://golang.org/pkg/plugin/">plugin</a>
558     "net" // <a href="https://golang.org/pkg/net/">net</a>
559     "net/http" // <a href="https://golang.org/pkg/net/http/">http</a>
560     "html" // <a href="https://golang.org/pkg/html/">html</a>
561     "path/filepath" // <a href="https://golang.org/pkg/path/filepath/">filepath</a>
562     "go/types" // <a href="https://golang.org/pkg/go/types/">types</a>
563     "go/token" // <a href="https://golang.org/pkg/go/token/">token</a>
564     "encoding/base64" // <a href="https://golang.org/pkg/encoding/base64/">base64</a>
565     "unicode/utf8" // <a href="https://golang.org/pkg/unicode/utf8/">utf8</a>
566     // "gshdata" // gshell's logo and source code
567     "hash/crc32" // <a href="https://golang.org/pkg/unicode/hash/crc32/">crc32</a>
568     "golang.org/x/net/websocket"
569 )
570
571 // // 2020-0906 added,
572 // // <a href="https://golang.org/cmd/cgo/">CGO</a>
573 // #include "poll.h" // <poll.h> // </poll.h> to be closed as HTML tag :-p
574 // typedef struct { struct pollfd fdv[8]; } pollFdv;
575 // int pollx(pollFdv *fdv, int nfd, int timeout){
576 //     return poll(fdv->fdv,nfds,timeout);
577 // }
578 import "C"
579
580 // // 2020-0906 added,
581 func CpollIn1(fp*os.File, timeoutUs int)(ready uintptr){
582     var fdv = C.pollFdv{}
583     var nfd = 1
584     var timeout = timeoutUs/1000
585
586     fdv.fdv[0].fd = C.int(fp.Fd())
587     fdv.fdv[0].events = C.POLLIN
588     if (0 < EventRecvFd) {
589         fdv.fdv[1].fd = C.int(EventRecvFd)
590         fdv.fdv[1].events = C.POLLIN
591         nfd += 1
592     }
593     r := C.pollx(&fdv,C.int(nfd),C.int(timeout))
594     if (r <= 0){
595         return 0
596     }
597     if (int(fdv.fdv[1].revents) & int(C.POLLIN)) != 0 {
598         //fprintf(stderr,"--De-- got Event\n");
599         return uintptr(EventFdOffset + fdv.fdv[1].fd)
600     }
601     if (int(fdv.fdv[0].revents) & int(C.POLLIN)) != 0 {
602         return uintptr(NormalFdOffset + fdv.fdv[0].fd)
603     }
604     return 0
605 }
606
607 const (
608     NAME = "gsh"
609     VERSION = "0.6.9"
610     DATE = "2020-10-15"
611     AUTHOR = "SatoxITS(^-^)"//
612 )
613 var (
614     GSH_HOME = ".gsh" // under home directory
615     GSH_PORT = 9999
616     MaxStreamSize = int64(128*1024*1024*1024) // 128GiB is too large?
617     PROMPT = ">"
618     LINESIZE = (8*1024)
619     PATHSEP = ":" // should be ";" in Windows
620     DIRSEP = "/" // canbe \ in Windows

```

```

621 )
622
623 // -xX logging control
624 // --A-- all
625 // --I-- info.
626 // --D-- debug
627 // --T-- time and resource usage
628 // --W-- warning
629 // --E-- error
630 // --F-- fatal error
631 // --Xn- network
632
633 // <a name="struct">Structures</a>
634 type GCommandHistory struct {
635     StartAt    time.Time // command line execution started at
636     EndAt      time.Time // command line execution ended at
637     ResCode    int       // exit code of (external command)
638     CmdError   error     // error string
639     OutData    *os.File // output of the command
640     FoundFile  []string // output - result of ufind
641     Rusagev    [2]syscall.Rusage // Resource consumption, CPU time or so
642     CmdId      int       // maybe with identified with arguments or impact
643
644     // redirection commands should not be the CmdId
645     WorkDir    string // working directory at start
646     WorkDirX   int    // index in ChdirHistory
647     CmdLine    string // command line
648 }
649 type GChdirHistory struct {
650     Dir        string
651     MovedAt   time.Time
652     CmdIndex   int
653 }
654 type CmdMode struct {
655     BackGround bool
656 }
657 type Event struct {
658     when        time.Time
659     event       int
660     evarg       int64
661     CmdIndex   int
662 }
663 var CmdIndex int
664 var Events []Event
665 type PluginInfo struct {
666     Spec        *plugin.Plugin
667     Addr        plugin.Symbol
668     Name        string // maybe relative
669     Path        string // this is in Plugin but hidden
670 }
671 type GServer struct {
672     host        string
673     port        string
674 }
675 // <a href="https://tools.ietf.org/html/rfc3230">Digest</a>
676 const ( // SumType
677     SUM_ITEMS = 0x000001 // items count
678     SUM_SIZE  = 0x000002 // data length (simply added)
679     SUM_SIZEHASH = 0x000004 // data length (hashed sequence)
680     SUM_DATEHASH = 0x000008 // date of data (hashed sequence)
681     // also envelope attributes like time stamp can be a part of digest
682     // hashed value of sizes or mod-date of files will be useful to detect changes
683
684     SUM_WORDS = 0x000010 // word count is a kind of digest
685     SUM_LINES = 0x000020 // line count is a kind of digest
686     SUM_SUM64 = 0x000040 // simple add of bytes, useful for human too
687
688     SUM_SUM32_BITS = 0x000100 // the number of true bits
689     SUM_SUM32_2BYTE = 0x000200 // 16bits words
690     SUM_SUM32_4BYTE = 0x000400 // 32bits words
691     SUM_SUM32_8BYTE = 0x000800 // 64bits words
692
693     SUM_SUM16_BSD = 0x001000 // UNIXsum -sum -bsd
694     SUM_SUM16_SYSV = 0x002000 // UNIXsum -sum -sysv
695     SUM_UNIXFILE = 0x004000
696     SUM_CRCIEEE = 0x008000
697 )
698 type CheckSum struct {
699     Files    int64 // the number of files (or data)
700     Size     int64 // content size
701     Words    int64 // word count
702     Lines    int64 // line count
703     SumType  int
704     Sum64    uint64
705     Crc32Table crc32.Table
706     Crc32Val  uint32
707     Sum16     int
708     Ctime    time.Time
709     Atime    time.Time
710     Mtime    time.Time
711     Start    time.Time
712     Done     time.Time
713     RusgAtStart [2]syscall.Rusage
714     RusgAtEnd   [2]syscall.Rusage
715 }
716 type ValueStack [][]string
717 type GshContext struct {
718     StartDir    string // the current directory at the start
719     GetLine     string // gsh-getline command as a input line editor
720     ChdirHistory []GChdirHistory // the 1st entry is wd at the start
721     gshPA       syscall.ProcAttr
722     CommandHistory []GCommandHistory
723     CmdCurrent   GCommandHistory
724     BackGround   bool
725     BackGroundJobs []int
726     LastRusage    syscall.Rusage
727     GshHomeDir    string
728     TerminalId    int
729     CmdTrace      bool // should be [map]
730     CmdTime       bool // should be [map]
731     PluginFuncs  []PluginInfo
732     iValues       []string
733     iDelimiter    string // field sepearater of print out
734     iFormat       string // default print format (of integer)
735     iValStack     ValueStack
736     LastServer    GServer
737     RSERV        string // [gsh://]host[:port]
738     RWD          string // remote (target, there) working directory
739     lastCheckSum CheckSum
740 }
741
742 func nsleep(ns time.Duration){
743     time.Sleep(ns)
744 }

```

```

745 func usleep(ns time.Duration){
746     nsleep(ns*1000)
747 }
748 func msleep(ns time.Duration){
749     nsleep(ns*1000000)
750 }
751 func sleep(ns time.Duration){
752     nsleep(ns*1000000000)
753 }
754
755 func strBegins(str, pat string)(bool){
756     if len(pat) <= len(str){
757         yes := str[0:len(pat)] == pat
758         //fmt.Printf("--D-- strBegins(%v,%v)=%v\n",str,pat, yes)
759         return yes
760     }
761     //fmt.Printf("--D-- strBegins(%v,%v)=%v\n",str,pat,false)
762     return false
763 }
764 func isin(what string, list []string) bool {
765     for _, v := range list {
766         if v == what {
767             return true
768         }
769     }
770     return false
771 }
772 func isinX(what string,list[]string)(int){
773     for i,v := range list {
774         if v == what {
775             return i
776         }
777     }
778     return -1
779 }
780
781 func env(opts []string) {
782     env := os.Environ()
783     if isin("-", opts){
784         sort.Slice(env, func(i,j int) bool {
785             return env[i] < env[j]
786         })
787     }
788     for _, v := range env {
789         fmt.Printf("%v\n",v)
790     }
791 }
792
793 // - rewriting should be context dependent
794 // - should postpone until the real point of evaluation
795 // - should rewrite only known notation of symobl
796 func scanInt(str string)(val int,leng int){
797     leng = -1
798     for i,ch := range str {
799         if '0' <= ch && ch <= '9' {
800             leng = i+1
801         }else{
802             break
803         }
804     }
805     if 0 < leng {
806         ival, _ := strconv.Atoi(str[0:leng])
807         return ival,leng
808     }else{
809         return 0,0
810     }
811 }
812 func substHistory(gshCtx *GshContext,str string,i int,rstr string)(leng int,rst string){
813     if len(str[i+1:]) == 0 {
814         return 0,rstr
815     }
816     hi := 0
817     histlen := len(gshCtx.CommandHistory)
818     if str[i+1] == '!' {
819         hi = histlen - 1
820         leng = 1
821     }else{
822         hi,leng = scanInt(str[i+1:])
823         if leng == 0 {
824             return 0,rstr
825         }
826         if hi < 0 {
827             hi = histlen + hi
828         }
829     }
830     if 0 <= hi && hi < histlen {
831         var ext byte
832         if 1 < len(str[i+leng:]){
833             ext = str[i+leng:][1]
834         }
835         //fmt.Printf("--D-- %v(%c)\n",str[i+leng:],str[i+leng])
836         if ext == 'f' {
837             leng += 1
838             xlist := []string{}
839             list := gshCtx.CommandHistory[hi].FoundFile
840             for _,v := range list {
841                 //list[i] = escapeWhiteSP(v)
842                 xlist = append(xlist,escapeWhiteSP(v))
843             }
844             //rstr += strings.Join(list," ")
845             rstr += strings.Join(xlist," ")
846         }else
847         if ext == '@' || ext == 'd' {
848             // !N@ .. workdir at the start of the command
849             leng += 1
850             rstr += gshCtx.CommandHistory[hi].WorkDir
851         }else{
852             rstr += gshCtx.CommandHistory[hi].CmdLine
853         }
854     }else{
855         leng = 0
856     }
857     return leng,rstr
858 }
859 func escapeWhiteSP(str string)(string){
860     if len(str) == 0 {
861         return "\\z" // empty, to be ignored
862     }
863     rstr := ""
864     for _,ch := range str {
865         switch ch {
866             case '\\': rstr += "\\\\"
867             case ' ': rstr += "\\s"
868             case '\t': rstr += "\\t"

```

```

869         case '\r': rstr += "\\r"
870         case '\n': rstr += "\\n"
871         default: rstr += string(ch)
872     }
873 }
874 return rstr
875 }
876 func unescapeWhiteSP(str string)(string){ // strip original escapes
877     rstr := ""
878     for i := 0; i < len(str); i++ {
879         ch := str[i]
880         if ch == '\\' {
881             if i+1 < len(str) {
882                 switch str[i+1] {
883                     case 'z':
884                         continue;
885                 }
886             }
887         }
888         rstr += string(ch)
889     }
890     return rstr
891 }
892 func unescapeWhiteSPV(strv []string)([]string){ // strip original escapes
893     ustrv := []string{}
894     for _,v := range strv {
895         ustrv = append(ustrv,unescapeWhiteSP(v))
896     }
897     return ustrv
898 }
899
900 // <a name="comexpansion">str-expansion</a>
901 // - this should be a macro processor
902 func strsubst(gshCtx *GshContext,str string,histonly bool) string {
903     rbuff := []byte{}
904     if false {
905         //@@@ Unicode should be cared as a character
906         return str
907     }
908     //rstr := ""
909     inEsc := 0 // escape characer mode
910     for i := 0; i < len(str); i++ {
911         //fmt.Printf("--D--Subst %v:%v\n",i,str[i:])
912         ch := str[i]
913         if inEsc == 0 {
914             if ch == '|' {
915                 //leng,xrstr := substHistory(gshCtx,str,i,rstr)
916                 leng,rs := substHistory(gshCtx,str,i,"")
917                 if 0 < leng {
918                     //_,rs := substHistory(gshCtx,str,i,"")
919                     rbuff = append(rbuff,[]byte(rs)...)
920                     i += leng
921                     //rstr = xrstr
922                     continue
923                 }
924             }
925             switch ch {
926                 case '\\': inEsc = '\\'; continue
927                 //case '&': inEsc = '&'; continue
928                 case '$':
929             }
930         }
931         switch inEsc {
932             case '\\':
933                 switch ch {
934                     case '\\': ch = '\\'
935                     case 's': ch = ' '
936                     case 't': ch = '\t'
937                     case 'r': ch = '\r'
938                     case 'n': ch = '\n'
939                     case 'z': inEsc = 0; continue // empty, to be ignored
940                 }
941             case '&':
942                 inEsc = 0
943                 case '$':
944                     switch {
945                         case ch == '&': ch = '%'
946                         case ch == 'T':
947                             //rstr = rstr + time.Now().Format(time.Stamp)
948                             rs := time.Now().Format(time.Stamp)
949                             rbuff = append(rbuff,[]byte(rs)...)
950                             inEsc = 0
951                             continue;
952                         default:
953                             // postpone the interpretation
954                             //rstr = rstr + "&" + string(ch)
955                             rbuff = append(rbuff,ch)
956                             inEsc = 0
957                             continue;
958                     }
959                 inEsc = 0
960             }
961             //rstr = rstr + string(ch)
962             rbuff = append(rbuff,ch)
963         }
964         //fmt.Printf("--D--subst(%s)(%s)\n",str,string(rbuff))
965         return string(rbuff)
966     }
967     //return rstr
968 }
969 func showFileInfo(path string, opts []string) {
970     if isin("-l",opts) || isin("-ls",opts) {
971         fi, err := os.Stat(path)
972         if err != nil {
973             fmt.Printf("----- ((%v))",err)
974         }else{
975             mod := fi.ModTime()
976             date := mod.Format(time.Stamp)
977             fmt.Printf("%v %v %s ",fi.Mode(),fi.Size(),date)
978         }
979     }
980     fmt.Printf("%s",path)
981     if isin("-sp",opts) {
982         fmt.Printf(" ")
983     }else
984     if ! isin("-n",opts) {
985         fmt.Printf("\n")
986     }
987 }
988 func userHomeDir()(string,bool){
989     /*
990     homedir,_ = os.UserHomeDir() // not implemented in older Golang
991     */
992     homedir,found := os.LookupEnv("HOME")
993     //fmt.Printf("--I-- HOME=%v(%v)\n",homedir,found)
994     if !found {

```



```

993     return "/tmp",found
994 }
995 return homedir,found
996 }
997
998 func toFullpath(path string) (fullpath string) {
999     if path[0] == '/' {
1000         return path
1001     }
1002     pathv := strings.Split(path,DIRSEP)
1003     switch {
1004     case pathv[0] == ".":
1005         pathv[0], _ = os.Getwd()
1006     case pathv[0] == "..": // all ones should be interpreted
1007         cwd, _ := os.Getwd()
1008         ppathv := strings.Split(cwd,DIRSEP)
1009         pathv[0] = strings.Join(ppathv,DIRSEP)
1010     case pathv[0] == "~":
1011         pathv[0],_ = userHomeDir()
1012     default:
1013         cwd, _ := os.Getwd()
1014         pathv[0] = cwd + DIRSEP + pathv[0]
1015     }
1016     return strings.Join(pathv,DIRSEP)
1017 }
1018
1019 func IsRegFile(path string)(bool){
1020     fi, err := os.Stat(path)
1021     if err == nil {
1022         fm := fi.Mode()
1023         return fm.IsRegular();
1024     }
1025     return false
1026 }
1027
1028 // <a name="encode">Encode / Decode</a>
1029 // <a href="https://golang.org/pkg/encoding/base64/#example_NewEncoder">Encoder</a>
1030 func (gshCtx *GshContext)Enc(argv[]string){
1031     file := os.Stdin
1032     buff := make([]byte,LINESIZE)
1033     li := 0
1034     encoder := base64.NewEncoder(base64.StdEncoding,os.Stdout)
1035     for li = 0; ; li++ {
1036         count, err := file.Read(buff)
1037         if count <= 0 {
1038             break
1039         }
1040         if err != nil {
1041             break
1042         }
1043         encoder.Write(buff[0:count])
1044     }
1045     encoder.Close()
1046 }
1047 func (gshCtx *GshContext)Dec(argv[]string){
1048     decoder := base64.NewDecoder(base64.StdEncoding,os.Stdin)
1049     li := 0
1050     buff := make([]byte,LINESIZE)
1051     for li = 0; ; li++ {
1052         count, err := decoder.Read(buff)
1053         if count <= 0 {
1054             break
1055         }
1056         if err != nil {
1057             break
1058         }
1059         os.Stdout.Write(buff[0:count])
1060     }
1061 }
1062 // lnspl [N] [-crlf][-C \\\]
1063 func (gshCtx *GshContext)SplitLine(argv[]string){
1064     strRep := isin("-str",argv) // ". "+
1065     reader := bufio.NewReaderSize(os.Stdin,64*1024)
1066     ni := 0
1067     toi := 0
1068     for ni = 0; ; ni++ {
1069         line, err := reader.ReadString('\n')
1070         if len(line) <= 0 {
1071             if err != nil {
1072                 fmt.Fprintf(os.Stderr,"--I-- lnspl %d to %d (%v)\n",ni,toi,err)
1073                 break
1074             }
1075         }
1076         off := 0
1077         ilen := len(line)
1078         remlen := len(line)
1079         if strRep { os.Stdout.Write([]byte("\n")) }
1080         for oi := 0; 0 < remlen; oi++ {
1081             olen := remlen
1082             addnl := false
1083             if 72 < olen {
1084                 olen = 72
1085                 addnl = true
1086             }
1087             fmt.Fprintf(os.Stderr,"--D-- write %d [%d.%d] %d %d/%d/%d\n",
1088                 toi,ni,oi,off,olen,remlen,ilen)
1089             toi += 1
1090             os.Stdout.Write([]byte(line[0:olen]))
1091             if addnl {
1092                 if strRep {
1093                     os.Stdout.Write([]byte("\n\n"))
1094                 }else{
1095                     //os.Stdout.Write([]byte("\r\n"))
1096                     os.Stdout.Write([]byte("\n"))
1097                     os.Stdout.Write([]byte("\n"))
1098                 }
1099             }
1100             line = line[olen:]
1101             off += olen
1102             remlen -= olen
1103         }
1104         if strRep { os.Stdout.Write([]byte("\n\n")) }
1105     }
1106     fmt.Fprintf(os.Stderr,"--I-- lnspl %d to %d\n",ni,toi)
1107 }
1108
1109 // CRC32 <a href="http://golang.jp/pkg/hash-crc32">crc32</a>
1110 // 1 0000 0100 1100 0001 0001 1101 1011 0111
1111 var CRC32UNIX uint32 = uint32(0x04c11db7) // Unix cksum
1112 var CRC32IEEE uint32 = uint32(0xedb88320)
1113 func byteCRC32add(crc uint32,str[]byte,len uint64)(uint32){
1114     var oi uint64
1115     for oi = 0; oi < len; oi++ {
1116         var oct = str[oi]

```

```

1117     for bi := 0; bi < 8; bi++ {
1118         //fprintf(stderr, "--CRC32 %d %X (%d.%d)\n", crc, oct, oi, bi)
1119         ovf1 := (crc & 0x80000000) != 0
1120         ovf2 := (oct & 0x80) != 0
1121         ovf := (ovf1 && !ovf2) || (!ovf1 && ovf2)
1122         oct <<= 1
1123         crc <<= 1
1124         if ovf { crc ^= CRC32UNIX }
1125     }
1126 }
1127 //fprintf(stderr, "--CRC32 return %d %d\n", crc, len)
1128 return crc;
1129 }
1130 func byteCRC32end(crc uint32, len uint64)(uint32){
1131     var slen = make([]byte, 4)
1132     var li = 0
1133     for li = 0; li < 4; {
1134         slen[li] = byte(len)
1135         li += 1
1136         len >>= 8
1137         if( len == 0 ){
1138             break
1139         }
1140     }
1141     crc = byteCRC32add(crc, slen, uint64(li))
1142     crc ^= 0xFFFFFFFF
1143     return crc
1144 }
1145 func strCRC32(str string, len uint64)(crc uint32){
1146     crc = byteCRC32add(0, []byte(str), len)
1147     crc = byteCRC32end(crc, len)
1148     //fprintf(stderr, "--CRC32 %d %d\n", crc, len)
1149     return crc
1150 }
1151 func CRC32Finish(crc uint32, table *crc32.Table, len uint64)(uint32){
1152     var slen = make([]byte, 4)
1153     var li = 0
1154     for li = 0; li < 4; {
1155         slen[li] = byte(len & 0xFF)
1156         li += 1
1157         len >>= 8
1158         if( len == 0 ){
1159             break
1160         }
1161     }
1162     crc = crc32.Update(crc, table, slen)
1163     crc ^= 0xFFFFFFFF
1164     return crc
1165 }
1166 }
1167 func (gsh*GshContext)xCksum(path string, argv []string, sum*Checksum)(int64){
1168     if isin("-type/f", argv) && !IsRegFile(path){
1169         return 0
1170     }
1171     if isin("-type/d", argv) && IsRegFile(path){
1172         return 0
1173     }
1174     file, err := os.OpenFile(path, os.O_RDONLY, 0)
1175     if err != nil {
1176         fmt.Printf("--E-- cksum %v (%v)\n", path, err)
1177         return -1
1178     }
1179     defer file.Close()
1180     if gsh.CmdTrace { fmt.Printf("--I-- cksum %v %v\n", path, argv) }
1181 }
1182 bi := 0
1183 var buff = make([]byte, 32*1024)
1184 var total int64 = 0
1185 var initTime = time.Time{}
1186 if sum.Start == initTime {
1187     sum.Start = time.Now()
1188 }
1189 for bi = 0; ; bi++ {
1190     count, err := file.Read(buff)
1191     if count <= 0 || err != nil {
1192         break
1193     }
1194     if (sum.SumType & SUM_SUM64) != 0 {
1195         s := sum.Sum64
1196         for _, c := range buff[0:count] {
1197             s += uint64(c)
1198         }
1199         sum.Sum64 = s
1200     }
1201     if (sum.SumType & SUM_UNIXFILE) != 0 {
1202         sum.Crc32Val = byteCRC32add(sum.Crc32Val, buff, uint64(count))
1203     }
1204     if (sum.SumType & SUM_CRCIEEE) != 0 {
1205         sum.Crc32Val = crc32.Update(sum.Crc32Val, &sum.Crc32Table, buff[0:count])
1206     }
1207     // <a href="https://en.wikipedia.org/wiki/BSD_checksum">BSD checksum</a>
1208     if (sum.SumType & SUM_SUM16_BSD) != 0 {
1209         s := sum.Sum16
1210         for _, c := range buff[0:count] {
1211             s = (s >> 1) + ((s & 1) << 15)
1212             s += int(c)
1213             s &= 0xFFFF
1214             //fmt.Printf("BSDsum: %d[%d] %d\n", sum.Size+int64(i), i, s)
1215         }
1216         sum.Sum16 = s
1217     }
1218     if (sum.SumType & SUM_SUM16_SYSV) != 0 {
1219         for bj := 0; bj < count; bj++ {
1220             sum.Sum16 += int(buff[bj])
1221         }
1222     }
1223     total += int64(count)
1224 }
1225 sum.Done = time.Now()
1226 sum.Files += 1
1227 sum.Size += total
1228 if !isin("-s", argv) {
1229     fmt.Printf("%v ", total)
1230 }
1231 return 0
1232 }
1233 }
1234 // <a name="grep">grep</a>
1235 // "lines", "lin" or "lnp" for "(text) line processor" or "scanner"
1236 // a*,!ab,c, ... sequential combination of patterns
1237 // what "LINE" is should be definable
1238 // generic line-by-line processing
1239 // grep [-v]
1240 // cat -n -v

```

```

1241 // uniq [-c]
1242 // tail -f
1243 // sed s/x/y/ or awk
1244 // grep with line count like wc
1245 // rewrite contents if specified
1246 func (gsh*GshContext)xGrep(path string, rexpv[]string)(int){
1247     file, err := os.OpenFile(path,os.O_RDONLY,0)
1248     if err != nil {
1249         fmt.Printf("--E-- grep %v (%v)\n",path,err)
1250         return -1
1251     }
1252     defer file.Close()
1253     if gsh.CmdTrace { fmt.Printf("--I-- grep %v %v\n",path, rexpv) }
1254     //reader := bufio.NewReaderSize(file,LINESIZE)
1255     reader := bufio.NewReaderSize(file,80)
1256     li := 0
1257     found := 0
1258     for li = 0; ; li++ {
1259         line, err := reader.ReadString('\n')
1260         if len(line) <= 0 {
1261             break
1262         }
1263         if 150 < len(line) {
1264             // maybe binary
1265             break;
1266         }
1267         if err != nil {
1268             break
1269         }
1270         if 0 <= strings.Index(string(line), rexpv[0]) {
1271             found += 1
1272             fmt.Printf("%s:%d: %s",path,li,line)
1273         }
1274     }
1275     //fmt.Printf("total %d lines %s\n",li,path)
1276     //if( 0 < found ){ fmt.Printf("(found %d lines %s)\n",found,path); }
1277     return found
1278 }
1279
1280 // <a name="finder">Finder</a>
1281 // finding files with it name and contents
1282 // file names are Ored
1283 // show the content with %x fmt list
1284 // ls -R
1285 // tar command by adding output
1286 type fileSum struct {
1287     Err int64 // access error or so
1288     Size int64 // content size
1289     DupSize int64 // content size from hard links
1290     Blocks int64 // number of blocks (of 512 bytes)
1291     DupBlocks int64 // Blocks pointed from hard links
1292     HLinks int64 // hard links
1293     Words int64
1294     Lines int64
1295     Files int64
1296     Dirs int64 // the num. of directories
1297     SymLink int64
1298     Flats int64 // the num. of flat files
1299     MaxDepth int64
1300     MaxNamlen int64 // max. name length
1301     nextRepo time.Time
1302 }
1303 func showFusage(dir string, fusage *fileSum){
1304     bsume := float64(((fusage.Blocks-fusage.DupBlocks)/2)*1024)/1000000.0
1305     //bsumdup := float64((fusage.Blocks/2)*1024)/1000000.0
1306     fmt.Printf("%v: %v files (%vd %vs %vh) %.6f MB (%.2f MBK)\n",
1307         dir,
1308         fusage.Files,
1309         fusage.Dirs,
1310         fusage.SymLink,
1311         fusage.HLinks,
1312         float64(fusage.Size)/1000000.0,bsume);
1313 }
1314
1315 const (
1316     S_IFMT = 0170000
1317     S_IFCHR = 0020000
1318     S_IFDIR = 0040000
1319     S_IFREG = 0100000
1320     S_IFLNK = 0120000
1321     S_IFSOCK = 0140000
1322 )
1323 func cumFinfo(fsum *fileSum, path string, staterr error, fstat syscall.Stat_t, argv[]string, verb bool)(*fileSum){
1324     now := time.Now()
1325     if time.Second <= now.Sub(fsum.nextRepo) {
1326         if !fsum.nextRepo.IsZero(){
1327             tstamp := now.Format(time.Stamp)
1328             showFusage(tstamp, fsum)
1329         }
1330         fsum.nextRepo = now.Add(time.Second)
1331     }
1332     if staterr != nil {
1333         fsum.Err += 1
1334         return fsum
1335     }
1336     fsum.Files += 1
1337     if 1 < fstat.Nlink {
1338         // must count only once...
1339         // at least ignore ones in the same directory
1340         //if finfo.Mode().IsRegular() {
1341             if (fstat.Mode & S_IFMT) == S_IFREG {
1342                 fsum.HLinks += 1
1343                 fsum.DupBlocks += int64(fstat.Blocks)
1344                 //fmt.Printf("---Dup HardLink %v %s\n",fstat.Nlink,path)
1345             }
1346         }
1347         //fsum.Size += finfo.Size()
1348         fsum.Size += fstat.Size
1349         fsum.Blocks += int64(fstat.Blocks)
1350         //if verb { fmt.Printf("(%8dBlk) %s",fstat.Blocks/2,path) }
1351         if isin("-ls",argv){
1352             //if verb { fmt.Printf("%4d %8d ",fstat.Blksize,fstat.Blocks) }
1353             // fmt.Printf("%d\t",fstat.Blocks/2)
1354         }
1355         //if finfo.IsDir()
1356         if (fstat.Mode & S_IFMT) == S_IFDIR {
1357             fsum.Dirs += 1
1358         }
1359         //if (finfo.Mode() & os.Modesymlink) != 0
1360         if (fstat.Mode & S_IFMT) == S_IFLNK {
1361             //if verb { fmt.Printf("symlink(%v,%s)\n",fstat.Mode,finfo.Name()) }
1362             //{ fmt.Printf("symlink(%o,%s)\n",fstat.Mode,finfo.Name()) }
1363             fsum.SymLink += 1
1364         }

```

```

1365     return fsum
1366 }
1367 func (gsh*GshContext)xxFindEntv(depth int,total *fileSum,dir string, dstat syscall.Stat_t, ei int, envt []string,npatv[]string,argv[]string)(*fileSum){
1368     nols := isin("-grep",argv)
1369     // sort envt
1370     /*
1371     if isin("-t",argv){
1372         sort.Slice(filev, func(i,j int) bool {
1373             return 0 < filev[i].ModTime().Sub(filev[j].ModTime())
1374         })
1375     }
1376     */
1377     /*
1378     if isin("-u",argv){
1379         sort.Slice(filev, func(i,j int) bool {
1380             return 0 < filev[i].AccTime().Sub(filev[j].AccTime())
1381         })
1382     }
1383     if isin("-U",argv){
1384         sort.Slice(filev, func(i,j int) bool {
1385             return 0 < filev[i].CreateTime().Sub(filev[j].CreateTime())
1386         })
1387     }
1388     */
1389     /*
1390     if isin("-S",argv){
1391         sort.Slice(filev, func(i,j int) bool {
1392             return filev[j].Size() < filev[i].Size()
1393         })
1394     }
1395     */
1396     for _,filename := range envt {
1397         for _,npat := range npatv {
1398             match := true
1399             if npat == "*" {
1400                 match = true
1401             }else{
1402                 match, _ = filepath.Match(npat,filename)
1403             }
1404             path := dir + DIRSEP + filename
1405             if !match {
1406                 continue
1407             }
1408             var fstat syscall.Stat_t
1409             staterr := syscall.Lstat(path,&fstat)
1410             if staterr != nil {
1411                 if !isin("-w",argv){fmt.Printf("ufind: %v\n",staterr) }
1412                 continue;
1413             }
1414             if isin("-du",argv) && (fstat.Mode & S_IFMT) == S_IFDIR {
1415                 // should not show size of directory in "-du" mode ...
1416             }else
1417             if !nols && !isin("-s",argv) && (!isin("-du",argv) || isin("-a",argv)) {
1418                 if isin("-du",argv) {
1419                     fmt.Printf("%d\t",fstat.Blocks/2)
1420                 }
1421                 showFileInfo(path,argv)
1422             }
1423             if true { // && isin("-du",argv)
1424                 total = cumFinfo(total,path,staterr,fstat,argv,false)
1425             }
1426             /*
1427             if isin("-wc",argv) {
1428             }
1429             */
1430             if gsh.lastChecksum.SumType != 0 {
1431                 gsh.xChecksum(path,argv,&gsh.lastChecksum);
1432             }
1433             x := isinX("-grep",argv); // -grep will be convenient like -ls
1434             if 0 <= x && x+1 <= len(argv) { // -grep will be convenient like -ls
1435                 if !isRegFile(path){
1436                     found := gsh.xGrep(path,argv[x+1:])
1437                     if 0 < found {
1438                         foundv := gsh.CmdCurrent.FoundFile
1439                         if len(foundv) < 10 {
1440                             gsh.CmdCurrent.FoundFile =
1441                                 append(gsh.CmdCurrent.FoundFile,path)
1442                         }
1443                     }
1444                 }
1445             }
1446             if !isin("-r0",argv) { // -d 0 in du, -depth n in find
1447                 //total.Depth += 1
1448                 if (fstat.Mode & S_IFMT) == S_IFLNK {
1449                     continue
1450                 }
1451                 if dstat.Rdev != fstat.Rdev {
1452                     fmt.Printf("--I-- don't follow differnet device %v(%v) %v(%v)\n",
1453                         dir,dstat.Rdev,path,fstat.Rdev)
1454                 }
1455                 if (fstat.Mode & S_IFMT) == S_IFDIR {
1456                     total = gsh.xxFind(depth+1,total,path,npatv,argv)
1457                 }
1458             }
1459         }
1460     }
1461     return total
1462 }
1463 func (gsh*GshContext)xxFind(depth int,total *fileSum,dir string,npatv[]string,argv[]string)(*fileSum){
1464     nols := isin("-grep",argv)
1465     dirfile,oerr := os.OpenFile(dir,os.O_RDONLY,0)
1466     if oerr == nil {
1467         //fmt.Printf("--I-- %v(%v)[%d]\n",dir,dirfile,dirfile.Fd())
1468         defer dirfile.Close()
1469     }else{
1470     }
1471     prev := *total
1472     var dstat syscall.Stat_t
1473     staterr := syscall.Lstat(dir,&dstat) // should be flstat
1474     /*
1475     if staterr != nil {
1476         if !isin("-w",argv){ fmt.Printf("ufind: %v\n",staterr) }
1477         return total
1478     }
1479     */
1480     //filev,err := ioutil.ReadDir(dir)
1481     //_,err := ioutil.ReadDir(dir) // ReadDir() heavy and bad for huge directory
1482     /*
1483     if err != nil {
1484         if !isin("-w",argv){ fmt.Printf("ufind: %v\n",err) }
1485         return total
1486     }
1487     */
1488     if depth == 0 {

```

```

1489     total = cumFinfo(total,dir,staterr,dstat,argv,true)
1490     if !mols && !isin("-s",argv) && (!isin("-du",argv) || isin("-a",argv)) {
1491         showFileInfo(dir,argv)
1492     }
1493 }
1494 // it it is not a directory, just scan it and finish
1495
1496 for ei := 0; ; ei++ {
1497     entv,rderr := dirfile.Readdirnames(8*1024)
1498     if len(entv) == 0 || rderr != nil {
1499         //if rderr != nil { fmt.Printf("[%d] len=%d (%v)\n",ei,len(entv),rderr) }
1500         break
1501     }
1502     if 0 < ei {
1503         fmt.Printf("--I-- xxFind[%d] %d large-dir: %s\n",ei,len(entv),dir)
1504     }
1505     total = gsh.xxFindEntv(depth,total,dir,dstat,ei,entv,npatv,argv)
1506 }
1507 if isin("-du",argv) {
1508     // if in "du" mode
1509     fmt.Printf("%d\t%s\n",total.Blocks-prev.Blocks)/2,dir)
1510 }
1511 return total
1512 }
1513
1514 // {ufind|fu|ls} [Files] [// Names] [-- Expressions]
1515 // Files is "." by default
1516 // Names is "*" by default
1517 // Expressions is "-print" by default for "ufind", or -du for "fu" command
1518 func (gsh*GshContext)xFind(argv[]string){
1519     if 0 < len(argv) && strBegins(argv[0],"?"){
1520         showFound(gsh,argv)
1521         return
1522     }
1523     if isin("-cksum",argv) || isin("-sum",argv) {
1524         gsh.lastChecksum = CheckSum{}
1525         if isin("-sum",argv) && isin("-add",argv) {
1526             gsh.lastChecksum.SumType |= SUM_SUM64
1527         }else
1528         if isin("-sum",argv) && isin("-size",argv) {
1529             gsh.lastChecksum.SumType |= SUM_SIZE
1530         }else
1531         if isin("-sum",argv) && isin("-bsd",argv) {
1532             gsh.lastChecksum.SumType |= SUM_SUM16_BSD
1533         }else
1534         if isin("-sum",argv) && isin("-sysv",argv) {
1535             gsh.lastChecksum.SumType |= SUM_SUM16_SYSV
1536         }else
1537         if isin("-sum",argv) {
1538             gsh.lastChecksum.SumType |= SUM_SUM64
1539         }
1540     }
1541     if isin("-unix",argv) {
1542         gsh.lastChecksum.SumType |= SUM_UNIXFILE
1543         gsh.lastChecksum.Crc32Table = *crc32.MakeTable(CRC32UNIX)
1544     }
1545     if isin("-ieee",argv){
1546         gsh.lastChecksum.SumType |= SUM_CRCIEEE
1547         gsh.lastChecksum.Crc32Table = *crc32.MakeTable(CRC32IEEE)
1548     }
1549     gsh.lastChecksum.RusgAtStart = Getrusagev()
1550 }
1551 var total = fileSum{}
1552 npats := []string{}
1553 for _,v := range argv {
1554     if 0 < len(v) && v[0] != '-' {
1555         npats = append(npats,v)
1556     }
1557     if v == "/" { break }
1558     if v == "--" { break }
1559     if v == "-grep" { break }
1560     if v == "-ls" { break }
1561 }
1562 if len(npats) == 0 {
1563     npats = []string{"*"}
1564 }
1565 cwd := "."
1566 // if to be fullpath :: cwd, _ := os.Getwd()
1567 if len(npats) == 0 { npats = []string{"*"} }
1568 fusage := gsh.xxFind(0,&total,cwd,npats,argv)
1569 if gsh.lastChecksum.SumType != 0 {
1570     var sumi uint64 = 0
1571     sum := &gsh.lastChecksum
1572     if (sum.SumType & SUM_SIZE) != 0 {
1573         sumi = uint64(sum.Size)
1574     }
1575     if (sum.SumType & SUM_SUM64) != 0 {
1576         sumi = sum.Sum64
1577     }
1578     if (sum.SumType & SUM_SUM16_SYSV) != 0 {
1579         s := uint32(sum.Sum16)
1580         r := (s & 0xFFFF) + ((s & 0xFFFFFFF) >> 16)
1581         s = (r & 0xFFFF) + (r >> 16)
1582         sum.Crc32Val = uint32(s)
1583         sumi = uint64(s)
1584     }
1585     if (sum.SumType & SUM_SUM16_BSD) != 0 {
1586         sum.Crc32Val = uint32(sum.Sum16)
1587         sumi = uint64(sum.Sum16)
1588     }
1589     if (sum.SumType & SUM_UNIXFILE) != 0 {
1590         sum.Crc32Val = byteCRC32end(sum.Crc32Val,uint64(sum.Size))
1591         sumi = uint64(byteCRC32end(sum.Crc32Val,uint64(sum.Size)))
1592     }
1593     if 1 < sum.Files {
1594         fmt.Printf("%v %v // %v / %v files, %v/file\n",
1595             sumi,sum.Size,
1596             abssize(sum.Size),sum.Files,
1597             abssize(sum.Size)/sum.Files)
1598     }else{
1599         fmt.Printf("%v %v %v\n",
1600             sumi,sum.Size,npats[0])
1601     }
1602 }
1603 if !isin("-grep",argv) {
1604     showFusage("total",fusage)
1605 }
1606 if !isin("-s",argv){
1607     hits := len(gsh.CmdCurrent.FoundFile)
1608     if 0 < hits {
1609         fmt.Printf("--I-- %d files hits // can be refered with !%df\n",
1610             hits,len(gsh.CommandHistory))
1611     }
1612 }
1613 if gsh.lastChecksum.SumType != 0 {

```

```

1613     if isin("-ru",argv) {
1614         sum := gsh.lastCheckSum
1615         sum.Done = time.Now()
1616         gsh.lastCheckSum.RusageAtEnd = Getrusagev()
1617         elps := sum.Done.Sub(sum.Start)
1618         fmt.Printf("--cksum-size: %v (%v) / %v files, %v/file\r\n",
1619             sum.Size,abssize(sum.Size),sum.Files,abssize(sum.Size/sum.Files))
1620         nanos := int64(elps)
1621         fmt.Printf("--cksum-time: %v/total, %v/file, %.1f files/s, %v\r\n",
1622             abftime(nanos),
1623             abftime(nanos/sum.Files),
1624             (float64(sum.Files)*1000000000.0)/float64(nanos),
1625             abbspeed(sum.Size,nanos))
1626         diff := RusageSubv(sum.RusageAtEnd,sum.RusageAtStart)
1627         fmt.Printf("--cksum-rusg: %v\n",sRusagef("",argv,diff))
1628     }
1629 }
1630 return
1631 }
1632
1633 func showFiles(files[]string){
1634     sp := ""
1635     for i,file := range files {
1636         if 0 < i { sp = " " } else { sp = "" }
1637         fmt.Printf(sp+"%s",escapeWhiteSP(file))
1638     }
1639 }
1640 func showFound(gshCtx *GshContext, argv[]string){
1641     for i,v := range gshCtx.CommandHistory {
1642         if 0 < len(v.FoundFile) {
1643             fmt.Printf("!\d (%d) ",i,len(v.FoundFile))
1644             if isin("-ls",argv){
1645                 fmt.Printf("\n")
1646                 for _,file := range v.FoundFile {
1647                     fmt.Printf("%s //sub number?")
1648                     showFileInfo(file,argv)
1649                 }
1650             }else{
1651                 showFiles(v.FoundFile)
1652                 fmt.Printf("\n")
1653             }
1654         }
1655     }
1656 }
1657
1658 func showMatchFile(filev []os.FileInfo, npat,dir string, argv[]string)(string,bool){
1659     fname := ""
1660     found := false
1661     for _,v := range filev {
1662         match, _ := filepath.Match(npat,(v.Name()))
1663         if match {
1664             fname = v.Name()
1665             found = true
1666             //fmt.Printf("!\d %s\n",i,v.Name())
1667             showIfExecutable(fname,dir,argv)
1668         }
1669     }
1670     return fname,found
1671 }
1672 func showIfExecutable(name,dir string,argv[]string)(ffullpath string,ffound bool){
1673     var fullpath string
1674     if strBegins(name,DIRSEP){
1675         fullpath = name
1676     }else{
1677         fullpath = dir + DIRSEP + name
1678     }
1679     fi, err := os.Stat(fullpath)
1680     if err != nil {
1681         fullpath = dir + DIRSEP + name + ".go"
1682         fi, err = os.Stat(fullpath)
1683     }
1684     if err == nil {
1685         fm := fi.Mode()
1686         if fm.IsRegular() {
1687             // R_OK=4, W_OK=2, X_OK=1, F_OK=0
1688             if syscall.Access(fullpath,5) == nil {
1689                 ffullpath = fullpath
1690                 ffound = true
1691                 if ! isin("-s", argv) {
1692                     showFileInfo(fullpath,argv)
1693                 }
1694             }
1695         }
1696     }
1697     return ffullpath, ffound
1698 }
1699 func which(list string, argv []string) (fullpathv []string, itis bool){
1700     if len(argv) <= 1 {
1701         fmt.Printf("Usage: which comand [-s] [-a] [-ls]\n")
1702         return []string(""), false
1703     }
1704     path := argv[1]
1705     if strBegins(path,"/") {
1706         // should check if executable?
1707         _,exOK := showIfExecutable(path,"",argv)
1708         fmt.Printf("--D-- %v exOK=%v\n",path,exOK)
1709         return []string(path),exOK
1710     }
1711     pathenv, efound := os.LookupEnv(list)
1712     if ! efound {
1713         fmt.Printf("--E-- which: no \"%s\" environment\n",list)
1714         return []string(""), false
1715     }
1716     showall := isin("-a",argv) || 0 <= strings.Index(path,"*")
1717     dirv := strings.Split(pathenv,PATHSEP)
1718     ffound := false
1719     ffullpath := path
1720     for _, dir := range dirv {
1721         if 0 <= strings.Index(path,"*") { // by wild-card
1722             list, _ := ioutil.ReadDir(dir)
1723             ffullpath, ffound = showMatchFile(list,path,dir,argv)
1724         }else{
1725             ffullpath, ffound = showIfExecutable(path,dir,argv)
1726         }
1727         //if ffound && !isin("-a", argv) {
1728         if ffound && !showall {
1729             break;
1730         }
1731     }
1732     return []string(ffullpath), ffound
1733 }
1734
1735 func stripLeadingWSParg(argv[]string) ([]string){
1736     for ; 0 < len(argv); {

```

```

1737     if len(argv[0]) == 0 {
1738         argv = argv[1:]
1739     }else{
1740         break
1741     }
1742 }
1743 return argv
1744 }
1745 func xEval(argv []string, nlend bool){
1746     argv = stripLeadingWSparg(argv)
1747     if len(argv) == 0 {
1748         fmt.Printf("eval [%%format] [Go-expression]\n")
1749         return
1750     }
1751     pfmt := "%v"
1752     if argv[0][0] == '%' {
1753         pfmt = argv[0]
1754         argv = argv[1:]
1755     }
1756     if len(argv) == 0 {
1757         return
1758     }
1759     gocode := strings.Join(argv, " ");
1760     //fmt.Printf("eval [%v] [%v]\n",pfmt,gocode)
1761     fset := token.NewFileSet()
1762     rval, _ := types.Eval(fset,nil,token.NoPos,gocode)
1763     fmt.Printf(pfmt,rval.Value)
1764     if nlend { fmt.Printf("\n") }
1765 }
1766
1767 func getval(name string) (found bool, val int) {
1768     /* should expand the name here */
1769     if name == "gsh.pid" {
1770         return true, os.Getpid()
1771     }else
1772     if name == "gsh.ppid" {
1773         return true, os.Getppid()
1774     }
1775     return false, 0
1776 }
1777
1778 func echo(argv []string, nlend bool){
1779     for ai := 1; ai < len(argv); ai++ {
1780         if 1 < ai {
1781             fmt.Printf(" ");
1782         }
1783         arg := argv[ai]
1784         found, val := getval(arg)
1785         if found {
1786             fmt.Printf("%d",val)
1787         }else{
1788             fmt.Printf("%s",arg)
1789         }
1790     }
1791     if nlend {
1792         fmt.Printf("\n");
1793     }
1794 }
1795
1796 func resfile() string {
1797     return "gsh.tmp"
1798 }
1799 //var resF *File
1800 func resmap() {
1801     //_, err := os.OpenFile(resfile(), os.O_RDWR|os.O_CREATE, os.ModeAppend)
1802     // https://deveppaper.com/solution-to-golang-bad-file-descriptor-problem/
1803     _, err := os.OpenFile(resfile(), os.O_RDWR|os.O_CREATE, 0600)
1804     if err != nil {
1805         fmt.Printf("refF could not open: %s\n",err)
1806     }else{
1807         fmt.Printf("refF opened\n")
1808     }
1809 }
1810
1811 // @@2020-0821
1812 func gshScanArg(str string,strip int)(argv []string){
1813     var si = 0
1814     var sb = 0
1815     var inBracket = 0
1816     var arg1 = make([]byte,LINESIZE)
1817     var ax = 0
1818     debug := false
1819
1820     for ; si < len(str); si++ {
1821         if str[si] != ' ' {
1822             break
1823         }
1824     }
1825     sb = si
1826     for ; si < len(str); si++ {
1827         if sb <= si {
1828             if debug {
1829                 fmt.Printf("--Da- +%d %2d-%2d %s ... %s\n",
1830                     inBracket,sb,si,arg1[0:ax],str[si:])
1831             }
1832         }
1833         ch := str[si]
1834         if ch == '{' {
1835             inBracket += 1
1836             if 0 < strip && inBracket <= strip {
1837                 //fmt.Printf("stripLEV %d <= %d?\n",inBracket,strip)
1838                 continue
1839             }
1840         }
1841         if 0 < inBracket {
1842             if ch == '}' {
1843                 inBracket -= 1
1844                 if 0 < strip && inBracket < strip {
1845                     //fmt.Printf("stripLEV %d < %d?\n",inBracket,strip)
1846                     continue
1847                 }
1848             }
1849             arg1[ax] = ch
1850             ax += 1
1851             continue
1852         }
1853         if str[si] == ' ' {
1854             argv = append(argv,string(arg1[0:ax]))
1855             if debug {
1856                 fmt.Printf("--Da- [%v][%v-%v] %s ... %s\n",
1857                     -1+len(argv),sb,si,str[sb:si],string(str[si:]))
1858             }
1859             sb = si+1
1860             ax = 0

```

```

1861         continue
1862     }
1863     argl[ax] = ch
1864     ax += 1
1865 }
1866 if sb < si {
1867     argv = append(argv, string(argl[0:ax]))
1868     if debug {
1869         fmt.Printf("--Da- [%v][%-v] %s ... %s\n",
1870             -1+len(argv), sb, si, string(argl[0:ax]), string(str[si:]))
1871     }
1872 }
1873 if debug {
1874     fmt.Printf("--Da- %d [%s] => [%d]%\n", strip, str, len(argv), argv)
1875 }
1876 return argv
1877 }
1878
1879 // should get stderr (into tmpfile ?) and return
1880 func (gsh*GshContext)Popen(name, mode string) (pin*os.File, pout*os.File, err bool) {
1881     var pv = []int{-1, -1}
1882     syscall.Pipe(pv)
1883
1884     xarg := gshScanArg(name, 1)
1885     name = strings.Join(xarg, " ")
1886
1887     pin = os.NewFile(uintptr(pv[0]), "StdoutOf-"+name)
1888     pout = os.NewFile(uintptr(pv[1]), "StdinOf-"+name)
1889     fdix := 0
1890     dir := "?"
1891     if mode == "r" {
1892         dir = "<"
1893         fdix = 1 // read from the stdout of the process
1894     } else {
1895         dir = ">"
1896         fdix = 0 // write to the stdin of the process
1897     }
1898     gshPA := gsh.gshPA
1899     savfd := gshPA.Files[fdix]
1900
1901     var fd uintptr = 0
1902     if mode == "r" {
1903         fd = pout.Fd()
1904         gshPA.Files[fdix] = pout.Fd()
1905     } else {
1906         fd = pin.Fd()
1907         gshPA.Files[fdix] = pin.Fd()
1908     }
1909     // should do this by Goroutine?
1910     if false {
1911         fmt.Printf("--Ip- Opened fd[%v] %s %v\n", fd, dir, name)
1912         fmt.Printf("--RED1 [%d,%d,%d]->[%d,%d,%d]\n",
1913             os.Stdin.Fd(), os.Stdout.Fd(), os.Stderr.Fd(),
1914             pin.Fd(), pout.Fd(), pout.Fd())
1915     }
1916     savi := os.Stdin
1917     savo := os.Stdout
1918     save := os.Stderr
1919     os.Stdin = pin
1920     os.Stdout = pout
1921     os.Stderr = pout
1922     gsh.BackGround = true
1923     gsh.gshellh(name)
1924     gsh.BackGround = false
1925     os.Stdin = savi
1926     os.Stdout = savo
1927     os.Stderr = save
1928
1929     gshPA.Files[fdix] = savfd
1930     return pin, pout, false
1931 }
1932
1933 // <a name="ex-commands">External commands</a>
1934 func (gsh*GshContext)excommand(exec bool, argv []string) (notif bool, exit bool) {
1935     if gsh.CmdTrace { fmt.Printf("--I-- excommand[%v](%v)\n", exec, argv) }
1936
1937     gshPA := gsh.gshPA
1938     fullpathv, itis := which("PATH", []string{"which", argv[0], "-s"})
1939     if itis == false {
1940         return true, false
1941     }
1942     fullpath := fullpathv[0]
1943     argv = unescapeWhiteSPV(argv)
1944     if 0 < strings.Index(fullpath, ".go") {
1945         nargv := argv // []string{}
1946         gofullpathv, itis := which("PATH", []string{"which", "go", "-s"})
1947         if itis == false {
1948             fmt.Printf("--F-- Go not found\n")
1949             return false, true
1950         }
1951         gofullpath := gofullpathv[0]
1952         nargv = []string{ gofullpath, "run", fullpath }
1953         fmt.Printf("--I-- %s %s %s %s\n", gofullpath,
1954             nargv[0], nargv[1], nargv[2])
1955         if exec {
1956             syscall.Exec(gofullpath, nargv, os.Environ())
1957         } else {
1958             pid, _ := syscall.ForkExec(gofullpath, nargv, &gshPA)
1959             if gsh.BackGround {
1960                 fmt.Fprintf(stderr, "--Ip- in Background pid[%d]%(v)\n", pid, len(argv), nargv)
1961                 gsh.BackGroundJobs = append(gsh.BackGroundJobs, pid)
1962             } else {
1963                 rusage := syscall.Rusage {}
1964                 syscall.Wait4(pid, nil, 0, &rusage)
1965                 gsh.LastRusage = rusage
1966                 gsh.CmdCurrent.Rusagev[1] = rusage
1967             }
1968         }
1969     } else {
1970         if exec {
1971             syscall.Exec(fullpath, argv, os.Environ())
1972         } else {
1973             pid, _ := syscall.ForkExec(fullpath, argv, &gshPA)
1974             //fmt.Printf("[%d]\n", pid); // '&' to be background
1975             if gsh.BackGround {
1976                 fmt.Fprintf(stderr, "--Ip- in Background pid[%d]%(v)\n", pid, len(argv), argv)
1977                 gsh.BackGroundJobs = append(gsh.BackGroundJobs, pid)
1978             } else {
1979                 rusage := syscall.Rusage {}
1980                 syscall.Wait4(pid, nil, 0, &rusage);
1981                 gsh.LastRusage = rusage
1982                 gsh.CmdCurrent.Rusagev[1] = rusage
1983             }
1984         }
1985     }

```



```

1985     }
1986     return false,false
1987 }
1988
1989 // <a name="builtin">Builtin Commands</a>
1990 func (gshCtx *GshContext) sleep(argv []string) {
1991     if len(argv) < 2 {
1992         fmt.Printf("Sleep 100ms, 100us, 100ns, ...\\n")
1993         return
1994     }
1995     duration := argv[1];
1996     d, err := time.ParseDuration(duration)
1997     if err != nil {
1998         d, err = time.ParseDuration(duration+"s")
1999         if err != nil {
2000             fmt.Printf("duration ? %s (%s)\\n",duration,err)
2001             return
2002         }
2003     }
2004     //fmt.Printf("Sleep %v\\n",duration)
2005     time.Sleep(d)
2006     if 0 < len(argv[2:]) {
2007         gshCtx.gshellv(argv[2:])
2008     }
2009 }
2010 func (gshCtx *GshContext)repeat(argv []string) {
2011     if len(argv) < 2 {
2012         return
2013     }
2014     start0 := time.Now()
2015     for ri, _ := strconv.Atoi(argv[1]); 0 < ri; ri-- {
2016         if 0 < len(argv[2:]) {
2017             //start := time.Now()
2018             gshCtx.gshellv(argv[2:])
2019             end := time.Now()
2020             elps := end.Sub(start0);
2021             if( 1000000000 < elps ){
2022                 fmt.Printf("(repeat#%d %v)\\n",ri,elps);
2023             }
2024         }
2025     }
2026 }
2027
2028 func (gshCtx *GshContext)gen(argv []string) {
2029     gshPA := gshCtx.gshPA
2030     if len(argv) < 2 {
2031         fmt.Printf("Usage: %s N\\n",argv[0])
2032         return
2033     }
2034     // should br repeated by "repeat" command
2035     count, _ := strconv.Atoi(argv[1])
2036     fd := gshPA.Files[1] // Stdout
2037     file := os.NewFile(fd,"internalStdOut")
2038     fmt.Printf("-- Gen. Count=%d to [%d]\\n",count,file.Fd())
2039     //buf := []byte{}
2040     outdata := "0123 5678 0123 5678 0123 5678 0123 5678\\r"
2041     for gi := 0; gi < count; gi++ {
2042         file.WriteString(outdata)
2043     }
2044     //file.WriteString("\\n")
2045     fmt.Printf("\\n(%d B)\\n",count*len(outdata));
2046     //file.Close()
2047 }
2048
2049 // <a name="rexec">Remote Execution</a> // 2020-0820
2050 func Elapsed(from time.Time)(string){
2051     elps := time.Now().Sub(from)
2052     if 1000000000 < elps {
2053         return fmt.Sprintf("[%5d.%02ds]",elps/1000000000,(elps%1000000000)/10000000)
2054     }else
2055     if 1000000 < elps {
2056         return fmt.Sprintf("[%3d.%03dms]",elps/1000000,(elps%1000000)/1000)
2057     }else{
2058         return fmt.Sprintf("[%3d.%03dus]",elps/1000,(elps%1000))
2059     }
2060 }
2061 func abftime(nanos int64)(string){
2062     if 1000000000 < nanos {
2063         return fmt.Sprintf("%d.%02ds",nanos/1000000000,(nanos%1000000000)/10000000)
2064     }else
2065     if 1000000 < nanos {
2066         return fmt.Sprintf("%d.%03dms",nanos/1000000,(nanos%1000000)/1000)
2067     }else{
2068         return fmt.Sprintf("%d.%03dus",nanos/1000,(nanos%1000))
2069     }
2070 }
2071 func abssize(size int64)(string){
2072     fsize := float64(size)
2073     if 1024*1024*1024 < size {
2074         return fmt.Sprintf("%.2fGiB",fsize/(1024*1024*1024))
2075     }else
2076     if 1024*1024 < size {
2077         return fmt.Sprintf("%.3fMiB",fsize/(1024*1024))
2078     }else{
2079         return fmt.Sprintf("%.3fKiB",fsize/1024)
2080     }
2081 }
2082 func absze(size int64)(string){
2083     fsize := float64(size)
2084     if 1024*1024*1024 < size {
2085         return fmt.Sprintf("%.2fGiB",fsize/(1024*1024*1024))
2086     }else
2087     if 1024*1024 < size {
2088         return fmt.Sprintf("%.3fMiB",fsize/(1024*1024))
2089     }else{
2090         return fmt.Sprintf("%.3fKiB",fsize/1024)
2091     }
2092 }
2093 func abbspeed(totalB int64,ns int64)(string){
2094     MBs := (float64(totalB)/1000000) / (float64(ns)/1000000000)
2095     if 1000 <= MBs {
2096         return fmt.Sprintf("%.3fGB/s",MBs/1000)
2097     }
2098     if 1 <= MBs {
2099         return fmt.Sprintf("%.6.3fMB/s",MBs)
2100     }else{
2101         return fmt.Sprintf("%.6.3fKB/s",MBs*1000)
2102     }
2103 }
2104 func abspeed(totalB int64,ns time.Duration)(string){
2105     MBs := (float64(totalB)/1000000) / (float64(ns)/1000000000)
2106     if 1000 <= MBs {
2107         return fmt.Sprintf("%.6.3fGBps",MBs/1000)
2108     }

```

```

2109     if 1 <= MBs {
2110         return fmt.Sprintf("%6.3fMbps",MBs)
2111     }else{
2112         return fmt.Sprintf("%6.3fKBps",MBs*1000)
2113     }
2114 }
2115 func fileRelay(what string,in*os.File,out*os.File,size int64,bsiz int)(wcount int64){
2116     Start := time.Now()
2117     buff := make([]byte,bsiz)
2118     var total int64 = 0
2119     var rem int64 = size
2120     nio := 0
2121     Prev := time.Now()
2122     var PrevSize int64 = 0
2123
2124     fmt.Printf(Elapsed(Start)+"--In- X: %s (%v/%v/%v) START\n",
2125         what,absize(total),size,nio)
2126
2127     for i:= 0; ; i++ {
2128         var len = bsiz
2129         if int(rem) < len {
2130             len = int(rem)
2131         }
2132         Now := time.Now()
2133         Elps := Now.Sub(Prev);
2134         if 100000000 < Now.Sub(Prev) {
2135             fmt.Printf(Elapsed(Start)+"--In- X: %s (%v/%v/%v) %s\n",
2136                 what,absize(total),size,nio,
2137                 abspeed((total-PrevSize),Elps))
2138             Prev = Now;
2139             PrevSize = total
2140         }
2141         rlen := len
2142         if in != nil {
2143             // should watch the disconnection of out
2144             rcc,err := in.Read(buff[0:rlen])
2145             if err != nil {
2146                 fmt.Printf(Elapsed(Start)+"--En- X: %s read(%v,%v)<%v\n",
2147                     what,rcc,err,in.Name())
2148                 break
2149             }
2150             rlen = rcc
2151             if string(buff[0:10]) == "(SoftEOF " {
2152                 var ecc int64 = 0
2153                 fmt.Sscanf(string(buff),"(SoftEOF %v",&ecc)
2154                 fmt.Printf(Elapsed(Start)+"--En- X: %s Recv ((SoftEOF %v))/%v\n",
2155                     what,ecc,total)
2156                 if ecc == total {
2157                     break
2158                 }
2159             }
2160         }
2161         wlen := rlen
2162         if out != nil {
2163             wcc,err := out.Write(buff[0:wlen])
2164             if err != nil {
2165                 fmt.Printf(Elapsed(Start)+"--En-- X: %s write(%v,%v)>%v\n",
2166                     what,wcc,err,out.Name())
2167                 break
2168             }
2169             wlen = wcc
2170         }
2171         if wlen < rlen {
2172             fmt.Printf(Elapsed(Start)+"--En- X: %s incomplete write (%v/%v)\n",
2173                 what,wlen,rlen)
2174             break;
2175         }
2176     }
2177     nio += 1
2178     total += int64(rlen)
2179     rem -= int64(rlen)
2180     if rem <= 0 {
2181         break
2182     }
2183 }
2184
2185 Done := time.Now()
2186 Elps := float64(Done.Sub(Start))/1000000000 //Seconds
2187 TotalMB := float64(total)/1000000 //MB
2188 MBps := TotalMB / Elps
2189 fmt.Printf(Elapsed(Start)+"--In- X: %s (%v/%v/%v) %v %6.3fMB/s\n",
2190     what,total,size,nio,absize(total),MBps)
2191 return total
2192 }
2193 func tcpPush(clnt *os.File){
2194     // shrink socket buffer and recover
2195     usleep(100);
2196 }
2197 func (gsh*GshContext)RexecServer(argv[]string){
2198     debug := true
2199     Start0 := time.Now()
2200     Start := Start0
2201     // if local == "" { local = "0.0.0.0:9999" }
2202     local := "0.0.0.0:9999"
2203
2204     if 0 < len(argv) {
2205         if argv[0] == "-s" {
2206             debug = false
2207             argv = argv[1:]
2208         }
2209     }
2210     if 0 < len(argv) {
2211         argv = argv[1:]
2212     }
2213     port, err := net.ResolveTCPAddr("tcp",local);
2214     if err != nil {
2215         fmt.Printf("--En- S: Address error: %s (%s)\n",local,err)
2216         return
2217     }
2218     fmt.Printf(Elapsed(Start)+"--In- S: Listening at %s...\n",local);
2219     sconn, err := net.ListenTCP("tcp", port)
2220     if err != nil {
2221         fmt.Printf(Elapsed(Start)+"--En- S: Listen error: %s (%s)\n",local,err)
2222         return
2223     }
2224
2225     reqbuf := make([]byte,LINESIZE)
2226     res := ""
2227     for {
2228         fmt.Printf(Elapsed(Start0)+"--In- S: Listening at %s...\n",local);
2229         aconn, err := sconn.AcceptTCP()
2230         Start = time.Now()
2231         if err != nil {
2232             fmt.Printf(Elapsed(Start)+"--En- S: Accept error: %s (%s)\n",local,err)

```

```

2233     return
2234 }
2235 clnt, _ := aconn.File()
2236 fd := clnt.Fd()
2237 ar := aconn.RemoteAddr()
2238 if debug { fmt.Printf(Elapsed(Start0)+"--In- S: Accepted TCP at %s [%d] <- %v\n",
2239     local,fd,ar) }
2240 res = fmt.Sprintf("220 GShell/%s Server\r\n",VERSION)
2241 fmt.Fprintf(clnt,"%s",res)
2242 if debug { fmt.Printf(Elapsed(Start)+"--In- S: %s",res) }
2243 count, err := clnt.Read(reqbuf)
2244 if err != nil {
2245     fmt.Printf(Elapsed(Start)+"--En- C: (%v %v) %v",
2246         count,err,string(reqbuf))
2247 }
2248 req := string(reqbuf[:count])
2249 if debug { fmt.Printf(Elapsed(Start)+"--In- C: %v",string(req)) }
2250 reqv := strings.Split(string(req),"\r")
2251 cmdv := gshScanArg(reqv[0],0)
2252 //cmdv := strings.Split(reqv[0]," ")
2253 switch cmdv[0] {
2254     case "HELO":
2255         res = fmt.Sprintf("250 %v",req)
2256     case "GET":
2257         // download {remotefile|-zN} [localfile]
2258         var dsize int64 = 32*1024*1024
2259         var bsize int = 64*1024
2260         var fname string = ""
2261         var in *os.File = nil
2262         var pseudoEOF = false
2263         if 1 < len(cmdv) {
2264             fname = cmdv[1]
2265             if strBegins(fname,"-z") {
2266                 fmt.Sscanf(fname[2:],"%d",&dsize)
2267             }else{
2268                 if strBegins(fname,"{") {
2269                     xin,xout,err := gsh.Popen(fname,"r")
2270                     if err {
2271                         }else{
2272                             xout.Close()
2273                             defer xin.Close()
2274                             in = xin
2275                             dsize = MaxStreamSize
2276                             pseudoEOF = true
2277                         }
2278                     }else{
2279                         xin,err := os.Open(fname)
2280                         if err != nil {
2281                             fmt.Printf("--En- GET (%v)\n",err)
2282                         }else{
2283                             defer xin.Close()
2284                             in = xin
2285                             fi,_ := xin.Stat()
2286                             dsize = fi.Size()
2287                         }
2288                     }
2289                 }
2290                 //fmt.Printf(Elapsed(Start)+"--In- GET %v:%v\n",dsize,bsize)
2291                 res = fmt.Sprintf("200 %v\r\n",dsize)
2292                 fmt.Fprintf(clnt,"%v",res)
2293                 tcpPush(clnt); // should be separated as line in receiver
2294                 fmt.Printf(Elapsed(Start)+"--In- S: %v",res)
2295                 wcount := fileRelay("SendGET",in,clnt,dsize,bsize)
2296                 if pseudoEOF {
2297                     in.Close() // pipe from the command
2298                     // show end of stream data (its size) by OOB?
2299                     SoftEOF := fmt.Sprintf("(SoftEOF %v)",wcount)
2300                     fmt.Printf(Elapsed(Start)+"--In- S: Send %v\n",SoftEOF)
2301                 }
2302                 tcpPush(clnt); // to let SoftEOF data apper at the top of received data
2303                 fmt.Fprintf(clnt,"%v\r\n",SoftEOF)
2304                 tcpPush(clnt); // to let SoftEOF alone in a packet (separate with 200 OK)
2305                 // with client generated random?
2306                 //fmt.Printf("--In- L: close %v (%v)\n",in.Fd(),in.Name())
2307             }
2308             res = fmt.Sprintf("200 GET done\r\n")
2309         case "PUT":
2310             // upload {srcfile|-zN} [dstfile]
2311             var dsize int64 = 32*1024*1024
2312             var bsize int = 64*1024
2313             var fname string = ""
2314             var out *os.File = nil
2315             if 1 < len(cmdv) { // localfile
2316                 fmt.Sscanf(cmdv[1],"%d",&dsize)
2317             }
2318             if 2 < len(cmdv) {
2319                 fname = cmdv[2]
2320                 if fname == "-" {
2321                     // nul dev
2322                 }else{
2323                     if strBegins(fname,"{") {
2324                         xin,xout,err := gsh.Popen(fname,"w")
2325                         if err {
2326                             }else{
2327                                 xin.Close()
2328                                 defer xout.Close()
2329                                 out = xout
2330                             }
2331                         }else{
2332                             // should write to temporary file
2333                             // should suppress ^C on tty
2334                             xout,err := os.OpenFile(fname,os.O_CREATE|os.O_RDWR|os.O_TRUNC,0600)
2335                             //fmt.Printf("--In- S: open(%v) out(%v) err(%v)\n",fname,xout,err)
2336                             if err != nil {
2337                                 fmt.Printf("--En- PUT (%v)\n",err)
2338                             }else{
2339                                 out = xout
2340                             }
2341                         }
2342                     }
2343                     fmt.Printf(Elapsed(Start)+"--In- L: open(%v,w) %v (%v)\n",
2344                         fname,local,err)
2345                 }
2346                 fmt.Printf(Elapsed(Start)+"--In- PUT %v (%v)\n",dsize,bsize)
2347                 fmt.Printf(Elapsed(Start)+"--In- S: 200 %v OK\r\n",dsize)
2348                 fmt.Fprintf(clnt,"200 %v OK\r\n",dsize)
2349                 fileRelay("RecvPUT",clnt,out,dsize,bsize)
2350                 res = fmt.Sprintf("200 PUT done\r\n")
2351             default:
2352                 res = fmt.Sprintf("400 What? %v",req)
2353             }
2354         }
2355         swcc,serr := clnt.Write([]byte(res))
2356         if serr != nil {
2357             fmt.Printf(Elapsed(Start)+"--In- S: (%v=%v er=%v) %v",swcc,serr,res)
2358         }else{

```

```

2357         fmt.Printf(Elapsed(Start)+"--In- S: %v",res)
2358     }
2359     aconn.Close();
2360     c1nt.Close();
2361 }
2362     sconn.Close();
2363 }
2364 func (gsh*GshContext)RexecClient(argv[]string)(int,string){
2365     debug := true
2366     Start := time.Now()
2367     if len(argv) == 1 {
2368         return -1,"EmptyARG"
2369     }
2370     argv = argv[1:]
2371     if argv[0] == "-serv" {
2372         gsh.RexecServer(argv[1:])
2373         return 0,"Server"
2374     }
2375     remote := "0.0.0.0:9999"
2376     if argv[0][0] == '@' {
2377         remote = argv[0][1:]
2378         argv = argv[1:]
2379     }
2380     if argv[0] == "-s" {
2381         debug = false
2382         argv = argv[1:]
2383     }
2384     dport, err := net.ResolveTCPAddr("tcp",remote);
2385     if err != nil {
2386         fmt.Printf(Elapsed(Start)+"Address error: %s (%s)\n",remote,err)
2387         return -1,"AddressError"
2388     }
2389     fmt.Printf(Elapsed(Start)+"--In- C: Connecting to %s\n",remote)
2390     serv, err := net.DialTCP("tcp",nil,dport)
2391     if err != nil {
2392         fmt.Printf(Elapsed(Start)+"Connection error: %s (%s)\n",remote,err)
2393         return -1,"CannotConnect"
2394     }
2395     if debug {
2396         al := serv.LocalAddr()
2397         fmt.Printf(Elapsed(Start)+"--In- C: Connected to %v <- %v\n",remote,al)
2398     }
2399
2400     req := ""
2401     res := make([]byte,LINESIZE)
2402     count,err := serv.Read(res)
2403     if err != nil {
2404         fmt.Printf("--En- S: (%3d,%v) %v",count,err,string(res))
2405     }
2406     if debug { fmt.Printf(Elapsed(Start)+"--In- S: %v",string(res)) }
2407
2408     if argv[0] == "GET" {
2409         savPA := gsh.gshPA
2410         var bsize int = 64*1024
2411         req = fmt.Sprintf("%v\n",strings.Join(argv, " "))
2412         fmt.Printf(Elapsed(Start)+"--In- C: %v",req)
2413         fmt.Pprintf(serv,req)
2414         count,err = serv.Read(res)
2415         if err != nil {
2416             }else{
2417                 var dsize int64 = 0
2418                 var out *os.File = nil
2419                 var out_tobeclosed *os.File = nil
2420                 var fname string = ""
2421                 var rcode int = 0
2422                 var pid int = -1
2423                 fmt.Sscanf(string(res),"%d %d",&rcode,&dsize)
2424                 fmt.Printf(Elapsed(Start)+"--In- S: %v",string(res[0:count]))
2425                 if 3 <= len(argv) {
2426                     fname = argv[2]
2427                     if strBegins(fname,"{") {
2428                         xin,xout,err := gsh.Popen(fname,"w")
2429                         if err {
2430                             }else{
2431                                 xin.Close()
2432                                 defer xout.Close()
2433                                 out = xout
2434                                 out_tobeclosed = xout
2435                                 pid = 0 // should be its pid
2436                             }
2437                         }else{
2438                             // should write to temporary file
2439                             // should suppress ^C on tty
2440                             xout,err := os.OpenFile(fname,os.O_CREATE|os.O_RDWR|os.O_TRUNC,0600)
2441                             if err != nil {
2442                                 fmt.Print("--En- %v\n",err)
2443                             }
2444                             out = xout
2445                             //fmt.Printf("--In-- %d > %s\n",out.Fd(),fname)
2446                         }
2447                     }
2448                     in,_ := serv.File()
2449                     fileRelay("RecvGET",in,out,dsize,bsize)
2450                     if 0 <= pid {
2451                         gsh.gshPA = savPA // recovery of Fd(), and more?
2452                         fmt.Printf(Elapsed(Start)+"--In- L: close Pipe > %v\n",fname)
2453                         out_tobeclosed.Close()
2454                         //syscall.Wait4(pid,nil,0,nil) //@@
2455                     }
2456                 }
2457             }else
2458             if argv[0] == "PUT" {
2459                 remote, _ := serv.File()
2460                 var local *os.File = nil
2461                 var dsize int64 = 32*1024*1024
2462                 var bsize int = 64*1024
2463                 var ofile string = "-"
2464                 //fmt.Printf("--I-- Rex %v\n",argv)
2465                 if 1 < len(argv) {
2466                     fname := argv[1]
2467                     if strBegins(fname,"-z") {
2468                         fmt.Sscanf(fname[2:], "%d",&dsize)
2469                     }else
2470                     if strBegins(fname,"{") {
2471                         xin,xout,err := gsh.Popen(fname,"r")
2472                         if err {
2473                             }else{
2474                                 xout.Close()
2475                                 defer xin.Close()
2476                                 //in = xin
2477                                 local = xin
2478                                 fmt.Printf("--In- [%d] < Upload output of %v\n",
2479                                     local.Fd(),fname)
2480                                 ofile = "-from."+fname

```

```

2481         dsize = MaxStreamSize
2482     }
2483     }else{
2484         xlocal_err := os.Open(fname)
2485         if err != nil {
2486             fmt.Printf("--En- (%s)\n",err)
2487             local = nil
2488         }else{
2489             local = xlocal
2490             fi, _ := local.Stat()
2491             dsize = fi.Size()
2492             defer local.Close()
2493             //fmt.Printf("--I-- Rex in(%v / %v)\n",ofile,dsize)
2494         }
2495         ofile = fname
2496         fmt.Printf(Elapsed(Start)+"--In- L: open(%v,r)=%v %v (%v)\n",
2497             fname,dsize,local,err)
2498     }
2499 }
2500 if 2 < len(argv) && argv[2] != "" {
2501     ofile = argv[2]
2502     //fmt.Printf("(%d)%v B.ofile=%v\n",len(argv),argv,ofile)
2503 }
2504 //fmt.Printf(Elapsed(Start)+"--I-- Rex out(%v)\n",ofile)
2505 fmt.Printf(Elapsed(Start)+"--In- PUT %v (/ %v)\n",dsize,bsize)
2506 req = fmt.Sprintf("PUT %v %v \r\n",dsize,ofile)
2507 if debug { fmt.Printf(Elapsed(Start)+"--In- C: %v",req) }
2508 fmt.Fprintf(serv,"%v",req)
2509 count,err = serv.Read(res)
2510 if debug { fmt.Printf(Elapsed(Start)+"--In- S: %v",string(res[0:count])) }
2511 fileRelay("SendPUT",local,remote,dsize,bsize)
2512 }else{
2513     req = fmt.Sprintf("%v\r\n",strings.Join(argv," "))
2514     if debug { fmt.Printf(Elapsed(Start)+"--In- C: %v",req) }
2515     fmt.Fprintf(serv,"%v",req)
2516     //fmt.Printf("--In- sending RexRequest(%v)\n",len(req))
2517 }
2518 //fmt.Printf(Elapsed(Start)+"--In- waiting RexResponse...\n")
2519 count,err = serv.Read(res)
2520 ress := ""
2521 if count == 0 {
2522     ress = "(nil)\r\n"
2523 }else{
2524     ress = string(res[:count])
2525 }
2526 if err != nil {
2527     fmt.Printf(Elapsed(Start)+"--En- S: (%d,%v) %v",count,err,ress)
2528 }else{
2529     fmt.Printf(Elapsed(Start)+"--In- S: %v",ress)
2530 }
2531 serv.Close()
2532 //conn.Close()
2533 }
2534 var stat string
2535 var rcode int
2536 fmt.Sscanf(ress,"%d %s",&rcode,&stat)
2537 //fmt.Printf("--D-- Client: %v (%v)",rcode,stat)
2538 return rcode,ress
2539 }
2540 }
2541 // <a name="remote-sh">Remote Shell</a>
2542 // gcp file [...] { [host]:[port]:[dir] | dir } // -p | -no-p
2543 func (gsh*GshContext)FileCopy(argv[[]string){
2544     var host = ""
2545     var port = ""
2546     var upload = false
2547     var download = false
2548     var xargv = [ ]string{"rex-gcp"}
2549     var srcv = [ ]string{}
2550     var dstv = [ ]string{}
2551     argv = argv[1:]
2552 }
2553 for _,v := range argv {
2554     /*
2555     if v[0] == '-' { // might be a pseudo file (generated date)
2556         continue
2557     }
2558     */
2559     obj := strings.Split(v,":")
2560     //fmt.Printf("%d %v %v\n",len(obj),v,obj)
2561     if 1 < len(obj) {
2562         host = obj[0]
2563         file := ""
2564         if 0 < len(host) {
2565             gsh.LastServer.host = host
2566         }else{
2567             host = gsh.LastServer.host
2568             port = gsh.LastServer.port
2569         }
2570         if 2 < len(obj) {
2571             port = obj[1]
2572             if 0 < len(port) {
2573                 gsh.LastServer.port = port
2574             }else{
2575                 port = gsh.LastServer.port
2576             }
2577             file = obj[2]
2578         }else{
2579             file = obj[1]
2580         }
2581         if len(srcv) == 0 {
2582             download = true
2583             srcv = append(srcv,file)
2584             continue
2585         }
2586         upload = true
2587         dstv = append(dstv,file)
2588         continue
2589     }
2590     /*
2591     idx := strings.Index(v,":")
2592     if 0 <= idx {
2593         remote = v[0:idx]
2594         if len(srcv) == 0 {
2595             download = true
2596             srcv = append(srcv,v[idx+1:])
2597             continue
2598         }
2599         upload = true
2600         dstv = append(dstv,v[idx+1:])
2601         continue
2602     }
2603     */
2604     if download {

```

```

2605         dstv = append(dstv,v)
2606     }else{
2607         srcv = append(srcv,v)
2608     }
2609 }
2610 hostport := "@" + host + ":" + port
2611 if upload {
2612     if host != "" { xargv = append(xargv,hostport) }
2613     xargv = append(xargv,"PUT")
2614     xargv = append(xargv,srcv[0]...)
2615     xargv = append(xargv,dstv[0]...)
2616     //fmt.Printf("--I-- FileCopy PUT gsh://%/s/%v < %v // %v\n",hostport,dstv,srcv,xargv)
2617     fmt.Printf("--I-- FileCopy PUT gsh://%/s/%v < %v\n",hostport,dstv,srcv)
2618     gsh.RexecClient(xargv)
2619 }else
2620 if download {
2621     if host != "" { xargv = append(xargv,hostport) }
2622     xargv = append(xargv,"GET")
2623     xargv = append(xargv,srcv[0]...)
2624     xargv = append(xargv,dstv[0]...)
2625     //fmt.Printf("--I-- FileCopy GET gsh://%/v/%v > %v // %v\n",hostport,srcv,dstv,xargv)
2626     fmt.Printf("--I-- FileCopy GET gsh://%/v/%v > %v\n",hostport,srcv,dstv)
2627     gsh.RexecClient(xargv)
2628 }else{
2629 }
2630 }
2631
2632 // target
2633 func (gsh*GshContext)Trelpath(rloc string)(string){
2634     cwd, _ := os.Getwd()
2635     os.Chdir(gsh.RWD)
2636     os.Chdir(rloc)
2637     twd, _ := os.Getwd()
2638     os.Chdir(cwd)
2639
2640     tpath := twd + "/" + rloc
2641     return tpath
2642 }
2643 // join to rremote GShell - [user@]host[:port] or cd host[:port]:path
2644 func (gsh*GshContext)Rjoin(argv[]string){
2645     if len(argv) <= 1 {
2646         fmt.Printf("--I-- current server = %v\n",gsh.RSERV)
2647         return
2648     }
2649     serv := argv[1]
2650     servv := strings.Split(serv,":")
2651     if 1 <= len(servv) {
2652         if servv[0] == "lo" {
2653             servv[0] = "localhost"
2654         }
2655     }
2656     switch len(servv) {
2657     case 1:
2658         //if strings.Index(serv,":") < 0 {
2659             serv = servv[0] + ":" + fmt.Sprintf("%d",GSH_PORT)
2660         //}
2661     case 2: // host:port
2662         serv = strings.Join(servv,":")
2663     }
2664     xargv := []string{"rex-join","@"+serv,"HELO"}
2665     rcode,stat := gsh.RexecClient(xargv)
2666     if (rcode / 100) == 2 {
2667         fmt.Printf("--I-- OK Joined (%v) %v\n",rcode,stat)
2668         gsh.RSERV = serv
2669     }else{
2670         fmt.Printf("--I-- NG, could not joined (%v) %v\n",rcode,stat)
2671     }
2672 }
2673 func (gsh*GshContext)Rexec(argv[]string){
2674     if len(argv) <= 1 {
2675         fmt.Printf("--I-- rexec command [ | {file || {command} ]\n",gsh.RSERV)
2676         return
2677     }
2678 }
2679 /*
2680 nargv := gshScanArg(strings.Join(argv," "),0)
2681 fmt.Printf("--D-- nargc=%d [%v]\n",len(nargv),nargv)
2682 if nargv[1][0] != '{' {
2683     nargv[1] = "{" + nargv[1] + "}"
2684     fmt.Printf("--D-- nargc=%d [%v]\n",len(nargv),nargv)
2685 }
2686 argv = nargv
2687 */
2688 nargv := []string{}
2689 argv = append(nargv,"{"+strings.Join(argv[1:]," ")+"}")
2690 fmt.Printf("--D-- nargc=%d %v\n",len(nargv),nargv)
2691 argv = nargv
2692
2693 xargv := []string{"rex-exec","@"+gsh.RSERV,"GET"}
2694 xargv = append(xargv,argv...)
2695 xargv = append(xargv,"/dev/tty")
2696 rcode,stat := gsh.RexecClient(xargv)
2697 if (rcode / 100) == 2 {
2698     fmt.Printf("--I-- OK Rexec (%v) %v\n",rcode,stat)
2699 }else{
2700     fmt.Printf("--I-- NG Rexec (%v) %v\n",rcode,stat)
2701 }
2702 }
2703 func (gsh*GshContext)Rchdir(argv[]string){
2704     if len(argv) <= 1 {
2705         return
2706     }
2707     cwd, _ := os.Getwd()
2708     os.Chdir(gsh.RWD)
2709     os.Chdir(argv[1])
2710     twd, _ := os.Getwd()
2711     gsh.RWD = twd
2712     fmt.Printf("--I-- JWD=%v\n",twd)
2713     os.Chdir(cwd)
2714 }
2715 func (gsh*GshContext)Rpwd(argv[]string){
2716     fmt.Printf("%v\n",gsh.RWD)
2717 }
2718 func (gsh*GshContext)Rls(argv[]string){
2719     cwd, _ := os.Getwd()
2720     os.Chdir(gsh.RWD)
2721     argv[0] = "-ls"
2722     gsh.xFind(argv)
2723     os.Chdir(cwd)
2724 }
2725 func (gsh*GshContext)Rput(argv[]string){
2726     var local string = ""
2727     var remote string = ""
2728     if 1 < len(argv) {

```

```

2729     local = argv[1]
2730     remote = local // base name
2731 }
2732 if 2 < len(argv) {
2733     remote = argv[2]
2734 }
2735 fmt.Printf("--I-- jput from=%v to=%v\n",local,gsh.Trelpath(remote))
2736 }
2737 func (gsh*GshContext)Rget(argv []string){
2738     var remote string = ""
2739     var local string = ""
2740     if 1 < len(argv) {
2741         remote = argv[1]
2742         local = remote // base name
2743     }
2744     if 2 < len(argv) {
2745         local = argv[2]
2746     }
2747     fmt.Printf("--I-- jget from=%v to=%v\n",gsh.Trelpath(remote),local)
2748 }
2749 // <a name="network">network</a>
2750 // -s, -si, -so // bi-directional, source, sync (maybe socket)
2751 func (gshCtx*GshContext)sconnect(inTCP bool, argv []string) {
2752     gshPA := gshCtx.gshPA
2753     if len(argv) < 2 {
2754         fmt.Printf("Usage: -s [host]:[port[.udp]]\n")
2755         return
2756     }
2757     remote := argv[1]
2758     if remote == ":" { remote = "0.0.0.0:9999" }
2759     if inTCP { // TCP
2760         dport, err := net.ResolveTCPAddr("tcp",remote);
2761         if err != nil {
2762             fmt.Printf("Address error: %s (%s)\n",remote,err)
2763             return
2764         }
2765         conn, err := net.DialTCP("tcp",nil,dport)
2766         if err != nil {
2767             fmt.Printf("Connection error: %s (%s)\n",remote,err)
2768             return
2769         }
2770     }
2771     file, _ := conn.File();
2772     fd := file.Fd()
2773     fmt.Printf("Socket: connected to %s, socket[%d]\n",remote,fd)
2774     savfd := gshPA.Files[1]
2775     gshPA.Files[1] = fd;
2776     gshCtx.gshellv(argv[2:])
2777     gshPA.Files[1] = savfd
2778     file.Close()
2779     conn.Close()
2780 }else{
2781     //dport, err := net.ResolveUDPAddr("udp4",remote);
2782     dport, err := net.ResolveUDPAddr("udp",remote);
2783     if err != nil {
2784         fmt.Printf("Address error: %s (%s)\n",remote,err)
2785         return
2786     }
2787     //conn, err := net.DialUDP("udp4",nil,dport)
2788     conn, err := net.DialUDP("udp",nil,dport)
2789     if err != nil {
2790         fmt.Printf("Connection error: %s (%s)\n",remote,err)
2791         return
2792     }
2793     file, _ := conn.File();
2794     fd := file.Fd()
2795     ar := conn.RemoteAddr()
2796     //al := conn.LocalAddr()
2797     fmt.Printf("Socket: connected to %s [%s], socket[%d]\n",
2798         remote,ar.String(),fd)
2799     savfd := gshPA.Files[1]
2800     gshPA.Files[1] = fd;
2801     gshCtx.gshellv(argv[2:])
2802     gshPA.Files[1] = savfd
2803     file.Close()
2804     conn.Close()
2805 }
2806 }
2807 }
2808 }
2809 }
2810 }
2811 func (gshCtx*GshContext)saccept(inTCP bool, argv []string) {
2812     gshPA := gshCtx.gshPA
2813     if len(argv) < 2 {
2814         fmt.Printf("Usage: -ac [host]:[port[.udp]]\n")
2815         return
2816     }
2817     local := argv[1]
2818     if local == ":" { local = "0.0.0.0:9999" }
2819     if inTCP { // TCP
2820         port, err := net.ResolveTCPAddr("tcp",local);
2821         if err != nil {
2822             fmt.Printf("Address error: %s (%s)\n",local,err)
2823             return
2824         }
2825         //fmt.Printf("Listen at %s...\n",local);
2826         sconn, err := net.ListenTCP("tcp", port)
2827         if err != nil {
2828             fmt.Printf("Listen error: %s (%s)\n",local,err)
2829             return
2830         }
2831         //fmt.Printf("Accepting at %s...\n",local);
2832         aconn, err := sconn.AcceptTCP()
2833         if err != nil {
2834             fmt.Printf("Accept error: %s (%s)\n",local,err)
2835             return
2836         }
2837         file, _ := aconn.File()
2838         fd := file.Fd()
2839         fmt.Printf("Accepted TCP at %s [%d]\n",local,fd)
2840         savfd := gshPA.Files[0]
2841         gshPA.Files[0] = fd;
2842         gshCtx.gshellv(argv[2:])
2843         gshPA.Files[0] = savfd
2844     }
2845     sconn.Close();
2846     aconn.Close();
2847     file.Close();
2848 }else{
2849     //port, err := net.ResolveUDPAddr("udp4",local);
2850     port, err := net.ResolveUDPAddr("udp",local);
2851     if err != nil {

```

```

2853     fmt.Printf("Address error: %s (%s)\n",local,err)
2854     return
2855 }
2856 fmt.Printf("Listen UDP at %s...\n",local);
2857 //uconn, err := net.ListenUDP("udp4", port)
2858 uconn, err := net.ListenUDP("udp", port)
2859 if err != nil {
2860     fmt.Printf("Listen error: %s (%s)\n",local,err)
2861     return
2862 }
2863 file, _ := uconn.File()
2864 fd := file.Fd()
2865 ar := uconn.RemoteAddr()
2866 remote := ""
2867 if ar != nil { remote = ar.String() }
2868 if remote == "" { remote = "?" }
2869
2870 // not yet received
2871 //fmt.Printf("Accepted at %s [%d] <- %s\n",local,fd,"")
2872
2873 savfd := gshPA.Files[0]
2874 gshPA.Files[0] = fd;
2875 savenv := gshPA.Env
2876 gshPA.Env = append(savenv, "REMOTE_HOST="+remote)
2877 gshCtx.gshellv(argv[2:])
2878 gshPA.Env = savenv
2879 gshPA.Files[0] = savfd
2880
2881 uconn.Close();
2882 file.Close();
2883 }
2884 }
2885
2886 // empty line command
2887 func (gshCtx*GshContext)xPwd(argv[]string){
2888     // execute context command, pwd + date
2889     // context notation, representation scheme, to be resumed at re-login
2890     cwd, _ := os.Getwd()
2891     switch {
2892     case isin("-a",argv):
2893         gshCtx.ShowChdirHistory(argv)
2894     case isin("-ls",argv):
2895         showFileInfo(cwd,argv)
2896     default:
2897         fmt.Printf("%s\n",cwd)
2898     case isin("-v",argv): // obsolete empty command
2899         t := time.Now()
2900         date := t.Format(time.UnixDate)
2901         exe, _ := os.Executable()
2902         host, _ := os.Hostname()
2903         fmt.Printf(" PWD=\"%s\"",cwd)
2904         fmt.Printf(" HOST=\"%s\"",host)
2905         fmt.Printf(" DATE=\"%s\"",date)
2906         fmt.Printf(" TIME=\"%s\"",t.String())
2907         fmt.Printf(" PID=\"%s\"",os.Getpid())
2908         fmt.Printf(" EXE=\"%s\"",exe)
2909         fmt.Printf("\n")
2910     }
2911 }
2912
2913 // <a name="history">History</a>
2914 // these should be browsed and edited by HTTP browser
2915 // show the time of command with -t and direcotry with -ls
2916 // openfile-history, sort by -a -m -c
2917 // sort by elapsed time by -t -s
2918 // search by "more" like interface
2919 // edit history
2920 // sort history, and wc or uniq
2921 // CPU and other resource consumptions
2922 // limit showing range (by time or so)
2923 // export / import history
2924 func (gshCtx *GshContext)xHistory(argv []string){
2925     atWorkDirX := -1
2926     if 1 < len(argv) && strBegins(argv[1],"0") {
2927         atWorkDirX,_ = strconv.Atoi(argv[1][1:])
2928     }
2929     //fmt.Printf("--D-- showHistory(%v)\n",argv)
2930     for i, v := range gshCtx.CommandHistory {
2931         // exclude commands not to be listed by default
2932         // internal commands may be suppressed by default
2933         if v.CmdLine == "" && !isin("-a",argv) {
2934             continue;
2935         }
2936         if 0 <= atWorkDirX {
2937             if v.WorkDirX != atWorkDirX {
2938                 continue
2939             }
2940         }
2941         if !isin("-n",argv){ // like "fc"
2942             fmt.Printf("%-2d ",i)
2943         }
2944         if isin("-v",argv){
2945             fmt.Println(v) // should be with it date
2946         }else{
2947             if isin("-l",argv) || isin("-l0",argv) {
2948                 elps := v.EndAt.Sub(v.StartAt);
2949                 start := v.StartAt.Format(time.Stamp)
2950                 fmt.Printf("@%d ",v.WorkDirX)
2951                 fmt.Printf("[%v] %11v/t ",start,elps)
2952             }
2953             if isin("-l",argv) && !isin("-l0",argv){
2954                 fmt.Printf("%v",Rusagef("%t %u\t// %s",argv,v.Rusagev))
2955             }
2956             if isin("-at",argv) { // isin("-ls",argv){
2957                 dhi := v.WorkDirX // workdir history index
2958                 fmt.Printf("@%d %s\t",dhi,v.WorkDir)
2959                 // show the FileInfo of the output command??
2960             }
2961             fmt.Printf("%s",v.CmdLine)
2962             fmt.Printf("\n")
2963         }
2964     }
2965 }
2966 // ln - history index
2967 func searchHistory(gshCtx GshContext, gline string) (string, bool, bool){
2968     if gline[0] == '!' {
2969         hix, err := strconv.Atoi(gline[1:])
2970         if err != nil {
2971             fmt.Printf("--E-- (%s : range)\n",hix)
2972             return "", false, true
2973         }
2974         if hix < 0 || len(gshCtx.CommandHistory) <= hix {
2975             fmt.Printf("--E-- (%d : out of range)\n",hix)
2976             return "", false, true

```



```

2977     }
2978     return gshCtx.CommandHistory[hix].CmdLine, false, false
2979 }
2980 // search
2981 //for i, v := range gshCtx.CommandHistory {
2982 //}
2983 return gline, false, false
2984 }
2985 func (gsh*GshContext)cmdStringInHistory(hix int)(cmd string, ok bool){
2986     if 0 <= hix && hix < len(gsh.CommandHistory) {
2987         return gsh.CommandHistory[hix].CmdLine,true
2988     }
2989     return "",false
2990 }
2991
2992 // temporary adding to PATH environment
2993 // cd name -lib for LD_LIBRARY_PATH
2994 // chdir with directory history (date + full-path)
2995 // -s for sort option (by visit date or so)
2996 func (gsh*GshContext)ShowChdirHistory1(i int,v GChdirHistory, argv []string){
2997     fmt.Printf("%s-2d ",v.CmdIndex) // the first command at this WorkDir
2998     fmt.Printf("%sd ",i)
2999     fmt.Printf("[%v] ",v.MovedAt.Format(time.Stamp))
3000     showFileInfo(v.Dir,argv)
3001 }
3002 func (gsh*GshContext)ShowChdirHistory(argv []string){
3003     for i, v := range gsh.ChdirHistory {
3004         gsh.ShowChdirHistory1(i,v,argv)
3005     }
3006 }
3007 func skipOpts(argv[]string)(int){
3008     for i,v := range argv {
3009         if strBegins(v,"-") {
3010             }else{
3011                 return i
3012             }
3013         }
3014     }
3015     return -1
3016 }
3017 func (gshCtx*GshContext)xChdir(argv []string){
3018     cdhist := gshCtx.ChdirHistory
3019     if isin("?",argv) || isin("-t",argv) || isin("-a",argv) {
3020         gshCtx.ShowChdirHistory(argv)
3021         return
3022     }
3023     pwd, _ := os.Getwd()
3024     dir := ""
3025     if len(argv) <= 1 {
3026         dir = toFullpath("-")
3027     }else{
3028         i := skipOpts(argv[1:])
3029         if i < 0 {
3030             dir = toFullpath("-")
3031         }else{
3032             dir = argv[1+i]
3033         }
3034     }
3035     if strBegins(dir,"@") {
3036         if dir == "@0" { // obsolete
3037             dir = gshCtx.StartDir
3038         }else
3039         if dir == "@!" {
3040             index := len(cdhist) - 1
3041             if 0 < index { index -- 1 }
3042             dir = cdhist[index].Dir
3043         }else{
3044             index, err := stroconv.Atoi(dir[1:])
3045             if err != nil {
3046                 fmt.Printf("--E-- xChdir(%v)\n",err)
3047                 dir = "?"
3048             }else
3049             if len(gshCtx.ChdirHistory) <= index {
3050                 fmt.Printf("--E-- xChdir(history range error)\n")
3051                 dir = "?"
3052             }else{
3053                 dir = cdhist[index].Dir
3054             }
3055         }
3056     }
3057     if dir != "?" {
3058         err := os.Chdir(dir)
3059         if err != nil {
3060             fmt.Printf("--E-- xChdir(%s)(%v)\n",argv[1],err)
3061         }else{
3062             cwd, _ := os.Getwd()
3063             if cwd != pwd {
3064                 hist1 := GChdirHistory { }
3065                 hist1.Dir = cwd
3066                 hist1.MovedAt = time.Now()
3067                 hist1.CmdIndex = len(gshCtx.CommandHistory)+1
3068                 gshCtx.ChdirHistory = append(cdhist,hist1)
3069                 if !isin("-s",argv){
3070                     //cwd, _ := os.Getwd()
3071                     //fmt.Printf("%s\n",cwd)
3072                     ix := len(gshCtx.ChdirHistory)-1
3073                     gshCtx.ShowChdirHistory1(ix,hist1,argv)
3074                 }
3075             }
3076         }
3077     }
3078     if isin("-ls",argv){
3079         cwd, _ := os.Getwd()
3080         showFileInfo(cwd,argv);
3081     }
3082 }
3083 func TimeValSub(tv1 *syscall.Timeval, tv2 *syscall.Timeval){
3084     *tv1 = syscall.NsecToTimeval(tv1.Nano() - tv2.Nano())
3085 }
3086 func RusageSubv(ru1, ru2 [2]syscall.Rusage)(([2]syscall.Rusage){
3087     TimeValSub(&ru1[0].Utime,&ru2[0].Utime)
3088     TimeValSub(&ru1[0].Stime,&ru2[0].Stime)
3089     TimeValSub(&ru1[1].Utime,&ru2[1].Utime)
3090     TimeValSub(&ru1[1].Stime,&ru2[1].Stime)
3091     return ru1
3092 })
3093 func TimeValAdd(tv1 syscall.Timeval, tv2 syscall.Timeval)(syscall.Timeval){
3094     tvs := syscall.NsecToTimeval(tv1.Nano() + tv2.Nano())
3095     return tvs
3096 }
3097 /*
3098 func RusageAddv(ru1, ru2 [2]syscall.Rusage)(([2]syscall.Rusage){
3099     TimeValAdd(ru1[0].Utime,ru2[0].Utime)
3100     TimeValAdd(ru1[0].Stime,ru2[0].Stime)
3101     TimeValAdd(ru1[1].Utime,ru2[1].Utime)

```

```

3101     TimeValAdd(ru1[1].Stime,ru2[1].Stime)
3102     return ru1
3103 }
3104 */
3105
3106 // <a name="rusage">Resource Usage</a>
3107 func sRusagef(fmtspec string, argv []string, ru [2]syscall.Rusage)(string){
3108     // ru[0] self , ru[1] children
3109     ut := TimeValAdd(ru[0].Utime,ru[1].Utime)
3110     st := TimeValAdd(ru[0].Stime,ru[1].Stime)
3111     uu := (ut.Sec*1000000 + int64(ut.Usec)) * 1000
3112     su := (st.Sec*1000000 + int64(st.Usec)) * 1000
3113     tu := uu + su
3114     ret := fmt.Sprintf("%v/sum",abftime(tu))
3115     ret += fmt.Sprintf(", %v/usr",abftime(uu))
3116     ret += fmt.Sprintf(", %v/sys",abftime(su))
3117     return ret
3118 }
3119 func Rusagef(fmtspec string, argv []string, ru [2]syscall.Rusage)(string){
3120     ut := TimeValAdd(ru[0].Utime,ru[1].Utime)
3121     st := TimeValAdd(ru[0].Stime,ru[1].Stime)
3122     fmt.Printf("%d.%06ds/u ",ut.Sec,ut.Usec) //ru[1].Utime.Sec,ru[1].Utime.Usec)
3123     fmt.Printf("%d.%06ds/s ",st.Sec,st.Usec) //ru[1].Stime.Sec,ru[1].Stime.Usec)
3124     return ""
3125 }
3126 func Getrusagev()([2]syscall.Rusage){
3127     var ruv = [2]syscall.Rusage{}
3128     syscall.Getrusage(syscall.RUSAGE_SELF,&ruv[0])
3129     syscall.Getrusage(syscall.RUSAGE_CHILDREN,&ruv[1])
3130     return ruv
3131 }
3132 func showRusage(what string,argv []string, ru *syscall.Rusage){
3133     fmt.Printf("%s: ",what);
3134     fmt.Printf("Utr=%d.%06ds",ru.Utime.Sec,ru.Utime.Usec)
3135     fmt.Printf(" Sys=%d.%06ds",ru.Stime.Sec,ru.Stime.Usec)
3136     fmt.Printf(" Rss=%vB",ru.Maxrss)
3137     if isin("-l",argv) {
3138         fmt.Printf(" MinFlt=%v",ru.Minflt)
3139         fmt.Printf(" MajFlt=%v",ru.Majflt)
3140         fmt.Printf(" IxRSS=%vB",ru.Ixrss)
3141         fmt.Printf(" IdRSS=%vB",ru.Idrss)
3142         fmt.Printf(" Nswap=%vB",ru.Nswap)
3143         fmt.Printf(" Read=%v",ru.Inblock)
3144         fmt.Printf(" Write=%v",ru.Oblock)
3145     }
3146     fmt.Printf(" Snd=%v",ru.Msgsnd)
3147     fmt.Printf(" Rcv=%v",ru.Msgrcv)
3148     //if isin("-l",argv) {
3149         fmt.Printf(" Sig=%v",ru.Nsignals)
3150     //}
3151     fmt.Printf("\n");
3152 }
3153 func (gshCtx *GshContext)xTime(argv[]string)(bool){
3154     if 2 <= len(argv){
3155         gshCtx.LastRusage = syscall.Rusage{}
3156         rusagev1 := Getrusagev()
3157         fin := gshCtx.gshellv(argv[1:])
3158         rusagev2 := Getrusagev()
3159         showRusage(argv[1],argv,&gshCtx.LastRusage)
3160         rusagev := RusageSubv(rusagev2,rusagev1)
3161         showRusage("self",argv,&rusagev[0])
3162         showRusage("chld",argv,&rusagev[1])
3163         return fin
3164     }else{
3165         rusage:= syscall.Rusage {}
3166         syscall.Getrusage(syscall.RUSAGE_SELF,&rusage)
3167         showRusage("self",argv, &rusage)
3168         syscall.Getrusage(syscall.RUSAGE_CHILDREN,&rusage)
3169         showRusage("chld",argv, &rusage)
3170         return false
3171     }
3172 }
3173 func (gshCtx *GshContext)xJobs(argv[]string){
3174     fmt.Printf("%d Jobs\n",len(gshCtx.BackGroundJobs))
3175     for ji, pid := range gshCtx.BackGroundJobs {
3176         //wstat := syscall.WaitStatus {}
3177         rusage := syscall.Rusage {}
3178         //wpid, err := syscall.Wait4(pid,&wstat,syscall.WNOHANG,&rusage);
3179         wpid, err := syscall.Wait4(pid,nil,syscall.WNOHANG,&rusage);
3180         if err != nil {
3181             fmt.Printf("--E-- %%d [%d] (%v)\n",ji,pid,err)
3182         }else{
3183             fmt.Printf("%%d[%d](%d)\n",ji,pid,wpid)
3184             showRusage("chld",argv,&rusage)
3185         }
3186     }
3187 }
3188 func (gsh*GshContext)inBackground(argv[]string)(bool){
3189     if gsh.CmdTrace { fmt.Printf("--I-- inBackground(%v)\n",argv) }
3190     gsh.BackGround = true // set background option
3191     xfin := false
3192     xfin = gsh.gshellv(argv)
3193     gsh.BackGround = false
3194     return xfin
3195 }
3196 // -o file without command means just opening it and refer by #N
3197 // should be listed by "files" command
3198 func (gshCtx*GshContext)xOpen(argv[]string){
3199     var pv = []int{-1,-1}
3200     err := syscall.Pipe(pv)
3201     fmt.Printf("--I-- pipe()=#%d,%#d](%v)\n",pv[0],pv[1],err)
3202 }
3203 func (gshCtx*GshContext)fromPipe(argv[]string){
3204 }
3205 func (gshCtx*GshContext)xClose(argv[]string){
3206 }
3207
3208 // <a name="redirect">redirect</a>
3209 func (gshCtx*GshContext)redirect(argv[]string)(bool){
3210     if len(argv) < 2 {
3211         return false
3212     }
3213 }
3214 cmd := argv[0]
3215 fname := argv[1]
3216 var file *os.File = nil
3217
3218 fdix := 0
3219 mode := os.O_RDONLY
3220
3221 switch {
3222 case cmd == "-i" || cmd == "<":
3223     fdix = 0
3224     mode = os.O_RDONLY

```

```

3225     case cmd == "-o" || cmd == ">":
3226         fdix = 1
3227         mode = os.O_RDWR | os.O_CREATE
3228     case cmd == "-a" || cmd == ">>":
3229         fdix = 1
3230         mode = os.O_RDWR | os.O_CREATE | os.O_APPEND
3231     }
3232     if fname[0] == '#' {
3233         fd, err := strconv.Atoi(fname[1:])
3234         if err != nil {
3235             fmt.Printf("--E-- (%v)\n",err)
3236             return false
3237         }
3238         file = os.NewFile(uintptr(fd),"MaybePipe")
3239     }else{
3240         xfile, err := os.OpenFile(argv[1], mode, 0600)
3241         if err != nil {
3242             fmt.Printf("--E-- (%s)\n",err)
3243             return false
3244         }
3245         file = xfile
3246     }
3247     gshPA := gshCtx.gshPA
3248     savfd := gshPA.Files[fdix]
3249     gshPA.Files[fdix] = file.Fd()
3250     fmt.Printf("--I-- Opened [%d] %s\n",file.Fd(),argv[1])
3251     gshCtx.gshellv(argv[2:])
3252     gshPA.Files[fdix] = savfd
3253
3254     return false
3255 }
3256
3257 //fmt.Fprintf(res, "GShell Status: %q", html.EscapeString(req.URL.Path))
3258 func httpHandler(res http.ResponseWriter, req *http.Request){
3259     path := req.URL.Path
3260     fmt.Printf("--I-- Got HTTP Request(%s)\n",path)
3261     {
3262         gshCtxBuf, _ := setupGshContext()
3263         gshCtx := *gshCtxBuf
3264         fmt.Printf("--I-- %s\n",path[1:])
3265         gshCtx.tgshelll(path[1:])
3266     }
3267     fmt.Fprintf(res, "Hello(^-^)/\n%s\n",path)
3268 }
3269 func (gshCtx *GshContext) httpServer(argv []string){
3270     http.HandleFunc("/", httpHandler)
3271     accport := "localhost:9999"
3272     fmt.Printf("--I-- HTTP Server Start at [%s]\n",accport)
3273     http.ListenAndServe(accport,nil)
3274 }
3275 func (gshCtx *GshContext)xGo(argv[]string){
3276     go gshCtx.gshellv(argv[1:]);
3277 }
3278 func (gshCtx *GshContext) xPs(argv[]string){}
3279 }
3280
3281 // <a name="plugin">Plugin</a>
3282 // plugin [-ls [names]] to list plugins
3283 // Reference: <a href="https://golang.org/src/plugin/">plugin</a> source code
3284 func (gshCtx *GshContext) whichPlugin(name string,argv[]string)(pi *PluginInfo){
3285     pi = nil
3286     for _,p := range gshCtx.PluginFuncs {
3287         if p.Name == name && pi == nil {
3288             pi = &p
3289         }
3290         if !isin("-s",argv){
3291             //fmt.Printf("%v %v ",i,p)
3292             if isin("-ls",argv){
3293                 showFileInfo(p.Path,argv)
3294             }else{
3295                 fmt.Printf("%s\n",p.Name)
3296             }
3297         }
3298     }
3299     return pi
3300 }
3301 func (gshCtx *GshContext) xPlugin(argv[]string) (error) {
3302     if len(argv) == 0 || argv[0] == "-ls" {
3303         gshCtx.whichPlugin("",argv)
3304         return nil
3305     }
3306     name := argv[0]
3307     Pin := gshCtx.whichPlugin(name,[]string{"-s"})
3308     if Pin != nil {
3309         os.Args = argv // should be recovered?
3310         Pin.Addr.(func())()
3311         return nil
3312     }
3313     sofile := toFullpath(argv[0] + ".so") // or find it by which($PATH)
3314
3315     p, err := plugin.Open(sofile)
3316     if err != nil {
3317         fmt.Printf("--E-- plugin.Open(%s)(%v)\n",sofile,err)
3318         return err
3319     }
3320     fname := "Main"
3321     f, err := p.Lookup(fname)
3322     if( err != nil ){
3323         fmt.Printf("--E-- plugin.Lookup(%s)(%v)\n",fname,err)
3324         return err
3325     }
3326     pin := PluginInfo {p,f,name,sofile}
3327     gshCtx.PluginFuncs = append(gshCtx.PluginFuncs,pin)
3328     fmt.Printf("--I-- added (%d)\n",len(gshCtx.PluginFuncs))
3329
3330     //fmt.Printf("--I-- first call(%s:%s)%v\n",sofile,fname,argv)
3331     os.Args = argv
3332     f.(func())()
3333     return err
3334 }
3335 func (gshCtx*GshContext)Args(argv[]string){
3336     for i,v := range os.Args {
3337         fmt.Printf("[%v] %v\n",i,v)
3338     }
3339 }
3340 func (gshCtx *GshContext) showVersion(argv[]string){
3341     if isin("-l",argv) {
3342         fmt.Printf("%v/%v (%v)",NAME,VERSION,DATE);
3343     }else{
3344         fmt.Printf("%v",VERSION);
3345     }
3346     if isin("-a",argv) {
3347         fmt.Printf("%s",AUTHOR)
3348     }

```

```

3349     if !isin("-n",argv) {
3350         fmt.Printf("\n")
3351     }
3352 }
3353 }
3354 // <a name="scanf">Scanf</a> // string decomposer
3355 // scanf [format] [input]
3356 func scanv(sstr string)(strv[]string){
3357     strv = strings.Split(sstr, " ")
3358     return strv
3359 }
3360 func scanUntil(src,end string)(rstr string,leng int){
3361     idx := strings.Index(src,end)
3362     if 0 <= idx {
3363         rstr = src[0:idx]
3364         return rstr,idx+leng(end)
3365     }
3366     return src,0
3367 }
3368 }
3369 // -bn -- display base-name part only // can be in some %fmt, for sed rewriting
3370 func (gsh*GshContext)printVal(fmts string, vstr string, optv[]string){
3371     //vint,err := strconv.Atoi(vstr)
3372     var ival int64 = 0
3373     n := 0
3374     err := error(nil)
3375     if strBegins(vstr,"") {
3376         vx,_ := strconv.Atoi(vstr[1:])
3377         if vx < len(gsh.iValues) {
3378             vstr = gsh.iValues[vx]
3379         }else{
3380         }
3381     }
3382     // should use Eval()
3383     if strBegins(vstr,"0x") {
3384         n,err = fmt.Sscanf(vstr[2:],"%x",&ival)
3385     }else{
3386         n,err = fmt.Sscanf(vstr,"%d",&ival)
3387     }//fmt.Printf("--D-- n=%d err=(%v) (%s)=%v\n",n,err,vstr, ival)
3388 }
3389 if n == 1 && err == nil {
3390     //fmt.Printf("--D-- formatn(%v) ival(%v)\n",fmts,ival)
3391     fmt.Printf("%"+fmts,ival)
3392 }else{
3393     if isin("-bn",optv){
3394         fmt.Printf("%"+fmts,filepath.Base(vstr))
3395     }else{
3396         fmt.Printf("%"+fmts,vstr)
3397     }
3398 }
3399 }
3400 func (gsh*GshContext)printfv(fmts,div string,argv[]string,optv[]string,list[]string){
3401     //fmt.Printf("{%d}",len(list))
3402     //curfmt := "v"
3403     outlen := 0
3404     curfmt := gsh.iFormat
3405 }
3406 if 0 < len(fmts) {
3407     for xi := 0; xi < len(fmts); xi++ {
3408         fch := fmts[xi]
3409         if fch == '%' {
3410             if xi+1 < len(fmts) {
3411                 curfmt = string(fmts[xi+1])
3412             }
3413             xi += 1
3414             if xi+1 < len(fmts) && fmts[xi+1] == '(' {
3415                 vals,leng := scanUntil(fmts[xi+2:],")")
3416                 //fmt.Printf("--D-- show fmt(%v) val(%v) next(%v)\n",curfmt,vals,leng)
3417                 gsh.printVal(curfmt,vals,optv)
3418                 xi += 2+leng-1
3419                 outlen += 1
3420             }
3421             continue
3422         }
3423     }
3424     if fch == '-' {
3425         hi,leng := scanInt(fmts[xi+1:])
3426         if 0 < leng {
3427             if hi < len(gsh.iValues) {
3428                 gsh.printVal(curfmt,gsh.iValues[hi],optv)
3429                 outlen += 1 // should be the real length
3430             }else{
3431                 fmt.Printf("((out-range))")
3432             }
3433             xi += leng
3434             continue;
3435         }
3436     }
3437     }
3438     }
3439     }
3440 }else{
3441     //fmt.Printf("--D-- print (%s)\n")
3442     for i,v := range list {
3443         if 0 < i {
3444             fmt.Printf(div)
3445         }
3446         gsh.printVal(curfmt,v,optv)
3447         outlen += 1
3448     }
3449 }
3450 if 0 < outlen {
3451     fmt.Printf("\n")
3452 }
3453 }
3454 }
3455 func (gsh*GshContext)Scanv(argv[]string){
3456     //fmt.Printf("--D-- Scanv(%v)\n",argv)
3457     if len(argv) == 1 {
3458         return
3459     }
3460     argv = argv[1:]
3461     fmts := ""
3462     if strBegins(argv[0],"-F") {
3463         fmts = argv[0]
3464         gsh.iDelimiter = fmts
3465         argv = argv[1:]
3466     }
3467     input := strings.Join(argv, " ")
3468     if fmts == "" { // simple decomposition
3469         v := scanv(input)
3470         gsh.iValues = v
3471         //fmt.Printf("%v\n",strings.Join(v,","))
3472     }else{
3473         v := make([]string,8)

```

```

3473     n,err := fmt.Sscanf(input,fmts,&v[0],&v[1],&v[2],&v[3])
3474     fmt.Printf("--D-- Sscanf ->(%v) n=%d err=(%v)\n",v,n,err)
3475     gsh.iValues = v
3476 }
3477 }
3478 func (gsh*GshContext)Printv(argv[]string){
3479     if false { //&0U
3480         fmt.Printf("%v\n",strings.Join(argv[1:], " "))
3481         return
3482     }
3483     //fmt.Printf("--D-- Printv(%v)\n",argv)
3484     //fmt.Printf("%v\n",strings.Join(gsh.iValues," "))
3485     div := gsh.iDelimiter
3486     fmts := ""
3487     argv = argv[1:]
3488     if 0 < len(argv) {
3489         if strBegins(argv[0],"-F") {
3490             div = argv[0][2:]
3491             argv = argv[1:]
3492         }
3493     }
3494 }
3495 optv := []string{}
3496 for _,v := range argv {
3497     if strBegins(v,"-"){
3498         optv = append(optv,v)
3499         argv = argv[1:]
3500     }else{
3501         break;
3502     }
3503 }
3504 if 0 < len(argv) {
3505     fmts = strings.Join(argv, " ")
3506 }
3507 gsh.printfv(fmts,div,argv,optv,gsh.iValues)
3508 }
3509 func (gsh*GshContext)Basename(argv[]string){
3510     for i,v := range gsh.iValues {
3511         gsh.iValues[i] = filepath.Base(v)
3512     }
3513 }
3514 func (gsh*GshContext)Sortv(argv[]string){
3515     sv := gsh.iValues
3516     sort.Slice(sv , func(i,j int) bool {
3517         return sv[i] < sv[j]
3518     })
3519 }
3520 func (gsh*GshContext)Shiftv(argv[]string){
3521     vi := len(gsh.iValues)
3522     if 0 < vi {
3523         if isin("-r",argv) {
3524             top := gsh.iValues[0]
3525             gsh.iValues = append(gsh.iValues[1:],top)
3526         }else{
3527             gsh.iValues = gsh.iValues[1:]
3528         }
3529     }
3530 }
3531 }
3532 func (gsh*GshContext)Enq(argv[]string){
3533 }
3534 func (gsh*GshContext)Deq(argv[]string){
3535 }
3536 func (gsh*GshContext)Push(argv[]string){
3537     gsh.iValStack = append(gsh.iValStack,argv[1:])
3538     fmt.Printf("depth=%d\n",len(gsh.iValStack))
3539 }
3540 func (gsh*GshContext)Dump(argv[]string){
3541     for i,v := range gsh.iValStack {
3542         fmt.Printf("%d %v\n",i,v)
3543     }
3544 }
3545 func (gsh*GshContext)Pop(argv[]string){
3546     depth := len(gsh.iValStack)
3547     if 0 < depth {
3548         v := gsh.iValStack[depth-1]
3549         if isin("-cat",argv){
3550             gsh.iValues = append(gsh.iValues,v...)
3551         }else{
3552             gsh.iValues = v
3553         }
3554         gsh.iValStack = gsh.iValStack[0:depth-1]
3555         fmt.Printf("depth=%d %s\n",len(gsh.iValStack),gsh.iValues)
3556     }else{
3557         fmt.Printf("depth=%d\n",depth)
3558     }
3559 }
3560 }
3561 // <a name="interpreter">Command Interpreter</a>
3562 func (gshCtx*GshContext)gshellv(argv []string) (fin bool) {
3563     fin = false
3564 }
3565 if gshCtx.CmdTrace { fmt.Fprintf(os.Stderr,"--I-- gshellv(%d)\n",len(argv)) }
3566 if len(argv) <= 0 {
3567     return false
3568 }
3569 xargv := []string{}
3570 for ai := 0; ai < len(argv); ai++ {
3571     xargv = append(xargv, strsubst(gshCtx,argv[ai],false))
3572 }
3573 argv = xargv
3574 if false {
3575     for ai := 0; ai < len(argv); ai++ {
3576         fmt.Printf("[%d] %s [%d]%T\n",
3577             ai,argv[ai],len(argv[ai]),argv[ai])
3578     }
3579 }
3580 cmd := argv[0]
3581 if gshCtx.CmdTrace { fmt.Fprintf(os.Stderr,"--I-- gshellv(%d)%v\n",len(argv),argv) }
3582 switch { // https://tour.golang.org/flowcontrol/11
3583 case cmd == "":
3584     gshCtx.xPwd([]string{}); // empty command
3585 case cmd == "-x":
3586     gshCtx.CmdTrace = ! gshCtx.CmdTrace
3587 case cmd == "-xt":
3588     gshCtx.CmdTime = ! gshCtx.CmdTime
3589 case cmd == "-ot":
3590     gshCtx.sconnect(true, argv)
3591 case cmd == "-ou":
3592     gshCtx.sconnect(false, argv)
3593 case cmd == "-it":
3594     gshCtx.saccept(true, argv)
3595 case cmd == "-iu":
3596     gshCtx.saccept(false, argv)

```

```

3597 case cmd == "-i" || cmd == "<" || cmd == "-o" || cmd == ">" || cmd == "-a" || cmd == ">>" || cmd == "-s" || cmd == "><":
3598     gshCtx.redirect(argv)
3599 case cmd == "|":
3600     gshCtx.fromPipe(argv)
3601 case cmd == "args":
3602     gshCtx.Args(argv)
3603 case cmd == "bg" || cmd == "-bg":
3604     rfin := gshCtx.inBackground(argv[1:])
3605     return rfin
3606 case cmd == "-bn":
3607     gshCtx.Basename(argv)
3608 case cmd == "call":
3609     _,_ = gshCtx.excommand(false,argv[1:])
3610 case cmd == "cd" || cmd == "chdir":
3611     gshCtx.xChdir(argv);
3612 case cmd == "-cksum":
3613     gshCtx.xFind(argv)
3614 case cmd == "-sum":
3615     gshCtx.xFind(argv)
3616 case cmd == "-sumtest":
3617     str := ""
3618     if 1 < len(argv) { str = argv[1] }
3619     crc := strCRC32(str,uint64(len(str)))
3620     fprintf(stderr,"%v %v\n",crc,len(str))
3621 case cmd == "close":
3622     gshCtx.xClose(argv)
3623 case cmd == "gcp":
3624     gshCtx.FileCopy(argv)
3625 case cmd == "dec" || cmd == "decode":
3626     gshCtx.Dec(argv)
3627 case cmd == "#define":
3628 case cmd == "dic" || cmd == "d":
3629     xDic(argv)
3630 case cmd == "dump":
3631     gshCtx.Dump(argv)
3632 case cmd == "echo" || cmd == "e":
3633     echo(argv,true)
3634 case cmd == "enc" || cmd == "encode":
3635     gshCtx.Enc(argv)
3636 case cmd == "env":
3637     env(argv)
3638 case cmd == "eval":
3639     xEval(argv[1:],true)
3640 case cmd == "ev" || cmd == "events":
3641     dumpEvents(argv)
3642 case cmd == "exec":
3643     _,_ = gshCtx.excommand(true,argv[1:])
3644     // should not return here
3645 case cmd == "exit" || cmd == "quit":
3646     // write Result code EXIT to 3>
3647     return true
3648 case cmd == "fdls":
3649     // dump the attributes of fds (of other process)
3650 case cmd == "-find" || cmd == "fin" || cmd == "ufind" || cmd == "uf":
3651     gshCtx.xFind(argv[1:])
3652 case cmd == "fx":
3653     gshCtx.xFind(argv[1:])
3654 case cmd == "fork":
3655     // mainly for a server
3656 case cmd == "-gen":
3657     gshCtx.gen(argv)
3658 case cmd == "-go":
3659     gshCtx.xGo(argv)
3660 case cmd == "-grep":
3661     gshCtx.xFind(argv)
3662 case cmd == "gdeg":
3663     gshCtx.Deq(argv)
3664 case cmd == "genq":
3665     gshCtx.Enq(argv)
3666 case cmd == "gpop":
3667     gshCtx.Pop(argv)
3668 case cmd == "gpush":
3669     gshCtx.Push(argv)
3670 case cmd == "history" || cmd == "hi": // hi should be alias
3671     gshCtx.xHistory(argv)
3672 case cmd == "jobs":
3673     gshCtx.xJobs(argv)
3674 case cmd == "lnsp" || cmd == "nlsp":
3675     gshCtx.SplitLine(argv)
3676 case cmd == "-ls":
3677     gshCtx.xFind(argv)
3678 case cmd == "nop":
3679     // do nothing
3680 case cmd == "pipe":
3681     gshCtx.xOpen(argv)
3682 case cmd == "plug" || cmd == "plugin" || cmd == "pin":
3683     gshCtx.xPlugin(argv[1:])
3684 case cmd == "print" || cmd == "-pr":
3685     // output internal slice // also sprintf should be
3686     gshCtx.Printv(argv)
3687 case cmd == "ps":
3688     gshCtx.xPs(argv)
3689 case cmd == "pstyle":
3690     // to be gsh.title
3691 case cmd == "rexecd" || cmd == "rexd":
3692     gshCtx.RexecServer(argv)
3693 case cmd == "rexec" || cmd == "rex":
3694     gshCtx.RexecClient(argv)
3695 case cmd == "repeat" || cmd == "rep": // repeat cond command
3696     gshCtx.repeat(argv)
3697 case cmd == "replay":
3698     gshCtx.xReplay(argv)
3699 case cmd == "scan":
3700     // scan input (or so in fscanf) to internal slice (like Files or map)
3701     gshCtx.Scanv(argv)
3702 case cmd == "set":
3703     // set name ...
3704 case cmd == "serv":
3705     gshCtx.httpServer(argv)
3706 case cmd == "shift":
3707     gshCtx.Shiftv(argv)
3708 case cmd == "sleep":
3709     gshCtx.sleep(argv)
3710 case cmd == "-sort":
3711     gshCtx.Sortv(argv)
3712
3713 case cmd == "j" || cmd == "join":
3714     gshCtx.Rjoin(argv)
3715 case cmd == "a" || cmd == "alpa":
3716     gshCtx.Rexec(argv)
3717 case cmd == "jcd" || cmd == "jchdir":
3718     gshCtx.Rchdir(argv)
3719 case cmd == "jget":
3720     gshCtx.Rget(argv)

```

```

3721 case cmd == "jls":
3722     gshCtx.Rls(argv)
3723 case cmd == "jput":
3724     gshCtx.Rput(argv)
3725 case cmd == "jpwd":
3726     gshCtx.Rpwd(argv)
3727
3728 case cmd == "time":
3729     fin = gshCtx.xTime(argv)
3730 case cmd == "ungets":
3731     if 1 < len(argv) {
3732         ungets(argv[1]+\n")
3733     }else{
3734     }
3735 case cmd == "pwd":
3736     gshCtx.xPwd(argv);
3737 case cmd == "ver" || cmd == "--ver" || cmd == "version":
3738     gshCtx.showVersion(argv)
3739 case cmd == "where":
3740     // data file or so?
3741 case cmd == "which":
3742     which("PATH",argv);
3743 case cmd == "gj" && 1 < len(argv) && argv[1] == "listen":
3744     go gj_server(argv[1]);
3745 case cmd == "gj" && 1 < len(argv) && argv[1] == "serve":
3746     go gj_server(argv[1]);
3747 case cmd == "gj" && 1 < len(argv) && argv[1] == "join":
3748     go gj_client(argv[1]);
3749 case cmd == "gj":
3750     jsend(argv);
3751 case cmd == "jsend":
3752     jsend(argv);
3753 default:
3754     if gshCtx.whichPlugin(cmd,[]string{"-s"}) != nil {
3755         gshCtx.xPlugin(argv)
3756     }else{
3757         notfound,_ := gshCtx.excommand(false,argv)
3758         if notfound {
3759             fmt.Printf("--E-- command not found (%v)\n",cmd)
3760         }
3761     }
3762 }
3763 return fin
3764 }
3765
3766 func (gsh*GshContext)gshelll(gline string) (rfin bool) {
3767     argv := strings.Split(string(gline)," ")
3768     fin := gsh.gshellv(argv)
3769     return fin
3770 }
3771 func (gsh*GshContext)tgshelll(gline string)(xfn bool){
3772     start := time.Now()
3773     fin := gsh.gshelll(gline)
3774     end := time.Now()
3775     elps := end.Sub(start);
3776     if gsh.CmdTime {
3777         fmt.Printf("--T-- " + time.Now().Format(time.Stamp) + " (%d.%09ds)\n",
3778             elps/1000000000,elps%1000000000)
3779     }
3780     return fin
3781 }
3782 func Ttyid() (int) {
3783     fi, err := os.Stdin.Stat()
3784     if err != nil {
3785         return 0;
3786     }
3787     //fmt.Printf("Stdin: %v Dev=%d\n",
3788     // fi.Mode(),fi.Mode()&os.ModeDevice)
3789     if (fi.Mode() & os.ModeDevice) != 0 {
3790         stat := syscall.Stat_t{};
3791         err := syscall.Fstat(0,&stat)
3792         if err != nil {
3793             //fmt.Printf("--I-- Stdin: (%v)\n",err)
3794         }else{
3795             //fmt.Printf("--I-- Stdin: rdev=%d %d\n",
3796             // stat.Rdev&0xFF,stat.Rdev);
3797             //fmt.Printf("--I-- Stdin: tty=%d\n",stat.Rdev&0xFF);
3798             return int(stat.Rdev & 0xFF)
3799         }
3800     }
3801     return 0
3802 }
3803 func (gshCtx *GshContext) ttyfile() string {
3804     //fmt.Printf("--I-- GSH_HOME=%s\n",gshCtx.GshHomeDir)
3805     ttyfile := gshCtx.GshHomeDir + "/" + "gsh-tty" +
3806         fmt.Sprintf("%02d",gshCtx.TerminalId)
3807     //strconv.Itoa(gshCtx.TerminalId)
3808     //fmt.Printf("--I-- ttyfile=%s\n",ttyfile)
3809     return ttyfile
3810 }
3811 func (gshCtx *GshContext) ttyline()(*os.File){
3812     file, err := os.OpenFile(gshCtx.ttyfile(),os.O_RDWR|os.O_CREATE|os.O_TRUNC,0600)
3813     if err != nil {
3814         fmt.Printf("--F-- cannot open %s (%s)\n",gshCtx.ttyfile(),err)
3815         return file;
3816     }
3817     return file
3818 }
3819 func (gshCtx *GshContext)getline(hix int, skipping bool, prevline string) (string) {
3820     if( skipping ){
3821         reader := bufio.NewReaderSize(os.Stdin,LINESIZE)
3822         line,_,_ := reader.ReadLine()
3823         return string(line)
3824     }else
3825     if true {
3826         return xgetline(hix,prevline,gshCtx)
3827     }
3828     /*
3829     else
3830     if( with_exgetline && gshCtx.GetLine != "" ){
3831         //var xhix int64 = int64(hix); // cast
3832         newenv := os.Environ()
3833         newenv = append(newenv, "GSH_LINENO="+strconv.FormatInt(int64(hix),10) )
3834
3835         tty := gshCtx.ttyline()
3836         tty.WriteString(prevline)
3837         Pa := os.ProcAttr {
3838             "", // start dir
3839             newenv, //os.Environ(),
3840             []*os.File{os.Stdin,os.Stdout,os.Stderr,tty},
3841             nil,
3842         }
3843         //fmt.Printf("--I-- getline=%s // %s\n",gsh_getlinev[0],gshCtx.GetLine)
3844         proc, err := os.StartProcess(gsh_getlinev[0],[]string{"getline","getline"},&Pa)

```

```

3845     if err != nil {
3846         fmt.Printf("--F-- getline process error (%v)\n",err)
3847         // for ; ; { }
3848         return "exit (getline program failed)"
3849     }
3850     //stat, err := proc.Wait()
3851     proc.Wait()
3852     buff := make([]byte,LINESIZE)
3853     count, err := tty.Read(buff)
3854     //_, err = tty.Read(buff)
3855     //fmt.Printf("--D-- getline (%d)\n",count)
3856     if err != nil {
3857         if ! (count == 0) { // && err.String() == "EOF" } {
3858             fmt.Printf("--E-- getline error (%s)\n",err)
3859         }
3860     }else{
3861         //fmt.Printf("--I-- getline OK \"%s\"\n",buff)
3862     }
3863     tty.Close()
3864     gline := string(buff[0:count])
3865     return gline
3866 }else
3867 /*
3868 {
3869     // if isatty {
3870     fmt.Printf("!%d",hix)
3871     fmt.Print(PROMPT)
3872     // }
3873     reader := bufio.NewReaderSize(os.Stdin,LINESIZE)
3874     line, _, _ := reader.ReadLine()
3875     return string(line)
3876 }
3877 }
3878
3879 //== begin ===== getline
3880 /*
3881 * getline.c
3882 * 2020-0619 extracted from dog.c
3883 * getline.go
3884 * 2020-0822 ported to Go
3885 */
3886 /*
3887 package main // getline main
3888 import (
3889     "fmt" // <a href="https://golang.org/pkg/fmt/">fmt</a>
3890     "strings" // <a href="https://golang.org/pkg/strings/">strings</a>
3891     "os" // <a href="https://golang.org/pkg/os/">os</a>
3892     "syscall" // <a href="https://golang.org/pkg/syscall/">syscall</a>
3893     //"bytes" // <a href="https://golang.org/pkg/os/">os</a>
3894     //"os/exec" // <a href="https://golang.org/pkg/os/">os</a>
3895 )
3896 */
3897
3898 // C language compatibility functions
3899 var errno = 0
3900 var stdin *os.File = os.Stdin
3901 var stdout *os.File = os.Stdout
3902 var stderr *os.File = os.Stderr
3903 var EOF = -1
3904 var NULL = 0
3905 type FILE os.File
3906 type StrBuff []byte
3907 var NULL_FP *os.File = nil
3908 var NULLSP = 0
3909 //var LINESIZE = 1024
3910
3911 func system(cmdstr string)(int){
3912     PA := syscall.ProcAttr {
3913         "", // the starting directory
3914         os.Environ(),
3915         []uintptr{os.Stdin.Fd(),os.Stdout.Fd(),os.Stderr.Fd()},
3916         nil,
3917     }
3918     argv := strings.Split(cmdstr, " ")
3919     pid,err := syscall.ForkExec(argv[0],argv,&PA)
3920     if( err != nil ){
3921         fmt.Printf("--E-- syscall(%v) err(%v)\n",cmdstr,err)
3922     }
3923     syscall.Wait4(pid,nil,0,nil)
3924
3925     /*
3926     argv := strings.Split(cmdstr, " ")
3927     fmt.Fprintf(os.Stderr,"--I-- system(%v)\n",argv)
3928     //cmd := exec.Command(argv[0]:...)
3929     cmd := exec.Command(argv[0],argv[1],argv[2])
3930     cmd.Stdin = strings.NewReader("output of system")
3931     var out bytes.Buffer
3932     cmd.Stdout = &out
3933     var serr bytes.Buffer
3934     cmd.Stderr = &serr
3935     err := cmd.Run()
3936     if err != nil {
3937         fmt.Fprintf(os.Stderr,"--E-- system(%v)err(%v)\n",argv,err)
3938         fmt.Printf("ERR:%s\n",serr.String())
3939     }else{
3940         fmt.Printf("%s",out.String())
3941     }
3942     */
3943     return 0
3944 }
3945 func atoi(str string)(ret int){
3946     ret,err := fmt.Sscanf(str,"%d",ret)
3947     if err == nil {
3948         return ret
3949     }else{
3950         // should set errno
3951         return 0
3952     }
3953 }
3954 func getenv(name string)(string){
3955     val,got := os.LookupEnv(name)
3956     if got {
3957         return val
3958     }else{
3959         return "?"
3960     }
3961 }
3962 func strcpy(dst StrBuff, src string){
3963     var i int
3964     srcb := []byte(src)
3965     for i = 0; i < len(src) && srcb[i] != 0; i++ {
3966         dst[i] = srcb[i]
3967     }
3968     dst[i] = 0

```



```

3969 }
3970 func xstrcpy(dst StrBuff, src StrBuff){
3971     dst = src
3972 }
3973 func strcat(dst StrBuff, src StrBuff){
3974     dst = append(dst,src...)
3975 }
3976 func strdup(str StrBuff)(string){
3977     return string(str[0:strlen(str)])
3978 }
3979 func sstrlen(str string)(int){
3980     return len(str)
3981 }
3982 func strlen(str StrBuff)(int){
3983     var i int
3984     for i = 0; i < len(str) && str[i] != 0; i++ {
3985     }
3986     return i
3987 }
3988 func sizeof(data StrBuff)(int){
3989     return len(data)
3990 }
3991 func isatty(fd int)(ret int){
3992     return 1
3993 }
3994
3995 func fopen(file string,mode string)(fp*os.File){
3996     if mode == "r" {
3997         fp,err := os.Open(file)
3998         if( err != nil ){
3999             fmt.Printf("--E-- fopen(%s,%s)=(%v)\n",file,mode,err)
4000             return NULL_FP;
4001         }
4002         return fp;
4003     }else{
4004         fp,err := os.OpenFile(file,os.O_RDWR|os.O_CREATE|os.O_TRUNC,0600)
4005         if( err != nil ){
4006             return NULL_FP;
4007         }
4008         return fp;
4009     }
4010 }
4011 func fclose(fp*os.File){
4012     fp.Close()
4013 }
4014 func fflush(fp *os.File)(int){
4015     return 0
4016 }
4017 func fgetc(fp*os.File)(int){
4018     var buf [1]byte
4019     _,err := fp.Read(buf[0:1])
4020     if( err != nil ){
4021         return EOF;
4022     }else{
4023         return int(buf[0])
4024     }
4025 }
4026 func sfgets(str*string, size int, fp*os.File)(int){
4027     buf := make(StrBuff,size)
4028     var ch int
4029     var i int
4030     for i = 0; i < len(buf)-1; i++ {
4031         ch = fgetc(fp)
4032         //fprintf(stderr,"--fgets %d/%d %X\n",i,len(buf),ch)
4033         if( ch == EOF ){
4034             break;
4035         }
4036         buf[i] = byte(ch);
4037         if( ch == '\n' ){
4038             break;
4039         }
4040     }
4041     buf[i] = 0
4042     //fprintf(stderr,"--fgets %d/%d (%s)\n",i,len(buf),buf[0:i])
4043     return i
4044 }
4045 func fgets(buf StrBuff, size int, fp*os.File)(int){
4046     var ch int
4047     var i int
4048     for i = 0; i < len(buf)-1; i++ {
4049         ch = fgetc(fp)
4050         //fprintf(stderr,"--fgets %d/%d %X\n",i,len(buf),ch)
4051         if( ch == EOF ){
4052             break;
4053         }
4054         buf[i] = byte(ch);
4055         if( ch == '\n' ){
4056             break;
4057         }
4058     }
4059     buf[i] = 0
4060     //fprintf(stderr,"--fgets %d/%d (%s)\n",i,len(buf),buf[0:i])
4061     return i
4062 }
4063 func fputc(ch int , fp*os.File)(int){
4064     var buf [1]byte
4065     buf[0] = byte(ch)
4066     fp.Write(buf[0:1])
4067     return 0
4068 }
4069 func fputs(buf StrBuff, fp*os.File)(int){
4070     fp.Write(buf)
4071     return 0
4072 }
4073 func xfputss(str string, fp*os.File)(int){
4074     return fputs([]byte(str),fp)
4075 }
4076 func sscanf(str StrBuff,fmts string, params ...interface{})(int){
4077     fmt.Sscanf(string(str[0:strlen(str)]),fmts,params...)
4078     return 0
4079 }
4080 func fprintf(fp*os.File,fmts string, params ...interface{})(int){
4081     fmt.Fprintf(fp,fmts,params...)
4082     return 0
4083 }
4084
4085 // <a name="IME">Command Line IME</a>
4086 //----- MyIME
4087 var MyIMEVER = "MyIME/0.0.2";
4088 type RomKana struct {
4089     dic string // dictionary ID
4090     pat string // input pattern
4091     out string // output pattern
4092     hit int64 // count of hit and used

```

```

4093 }
4094 var dicents = 0
4095 var romkana [1024]RomKana
4096 var Romkan []RomKana
4097
4098 func isinDic(str string)(int){
4099     for i,v := range Romkan {
4100         if v.pat == str {
4101             return i
4102         }
4103     }
4104     return -1
4105 }
4106 const (
4107     DIC_COM_LOAD = "im"
4108     DIC_COM_DUMP = "s"
4109     DIC_COM_LIST = "ls"
4110     DIC_COM_ENA = "en"
4111     DIC_COM_DIS = "di"
4112 )
4113 func helpDic(argv []string){
4114     out := stderr
4115     cmd := ""
4116     if 0 < len(argv) { cmd = argv[0] }
4117     fprintf(out,"--- %v Usage\n",cmd)
4118     fprintf(out,"... Commands\n")
4119     fprintf(out,"... %v %3v [dicName] [dicURL] -- Import dictionary\n",cmd,DIC_COM_LOAD)
4120     fprintf(out,"... %v %3v [pattern] -- Search in dictionary\n",cmd,DIC_COM_DUMP)
4121     fprintf(out,"... %v %3v [dicName] -- List dictionaries\n",cmd,DIC_COM_LIST)
4122     fprintf(out,"... %v %3v [dicName] -- Disable dictionaries\n",cmd,DIC_COM_DIS)
4123     fprintf(out,"... %v %3v [dicName] -- Enable dictionaries\n",cmd,DIC_COM_ENA)
4124     fprintf(out,"... Keys ... %v\n","ESC can be used for '\\")
4125     fprintf(out,"... \\c -- Reverse the case of the last character\n",)
4126     fprintf(out,"... \\i -- Replace input with translated text\n",)
4127     fprintf(out,"... \\j -- On/Off translation mode\n",)
4128     fprintf(out,"... \\l -- Force Lower Case\n",)
4129     fprintf(out,"... \\u -- Force Upper Case (software CapsLock)\n",)
4130     fprintf(out,"... \\v -- Show translation actions\n",)
4131     fprintf(out,"... \\x -- Replace the last input character with it Hexa-Decimal\n",)
4132 }
4133 func xDic(argv[]string){
4134     if len(argv) <= 1 {
4135         helpDic(argv)
4136         return
4137     }
4138     argv = argv[1:]
4139     var debug = false
4140     var info = false
4141     var silent = false
4142     var dump = false
4143     var builtin = false
4144     cmd := argv[0]
4145     argv = argv[1:]
4146     opt := ""
4147     arg := ""
4148
4149     if 0 < len(argv) {
4150         arg1 := argv[0]
4151         if arg1[0] == '-' {
4152             switch arg1 {
4153                 default: fmt.Printf("--Ed-- Unknown option(%v)\n",arg1)
4154                     return
4155                 case "-b": builtin = true
4156                 case "-d": debug = true
4157                 case "-s": silent = true
4158                 case "-v": info = true
4159             }
4160             opt = arg1
4161             argv = argv[1:]
4162         }
4163     }
4164
4165     dicName := ""
4166     dicURL := ""
4167     if 0 < len(argv) {
4168         arg = argv[0]
4169         dicName = arg
4170         argv = argv[1:]
4171     }
4172     if 0 < len(argv) {
4173         dicURL = argv[0]
4174         argv = argv[1:]
4175     }
4176     if false {
4177         fprintf(stderr,"--Dd-- com(%v) opt(%v) arg(%v)\n",cmd,opt,arg)
4178     }
4179     if cmd == DIC_COM_LOAD {
4180         //dicType := ""
4181         dicBody := ""
4182         if !builtin && dicName != "" && dicURL == "" {
4183             f,err := os.Open(dicName)
4184             if err == nil {
4185                 dicURL = dicName
4186             }else{
4187                 f,err = os.Open(dicName+".html")
4188                 if err == nil {
4189                     dicURL = dicName+".html"
4190                 }else{
4191                     f,err = os.Open("gshdic-"+dicName+".html")
4192                     if err == nil {
4193                         dicURL = "gshdic-"+dicName+".html"
4194                     }
4195                 }
4196             }
4197             if err == nil {
4198                 var buf = make([]byte,128*1024)
4199                 count,err := f.Read(buf)
4200                 f.Close()
4201                 if info {
4202                     fprintf(stderr,"--Id-- ReadDic(%v,%v)\n",count,err)
4203                 }
4204                 dicBody = string(buf[0:count])
4205             }
4206         }
4207         if dicBody == "" {
4208             switch arg {
4209                 default:
4210                     dicName = "WorldDic"
4211                     dicURL = WorldDic
4212                     if info {
4213                         fprintf(stderr,"--Id-- default dictionary \"%v\"\n",
4214                             dicName);
4215                     }
4216                 case "wnn":

```



```

4341     fmt.Sscanf(string(line[0:strlen(line)]), "%s %s", &pat, &out);
4342     //sscanf(line, "%s %[\r\n]", &pat, &out);
4343     romkana[di].pat = pat;
4344     romkana[di].out = out;
4345     //fprintf(stderr, "--Dd- %s %s\n", pat, out)
4346 }
4347 dicents += di
4348 if( false ){
4349     fprintf(stderr, "--%s-- loaded romkana.txt [%d]\n", MyIMEVER, di);
4350     for di = 0; di < dicents; di++ {
4351         fprintf(stderr,
4352             "%s %s\n", romkana[di].pat, romkana[di].out);
4353     }
4354 }
4355 }
4356 fclose(rk);
4357
4358 //romkana[dicents].pat = "//ddump"
4359 //romkana[dicents].pat = "//ddump" // dump the dic. and clean the command input
4360 /*
4361 return 0;
4362 */
4363 }
4364 func matchlen(stri string, pati string)(int){
4365     if strBegins(stri, pati) {
4366         return len(pati)
4367     }else{
4368         return 0
4369     }
4370 }
4371 func convs(src string)(string){
4372     var si int;
4373     var sx = len(src);
4374     var di int;
4375     var mi int;
4376     var dstb []byte
4377
4378     for si = 0; si < sx; { // search max. match from the position
4379         if strBegins(src[si:], "%x/") {
4380             // %x/integer/ // s/a/b/
4381             ix := strings.Index(src[si+3:], "/")
4382             if 0 < ix {
4383                 var iv int = 0
4384                 //fmt.Sscanf(src[si+3:si+3+ix], "%d", &iv)
4385                 fmt.Sscanf(src[si+3:si+3+ix], "%v", &iv)
4386                 sval := fmt.Sprintf("%x", iv)
4387                 bval := []byte(sval)
4388                 dstb = append(dstb, bval...)
4389                 si = si+3+ix+1
4390                 continue
4391             }
4392         }
4393         if strBegins(src[si:], "%d/") {
4394             // %d/integer/ // s/a/b/
4395             ix := strings.Index(src[si+3:], "/")
4396             if 0 < ix {
4397                 var iv int = 0
4398                 fmt.Sscanf(src[si+3:si+3+ix], "%v", &iv)
4399                 sval := fmt.Sprintf("%d", iv)
4400                 bval := []byte(sval)
4401                 dstb = append(dstb, bval...)
4402                 si = si+3+ix+1
4403                 continue
4404             }
4405         }
4406         if strBegins(src[si:], "%t") {
4407             now := time.Now()
4408             if true {
4409                 date := now.Format(time.Stamp)
4410                 dstb = append(dstb, []byte(date)... )
4411                 si = si+3
4412             }
4413             continue
4414         }
4415         var maxlen int = 0;
4416         var len int;
4417         mi = -1;
4418         for di = 0; di < dicents; di++ {
4419             len = matchlen(src[si:], romkana[di].pat);
4420             if( maxlen < len ){
4421                 maxlen = len;
4422                 mi = di;
4423             }
4424         }
4425         if( 0 < maxlen ){
4426             out := romkana[mi].out;
4427             dstb = append(dstb, []byte(out)...);
4428             si += maxlen;
4429         }else{
4430             dstb = append(dstb, src[si])
4431             si += 1;
4432         }
4433     }
4434     return string(dstb)
4435 }
4436 func trans(src string)(int){
4437     dst := convs(src);
4438     xfpusts(dst, stderr);
4439     return 0;
4440 }
4441 //----- LINEEDIT
4442 // "?" at the top of the line means searching history
4443
4444 // should be compatilbe with Telnet
4445 const (
4446     EV_MODE      = 255
4447     EV_IDLE     = 254
4448     EV_TIMEOUT  = 253
4449
4450     GO_UP       = 252 // k
4451     GO_DOWN    = 251 // j
4452     GO_RIGHT   = 250 // l
4453     GO_LEFT    = 249 // h
4454     DEL_RIGHT  = 248 // x
4455     GO_TOPL    = 'A'-0x40 // 0
4456     GO_ENDL    = 'E'-0x40 // $
4457
4458     GO_TOPW    = 239 // b
4459     GO_ENDW    = 238 // e
4460     GO_NEXTW   = 237 // w
4461
4462     GO_FORWCH  = 229 // f
4463     GO_PAIRCH  = 228 // %
4464 )

```

```

4465 GO_DEL      = 219 // d
4466
4467 HI_SRCH_FW   = 209 // /
4468 HI_SRCH_BK   = 208 // ?
4469 HI_SRCH_RFW = 207 // n
4470 HI_SRCH_RBK = 206 // N
4471 )
4472
4473 // should return number of octets ready to be read immediately
4474 //fprintf(stderr, "\n--Select(%v %v)\n", err, r.Bits[0])
4475
4476
4477 var EventRecvFd = -1 // file descriptor
4478 var EventSendFd = -1
4479 const EventFdOffset = 1000000
4480 const NormalFdOffset = 100
4481
4482 func putEvent(event int, evarg int){
4483     if true {
4484         if EventRecvFd < 0 {
4485             var pv = []int{-1,-1}
4486             syscall.Pipe(pv)
4487             EventRecvFd = pv[0]
4488             EventSendFd = pv[1]
4489             //fmt.Printf("--De-- EventPipe created[%v,%v]\n", EventRecvFd, EventSendFd)
4490         }
4491     }else{
4492         if EventRecvFd < 0 {
4493             // the document differs from this spec
4494             // https://golang.org/src/syscall/syscall_unix.go?s=8096:8158#L340
4495             sv, err := syscall.Socketpair(syscall.AF_UNIX, syscall.SOCK_STREAM, 0)
4496             EventRecvFd = sv[0]
4497             EventSendFd = sv[1]
4498             if err != nil {
4499                 fmt.Printf("--De-- EventSock created[%v,%v](%v)\n",
4500                     EventRecvFd, EventSendFd, err)
4501             }
4502         }
4503     }
4504     var buf = []byte{ byte(event)}
4505     n, err := syscall.Write(EventSendFd, buf)
4506     if err != nil {
4507         fmt.Printf("--De-- putEvent[%v](%3v)(%v %v)\n", EventSendFd, event, n, err)
4508     }
4509 }
4510 func ungets(str string){
4511     for _, ch := range str {
4512         putEvent(int(ch), 0)
4513     }
4514 }
4515 func (gsh*GshContext)xReplay(argv []string){
4516     hix := 0
4517     tempo := 1.0
4518     xtempo := 1.0
4519     repeat := 1
4520
4521     for _, a := range argv { // tempo
4522         if strBegins(a, "x") {
4523             fmt.Sscanf(a[1:], "%f", &xtempo)
4524             tempo = 1 / xtempo
4525             //fprintf(stderr, "--Dr-- tempo=[%v]%v\n", a[2:], tempo);
4526         }else
4527         if strBegins(a, "r") { // repeat
4528             fmt.Sscanf(a[1:], "%v", &repeat)
4529         }else
4530         if strBegins(a, "!") {
4531             fmt.Sscanf(a[1:], "%d", &hix)
4532         }else{
4533             fmt.Sscanf(a, "%d", &hix)
4534         }
4535     }
4536     if hix == 0 || len(argv) <= 1 {
4537         hix = len(gsh.CommandHistory)-1
4538     }
4539     fmt.Printf("--Ir-- Replay(!%v x%v r%v)\n", hix, xtempo, repeat)
4540     //dumpEvents(hix)
4541     //gsh.xScanReplay(hix, false, repeat, tempo, argv)
4542     go gsh.xScanReplay(hix, true, repeat, tempo, argv)
4543 }
4544
4545 // <a href="https://golang.org/pkg/syscall/#FdSet">syscall.Select</a>
4546 // 2020-0827 GShell-0.2.3
4547 /*
4548 func FpollIn1(fp *os.File, usec int)(uintptr){
4549     nfd := 1
4550
4551     rdv := syscall.FdSet {}
4552     fd1 = fp.Fd()
4553     bank1 := fd1/32
4554     mask1 := int32(1 <<< fd1)
4555     rdv.Bits[bank1] = mask1
4556
4557     fd2 := -1
4558     bank2 := -1
4559     var mask2 int32 = 0
4560
4561     if 0 <= EventRecvFd {
4562         fd2 = EventRecvFd
4563         nfd = fd2 + 1
4564         bank2 = fd2/32
4565         mask2 = int32(1 <<< fd2)
4566         rdv.Bits[bank2] |= mask2
4567         //fmt.Printf("--De-- EventPoll mask added [%d][%v][%v]\n", fd2, bank2, mask2)
4568     }
4569
4570     tout := syscall.NsecToTimeval(int64(usec*1000))
4571     //n, err := syscall.Select(nfd, &rdv, nil, nil, &stout) // spec. mismatch
4572     err := syscall.Select(nfd, &rdv, nil, nil, &stout)
4573     if err != nil {
4574         //fmt.Printf("--De-- select() err(%v)\n", err)
4575     }
4576     if err == nil {
4577         if 0 <= fd2 && (rdv.Bits[bank2] & mask2) != 0 {
4578             if false {
4579                 fmt.Printf("--De-- got Event\n")
4580             }
4581             return uintptr(EventFdOffset + fd2)
4582         }else
4583         if (rdv.Bits[bank1] & mask1) != 0 {
4584             return uintptr(NormalFdOffset + fd1)
4585         }else{
4586             return 1
4587         }
4588     }else{

```

```

4589     return 0
4590 }
4591 }
4592 */
4593 func fgetcTimeout1(fp *os.File,usec int)(int){
4594     READ1:
4595     //readyFd := FpollIn1(fp,usec)
4596     readyFd := CFPollIn1(fp,usec)
4597     if readyFd < 100 {
4598         return EV_TIMEOUT
4599     }
4600
4601     var buf [1]byte
4602
4603     if EventFdOffset <= readyFd {
4604         fd := int(readyFd-EventFdOffset)
4605         _,err := syscall.Read(fd,buf[0:1])
4606         if( err != nil ){
4607             return EOF;
4608         }else{
4609             if buf[0] == EV_MODE {
4610                 recvEvent(fd)
4611                 goto READ1
4612             }
4613             return int(buf[0])
4614         }
4615     }
4616
4617     _,err := fp.Read(buf[0:1])
4618     if( err != nil ){
4619         return EOF;
4620     }else{
4621         return int(buf[0])
4622     }
4623 }
4624
4625 func visibleChar(ch int)(string){
4626     switch {
4627     case '!' <= ch && ch <= '~':
4628         return string(ch)
4629     }
4630     switch ch {
4631     case '\': return "\\s"
4632     case '\n': return "\\n"
4633     case '\r': return "\\r"
4634     case '\t': return "\\t"
4635     }
4636     switch ch {
4637     case 0x00: return "NUL"
4638     case 0x07: return "BEL"
4639     case 0x08: return "BS"
4640     case 0x0E: return "SO"
4641     case 0x0F: return "SI"
4642     case 0x1B: return "ESC"
4643     case 0x7F: return "DEL"
4644     }
4645     switch ch {
4646     case EV_IDLE: return fmt.Sprintf("IDLE")
4647     case EV_MODE: return fmt.Sprintf("MODE")
4648     }
4649     return fmt.Sprintf("%X",ch)
4650 }
4651 func recvEvent(fd int){
4652     var buf = make([]byte,1)
4653     _,_ = syscall.Read(fd,buf[0:1])
4654     if( buf[0] != 0 ){
4655         romkanmode = true
4656     }else{
4657         romkanmode = false
4658     }
4659 }
4660 func (gsh*GshContext)xScanReplay(hix int,replay bool,repeat int,tempo float64,argv[]string){
4661     var Start time.Time
4662     var events = []Event{}
4663     for _,e := range Events {
4664         if hix == 0 || e.CmdIndex == hix {
4665             events = append(events,e)
4666         }
4667     }
4668     elen := len(events)
4669     if 0 < elen {
4670         if events[elen-1].event == EV_IDLE {
4671             events = events[0:elen-1]
4672         }
4673     }
4674     for r := 0; r < repeat; r++ {
4675         for i,e := range events {
4676             nano := e.when.Nanosecond()
4677             micro := nano / 1000
4678             if Start.Second() == 0 {
4679                 Start = time.Now()
4680             }
4681             diff := time.Now().Sub(Start)
4682             if replay {
4683                 if e.event != EV_IDLE {
4684                     putEvent(e.event,0)
4685                     if e.event == EV_MODE { // event with arg
4686                         putEvent(int(e.evarg),0)
4687                     }
4688                 }
4689             }else{
4690                 fmt.Printf("%7.3fms #%-3v !%-3v [%v.%06d] %3v %02X %-4v %10.3fms\n",
4691                     float64(diff)/1000000.0,
4692                     i,
4693                     e.CmdIndex,
4694                     e.when.Format(time.Stamp),micro,
4695                     e.event,e.event,visibleChar(e.event),
4696                     float64(e.evarg)/1000000.0)
4697             }
4698             if e.event == EV_IDLE {
4699                 d := time.Duration(float64(time.Duration(e.evarg)) * tempo)
4700                 //nsleep(time.Duration(e.evarg))
4701                 nsleep(d)
4702             }
4703         }
4704     }
4705 }
4706 func dumpEvents(arg[]string){
4707     hix := 0
4708     if 1 < len(arg) {
4709         fmt.Sscanf(arg[1],"%d",&hix)
4710     }
4711     for i,e := range Events {
4712         nano := e.when.Nanosecond()

```

```

4713     micro := nano / 1000
4714     //if e.event != EV_TIMEOUT {
4715     if hix == 0 || e.CmdIndex == hix {
4716         fmt.Printf("#%-3v !%-3v [%v.%06d] %3v %02X %%-4v %10.3fms\n",i,
4717             e.CmdIndex,
4718             e.when.Format(time.Stamp),micro,
4719             e.event,e.event,visibleChar(e.event),float64(e.evarg)/1000000.0)
4720     }
4721     //}
4722 }
4723 }
4724 func fgetcTimeout(fp *os.File,usec int)(int){
4725     ch := fgetcTimeout1(fp,usec)
4726     if ch != EV_TIMEOUT {
4727         now := time.Now()
4728         if 0 < len(Events) {
4729             last := Events[len(Events)-1]
4730             dura := int64(now.Sub(last.when))
4731             Events = append(Events,Event{last.when,EV_IDLE,dura,last.CmdIndex})
4732         }
4733         Events = append(Events,Event{time.Now(),ch,0,CmdIndex})
4734     }
4735     return ch
4736 }
4737 }
4738 var AtConsoleLineTop = true
4739 var TtyMaxCol = 72 // to be obtained by ioctl1
4740 var EscTimeout = (100*1000)
4741 var (
4742     MODE_VicMode    bool    // vi compatible command mode
4743     MODE_ShowMode  bool    //
4744     romkanmode     bool    // shown translation mode, the mode to be retained
4745     MODE_Recursive bool    // recursive translation
4746     MODE_CapsLock  bool    // software CapsLock
4747     MODE_LowerLock bool    // force lower-case character lock
4748     MODE_ViInsert  int     // visible insert mode, should be like "I" icon in X Window
4749     MODE_ViTrace   bool    // output newline before translation
4750 )
4751 type IInput struct {
4752     lno      int
4753     lastlno int
4754     pch      []int // input queue
4755     prompt   string
4756     line     string
4757     right    string
4758     inJmode  bool
4759     pinJmode bool
4760     waitingMeta string // waiting meta character
4761     LastCmd   string
4762 }
4763 func (iin*IInput)Getc(timeoutUs int)(int){
4764     ch1 := EOF
4765     ch2 := EOF
4766     ch3 := EOF
4767     if( 0 < len(iin.pch) ){ // deQ
4768         ch1 = iin.pch[0]
4769         iin.pch = iin.pch[1:]
4770     }else{
4771         ch1 = fgetcTimeout(stdin,timeoutUs);
4772     }
4773     if( ch1 == 033 ){ // escape sequence
4774         ch2 = fgetcTimeout(stdin,EscTimeout);
4775         if( ch2 == EV_TIMEOUT ){
4776             }else{
4777                 ch3 = fgetcTimeout(stdin,EscTimeout);
4778                 if( ch3 == EV_TIMEOUT ){
4779                     iin.pch = append(iin.pch,ch2) // enQ
4780                 }else{
4781                     switch( ch2 ){
4782                         default:
4783                             iin.pch = append(iin.pch,ch2) // enQ
4784                             iin.pch = append(iin.pch,ch3) // enQ
4785                         case '|':
4786                             switch( ch3 ){
4787                                 case 'A': ch1 = GO_UP; // ^
4788                                 case 'B': ch1 = GO_DOWN; // v
4789                                 case 'C': ch1 = GO_RIGHT; // >
4790                                 case 'D': ch1 = GO_LEFT; // <
4791                                 case '3':
4792                                     ch4 := fgetcTimeout(stdin,EscTimeout);
4793                                     if( ch4 == '-' ){
4794                                         //fprintf(stderr,"x[%02X %02X %02X %02X]\n",ch1,ch2,ch3,ch4);
4795                                         ch1 = DEL_RIGHT
4796                                     }
4797                                 case '\\':
4798                                     //ch4 := fgetcTimeout(stdin,EscTimeout);
4799                                     //fprintf(stderr,"y[%02X %02X %02X %02X]\n",ch1,ch2,ch3,ch4);
4800                                     switch( ch3 ){
4801                                         case '-': ch1 = DEL_RIGHT
4802                                     }
4803                                 }
4804                             }
4805                         }
4806                 }
4807             }
4808         return ch1
4809     }
4810 }
4811 func (inn*IInput)clearline(){
4812     var i int
4813     fprintf(stderr,"r");
4814     // should be ANSI ESC sequence
4815     for i = 0; i < TtyMaxCol; i++ { // to the max. position in this input action
4816         fputc(' ',os.Stderr);
4817     }
4818     fprintf(stderr,"r");
4819 }
4820 func (iin*IInput)Redraw(){
4821     redraw(iin,iin.lno,iin.line,iin.right)
4822 }
4823 func redraw(iin *IInput,lno int,line string,right string){
4824     inMeta := false
4825     showMode := ""
4826     showMeta := "" // visible Meta mode on the cursor position
4827     showLino := fmt.Sprintf("%d!", lno)
4828     InsertMark := "" // in visible insert mode
4829     if MODE_VicMode {
4830     }else
4831     if 0 < len(iin.right) {
4832         InsertMark = " "
4833     }
4834     if( 0 < len(iin.waitingMeta) ){
4835         inMeta = true
4836     }

```

```

4837     if iin.waitingMeta[0] != 033 {
4838         showMeta = iin.waitingMeta
4839     }
4840 }
4841 if( romkanmode ){
4842     //romkanmark = " *";
4843 }else{
4844     //romkanmark = "";
4845 }
4846 if MODE_ShowMode {
4847     romkan := "-"
4848     inmeta := "-"
4849     inveri := ""
4850     if MODE_CapsLock {
4851         inmeta = "A"
4852     }
4853     if MODE_LowerLock {
4854         inmeta = "a"
4855     }
4856     if MODE_ViTrace {
4857         inveri = "v"
4858     }
4859     if MODE_VicMode {
4860         inveri = ":"
4861     }
4862     if romkanmode {
4863         romkan = "\343\201\202"
4864         if MODE_CapsLock {
4865             inmeta = "R"
4866         }else{
4867             inmeta = "r"
4868         }
4869     }
4870     if inMeta {
4871         inmeta = "\\\"
4872     }
4873     showMode = "["+romkan+inmeta+inveri+"]";
4874 }
4875 Pre := "\r" + showMode + showLino
4876 Output := ""
4877 Left := ""
4878 Right := ""
4879 if romkanmode {
4880     Left = convs(line)
4881     Right = InsertMark+convs(right)
4882 }else{
4883     Left = line
4884     Right = InsertMark+right
4885 }
4886 Output = Pre+Left
4887 if MODE_ViTrace {
4888     Output += iin.LastCmd
4889 }
4890 Output += showMeta+Right
4891 for len(Output) < TtyMaxCol { // to the max. position that may be dirty
4892     Output += " "
4893     // should be ANSI ESC sequence
4894     // not necessary just after newline
4895 }
4896 Output += Pre+Left+showMeta // to set the cursor to the current input position
4897 fprintf(stderr,"%s",Output)
4898 }
4899 if MODE_ViTrace {
4900     if 0 < len(iin.LastCmd) {
4901         iin.LastCmd = ""
4902         fprintf(stderr,"\r\n")
4903     }
4904 }
4905 AtConsoleLineTop = false
4906 }
4907 // <a href="https://golang.org/pkg/unicode/utf8/">utf8</a>
4908 func delHeadChar(str string)(rline string,head string){
4909     ,clen := utf8.DecodeRune([]byte(str))
4910     head = string(str[0:clen])
4911     return str[clen:],head
4912 }
4913 func delTailChar(str string)(rline string, last string){
4914     var i = 0
4915     var clen = 0
4916     for {
4917         ,siz := utf8.DecodeRune([]byte(str)[i:])
4918         if siz <= 0 { break }
4919         clen = siz
4920         i += siz
4921     }
4922     last = str[len(str)-clen:]
4923     return str[0:len(str)-clen],last
4924 }
4925 }
4926 // 3> for output and history
4927 // 4> for keylog?
4928 // <a name="getline">Command Line Editor</a>
4929 func xgetline(lno int, prevline string, gsh*GshContext)(string){
4930     var iin IInput
4931     iin.lastlno = lno
4932     iin.lno = lno
4933 }
4934 CmdIndex = len(gsh.CommandHistory)
4935 if( isatty(0) == 0 ){
4936     if( sfgets(&iin.line,LINESIZE,stdin) == NULL ){
4937         iin.line = "exit\n";
4938     }else{
4939     }
4940     return iin.line
4941 }
4942 if( true ){
4943     //var pts string;
4944     //pts = ptsname(0);
4945     //pts = ttyname(0);
4946     //fprintf(stderr,"--pts[0] = %s\n",pts?pts:"?");
4947 }
4948 if( false ){
4949     fprintf(stderr,"! ");
4950     fflush(stderr);
4951     sfgets(&iin.line,LINESIZE,stdin);
4952     return iin.line
4953 }
4954 system("/bin/stty -echo -icanon");
4955 xline := iin.xgetline1(prevline,gsh)
4956 system("/bin/stty echo sane");
4957 return xline
4958 }
4959 func (iin*IInput)Translate(cmdch int){
4960     romkanmode = !romkanmode;

```



```

4961     if MODE_ViTrace {
4962         fprintf(stderr, "%v\r\n", string(cmdch));
4963     }else
4964     if( cmdch == 'J' ){
4965         fprintf(stderr, "J\r\n");
4966         iin.inJmode = true
4967     }
4968     iin.Redraw();
4969     loadDefaultDic(cmdch);
4970     iin.Redraw();
4971 }
4972 func (iin*IInput)Replace(cmdch int){
4973     iin.LastCmd = fmt.Sprintf("%v", string(cmdch))
4974     iin.Redraw();
4975     loadDefaultDic(cmdch);
4976     dst := convs(iin.line+iin.right);
4977     iin.line = dst
4978     iin.right = ""
4979     if( cmdch == 'I' ){
4980         fprintf(stderr, "I\r\n");
4981         iin.inJmode = true
4982     }
4983     iin.Redraw();
4984 }
4985 // aa 12 alal
4986 func isAlpha(ch rune)(bool){
4987     if 'a' <= ch && ch <= 'z' || 'A' <= ch && ch <= 'Z' {
4988         return true
4989     }
4990     return false
4991 }
4992 func isAlnum(ch rune)(bool){
4993     if 'a' <= ch && ch <= 'z' || 'A' <= ch && ch <= 'Z' {
4994         return true
4995     }
4996     if '0' <= ch && ch <= '9' {
4997         return true
4998     }
4999     return false
5000 }
5001
5002 // 0.2.8 2020-0901 created
5003 // <a href="https://golang.org/pkg/unicode/utf8/#DecodeRuneInString">DecodeRuneInString</a>
5004 func (iin*IInput)GotoTOPW(){
5005     str := iin.line
5006     i := len(str)
5007     if i <= 0 {
5008         return
5009     }
5010     //i0 := i
5011     i -= 1
5012     lastSize := 0
5013     var lastRune rune
5014     var found = -1
5015     for 0 < i { // skip preamble spaces
5016         lastRune, lastSize = utf8.DecodeRuneInString(str[i:])
5017         if !isAlnum(lastRune) { // character, type, or string to be searched
5018             i -= lastSize
5019             continue
5020         }
5021         break
5022     }
5023     for 0 < i {
5024         lastRune, lastSize = utf8.DecodeRuneInString(str[i:])
5025         if lastSize <= 0 { continue } // not the character top
5026         if !isAlnum(lastRune) { // character, type, or string to be searched
5027             found = i
5028             break
5029         }
5030         i -= lastSize
5031     }
5032     if found < 0 && i == 0 {
5033         found = 0
5034     }
5035     if 0 <= found {
5036         if isAlnum(lastRune) { // or non-kana character
5037             }else{ // when positioning to the top o the word
5038                 i += lastSize
5039             }
5040             iin.right = str[i:] + iin.right
5041             if 0 < i {
5042                 iin.line = str[0:i]
5043             }else{
5044                 iin.line = ""
5045             }
5046         }
5047         //fmt.Printf("\n(%d,%d,%d)[%s][%s]\n", i0, i, found, iin.line, iin.right)
5048         //fmt.Printf("") // set debug messae at the end of line
5049     }
5050 // 0.2.8 2020-0901 created
5051 func (iin*IInput)GotoENDW(){
5052     str := iin.right
5053     if len(str) <= 0 {
5054         return
5055     }
5056     lastSize := 0
5057     var lastRune rune
5058     var lastW = 0
5059     i := 0
5060     inWord := false
5061
5062     lastRune, lastSize = utf8.DecodeRuneInString(str[0:])
5063     if isAlnum(lastRune) {
5064         r, z := utf8.DecodeRuneInString(str[lastSize:])
5065         if 0 < z && isAlnum(r) {
5066             inWord = true
5067         }
5068     }
5069     for i < len(str) {
5070         lastRune, lastSize = utf8.DecodeRuneInString(str[i:])
5071         if lastSize <= 0 { break } // broken data?
5072         if !isAlnum(lastRune) { // character, type, or string to be searched
5073             break
5074         }
5075         lastW = i // the last alnum if in alnum word
5076         i += lastSize
5077     }
5078     if inWord {
5079         goto DISP
5080     }
5081     for i < len(str) {
5082         lastRune, lastSize = utf8.DecodeRuneInString(str[i:])
5083         if lastSize <= 0 { break } // broken data?
5084         if isAlnum(lastRune) { // character, type, or string to be searched

```

```

5085         break
5086     }
5087     i += lastSize
5088 }
5089 for i < len(str) {
5090     lastRune,lastSize = utf8.DecodeRuneInString(str[i:])
5091     if lastSize <= 0 { break } // broken data?
5092     if !isAlnum(lastRune) { // character, type, or string to be searched
5093         break
5094     }
5095     lastW = i
5096     i += lastSize
5097 }
5098 DISP:
5099 if 0 < lastW {
5100     iin.line = iin.line + str[0:lastW]
5101     iin.right = str[lastW:]
5102 }
5103 //fmt.Printf("\n%d)[%s][%s]\n",i,iin.line,iin.right)
5104 //fmt.Printf("") // set debug messae at the end of line
5105 }
5106 // 0.2.8 2020-0901 created
5107 func (iin*Input)GotoNEXTW(){
5108     str := iin.right
5109     if len(str) <= 0 {
5110         return
5111     }
5112     lastSize := 0
5113     var lastRune rune
5114     var found = -1
5115     i := 1
5116     for i < len(str) {
5117         lastRune,lastSize = utf8.DecodeRuneInString(str[i:])
5118         if lastSize <= 0 { break } // broken data?
5119         if !isAlnum(lastRune) { // character, type, or string to be searched
5120             found = i
5121             break
5122         }
5123     }
5124     i += lastSize
5125 }
5126 if 0 < found {
5127     if isAlnum(lastRune) { // or non-kana character
5128     }else{ // when positioning to the top o the word
5129         found += lastSize
5130     }
5131     iin.line = iin.line + str[0:found]
5132     if 0 < found {
5133         iin.right = str[found:]
5134     }else{
5135         iin.right = ""
5136     }
5137 }
5138 //fmt.Printf("\n%d)[%s][%s]\n",i,iin.line,iin.right)
5139 //fmt.Printf("") // set debug messae at the end of line
5140 }
5141 // 0.2.8 2020-0902 created
5142 func (iin*Input)GotoPAIRCH(){
5143     str := iin.right
5144     if len(str) <= 0 {
5145         return
5146     }
5147     lastRune,lastSize := utf8.DecodeRuneInString(str[0:])
5148     if lastSize <= 0 {
5149         return
5150     }
5151     forw := false
5152     back := false
5153     pair := ""
5154     switch string(lastRune){
5155     case "{": pair = "}"; forw = true
5156     case "(": pair = ")"; forw = true
5157     case "[": pair = "]"; forw = true
5158     case "<": pair = ">"; forw = true
5159     case "<=": pair = ">="; forw = true
5160     case ">": pair = "<"; back = true
5161     case ">=": pair = "<="; back = true
5162     case "\\": pair = "\\\""; // context depednet, can be f" or back-double quote
5163     case "'": pair = "'"; // context depednet, can be f' or back-quote
5164     // case Japanese Kakkos
5165     }
5166     if forw {
5167         iin.SearchForward(pair)
5168     }
5169     if back {
5170         iin.SearchBackward(pair)
5171     }
5172 }
5173 // 0.2.8 2020-0902 created
5174 func (iin*Input)SearchForward(pat string)(bool){
5175     right := iin.right
5176     found := -1
5177     i := 0
5178     if strBegins(right,pat) {
5179         _,z := utf8.DecodeRuneInString(right[i:])
5180         if 0 < z {
5181             i += z
5182         }
5183     }
5184     for i < len(right) {
5185         if strBegins(right[i:],pat) {
5186             found = i
5187             break
5188         }
5189         _,z := utf8.DecodeRuneInString(right[i:])
5190         if z <= 0 { break }
5191         i += z
5192     }
5193     if 0 <= found {
5194         iin.line = iin.line + right[0:found]
5195         iin.right = iin.right[found:]
5196         return true
5197     }else{
5198         return false
5199     }
5200 }
5201 // 0.2.8 2020-0902 created
5202 func (iin*Input)SearchBackward(pat string)(bool){
5203     line := iin.line
5204     found := -1
5205     i := len(line)-1
5206     for i = i; 0 <= i; i-- {
5207         _,z := utf8.DecodeRuneInString(line[i:])
5208         if z <= 0 {

```

```

5209         continue
5210     }
5211     //fprintf(stderr, "-- %v %v\n", pat, line[i:])
5212     if strBegins(line[i:], pat) {
5213         found = i
5214         break
5215     }
5216 }
5217 //fprintf(stderr, "--%d\n", found)
5218 if 0 <= found {
5219     iin.right = line[found:] + iin.right
5220     iin.line = line[0:found]
5221     return true
5222 }else{
5223     return false
5224 }
5225 }
5226 // 0.2.8 2020-0902 created
5227 // search from top, end, or current position
5228 func (gsh*GshContext)SearchHistory(pat string, forw bool)(bool, string){
5229     if forw {
5230         for _, v := range gsh.CommandHistory {
5231             if 0 <= strings.Index(v.CmdLine, pat) {
5232                 //fprintf(stderr, "\n--De-- found !%v [%v]%v\n", i, pat, v.CmdLine)
5233                 return true, v.CmdLine
5234             }
5235         }
5236     }else{
5237         hlen := len(gsh.CommandHistory)
5238         for i := hlen-1; 0 < i; i-- {
5239             v := gsh.CommandHistory[i]
5240             if 0 <= strings.Index(v.CmdLine, pat) {
5241                 //fprintf(stderr, "\n--De-- found !%v [%v]%v\n", i, pat, v.CmdLine)
5242                 return true, v.CmdLine
5243             }
5244         }
5245     }
5246     //fprintf(stderr, "\n--De-- not-found(%v)\n", pat)
5247     return false, "(Not Found in History)"
5248 }
5249 // 0.2.8 2020-0902 created
5250 func (iin*IInput)GotoFORWSTR(pat string, gsh*GshContext){
5251     found := false
5252     if 0 < len(iin.right) {
5253         found = iin.SearchForward(pat)
5254     }
5255     if !found {
5256         found, line := gsh.SearchHistory(pat, true)
5257         if found {
5258             iin.line = line
5259             iin.right = ""
5260         }
5261     }
5262 }
5263 func (iin*IInput)GotoBACKSTR(pat string, gsh*GshContext){
5264     found := false
5265     if 0 < len(iin.line) {
5266         found = iin.SearchBackward(pat)
5267     }
5268     if !found {
5269         found, line := gsh.SearchHistory(pat, false)
5270         if found {
5271             iin.line = line
5272             iin.right = ""
5273         }
5274     }
5275 }
5276 func (iin*IInput)getString1(prompt string)(string){ // should be editable
5277     iin.clearline();
5278     fprintf(stderr, "\r%v", prompt)
5279     str := ""
5280     for {
5281         ch := iin.Getc(10*1000*1000)
5282         if ch == '\n' || ch == '\r' {
5283             break
5284         }
5285         sch := string(ch)
5286         str += sch
5287         fprintf(stderr, "%s", sch)
5288     }
5289     return str
5290 }
5291 }
5292 // search pattern must be an array and selectable with ^N/^P
5293 var SearchPat = ""
5294 var SearchForw = true
5295 }
5296 func (iin*IInput)xgetline1(prevline string, gsh*GshContext)(string){
5297     var ch int;
5298     MODE_ShowMode = false
5299     MODE_VicMode = false
5300     iin.Redraw();
5301     first := true
5302     for cix := 0; ; cix++ {
5303         iin.pinJmode = iin.inJmode
5304         iin.inJmode = false
5305         ch = iin.Getc(1000*1000)
5306         if ch != EV_TIMEOUT && first {
5307             first = false
5308             mode := 0
5309             if romkanmode {
5310                 mode = 1
5311             }
5312             now := time.Now()
5313             Events = append(Events, Event{now, EV_MODE, int64(mode), CmdIndex})
5314         }
5315         if ch == 033 {
5316             MODE_ShowMode = true
5317             MODE_VicMode = !MODE_VicMode
5318             iin.Redraw();
5319             continue
5320         }
5321         if MODE_VicMode {
5322             switch ch {
5323                 case '0': ch = GO_TOPL
5324                 case '$': ch = GO_ENDL
5325                 case 'b': ch = GO_TOPW
5326                 case 'e': ch = GO_ENDW
5327                 case 'w': ch = GO_NEXTW
5328                 case '%': ch = GO_PAIRCH

```

```

5333
5334
5335     case 'j': ch = GO_DOWN
5336     case 'k': ch = GO_UP
5337     case 'h': ch = GO_LEFT
5338     case 'l': ch = GO_RIGHT
5339     case 'x': ch = DEL_RIGHT
5340     case 'a': MODE_VicMode = !MODE_VicMode
5341     ch = GO_RIGHT
5342     case 'i': MODE_VicMode = !MODE_VicMode
5343     iin.Redraw();
5344     continue
5345     case '~':
5346     right,head := delHeadChar(iin.right)
5347     if len([]byte(head)) == 1 {
5348     ch = int(head[0])
5349     if( 'a' <= ch && ch <= 'z' ){
5350     ch = ch + 'A'-'a'
5351     }else
5352     if( 'A' <= ch && ch <= 'Z' ){
5353     ch = ch + 'a'-'A'
5354     }
5355     iin.right = string(ch) + right
5356     }
5357     iin.Redraw();
5358     continue
5359     case 'f': // GO_FORWCH
5360     iin.Redraw();
5361     ch = iin.Getc(3*1000*1000)
5362     if ch == EV_TIMEOUT {
5363     iin.Redraw();
5364     continue
5365     }
5366     SearchPat = string(ch)
5367     SearchForw = true
5368     iin.GotoFORWSTR(SearchPat,gsh)
5369     iin.Redraw();
5370     continue
5371     case '/':
5372     SearchPat = iin.getstringl("/") // should be editable
5373     SearchForw = true
5374     iin.GotoFORWSTR(SearchPat,gsh)
5375     iin.Redraw();
5376     continue
5377     case '?':
5378     SearchPat = iin.getstringl("?") // should be editable
5379     SearchForw = false
5380     iin.GotoBACKSTR(SearchPat,gsh)
5381     iin.Redraw();
5382     continue
5383     case 'n':
5384     if SearchForw {
5385     iin.GotoFORWSTR(SearchPat,gsh)
5386     }else{
5387     iin.GotoBACKSTR(SearchPat,gsh)
5388     }
5389     iin.Redraw();
5390     continue
5391     case 'N':
5392     if !SearchForw {
5393     iin.GotoFORWSTR(SearchPat,gsh)
5394     }else{
5395     iin.GotoBACKSTR(SearchPat,gsh)
5396     }
5397     iin.Redraw();
5398     continue
5399     }
5400     }
5401     switch ch {
5402     case GO_TOPW:
5403     iin.GotoTOPW()
5404     iin.Redraw();
5405     continue
5406     case GO_ENDW:
5407     iin.GotoENDW()
5408     iin.Redraw();
5409     continue
5410     case GO_NEXTW:
5411     // to next space then
5412     iin.GotoNEXTW()
5413     iin.Redraw();
5414     continue
5415     case GO_PAIRCH:
5416     iin.GotoPAIRCH()
5417     iin.Redraw();
5418     continue
5419     }
5420     //fprintf(stderr, "A[%02X]\n",ch);
5421     if( ch == '\\\ | | ch == 033 ){
5422     MODE_ShowMode = true
5423     metaCh := ch
5424     iin.waitingMeta = string(ch)
5425     iin.Redraw();
5426     // set cursor //fprintf(stderr, "???\b\b\b\b")
5427     ch = fgetcTimeout(stdin,2000*1000)
5428     // reset cursor
5429     iin.waitingMeta = ""
5430
5431     cmdch := ch
5432     if( ch == EV_TIMEOUT ){
5433     if metaCh == 033 {
5434     continue
5435     }
5436     ch = metaCh
5437     }else
5438     /*
5439     if( ch == 'm' || ch == 'M' ){
5440     mch := fgetcTimeout(stdin,1000*1000)
5441     if mch == 'r' {
5442     romkanmode = true
5443     }else{
5444     romkanmode = false
5445     }
5446     continue
5447     }else
5448     */
5449     if( ch == 'k' || ch == 'K' ){
5450     MODE_Recursive = !MODE_Recursive
5451     iin.Translate(cmdch);
5452     continue
5453     }else
5454     if( ch == 'j' || ch == 'J' ){
5455     iin.Translate(cmdch);
5456     continue

```

```

5457     }else
5458     if( ch == 'i' || ch == 'I' ){
5459         iin.Replace(cmdch);
5460         continue
5461     }else
5462     if( ch == 'l' || ch == 'L' ){
5463         MODE_LowerLock = !MODE_LowerLock
5464         MODE_CapsLock = false
5465         if MODE_ViTrace {
5466             fprintf(stderr, "%v\r\n", string(cmdch));
5467         }
5468         iin.Redraw();
5469         continue
5470     }else
5471     if( ch == 'u' || ch == 'U' ){
5472         MODE_CapsLock = !MODE_CapsLock
5473         MODE_LowerLock = false
5474         if MODE_ViTrace {
5475             fprintf(stderr, "%v\r\n", string(cmdch));
5476         }
5477         iin.Redraw();
5478         continue
5479     }else
5480     if( ch == 'v' || ch == 'V' ){
5481         MODE_ViTrace = !MODE_ViTrace
5482         if MODE_ViTrace {
5483             fprintf(stderr, "%v\r\n", string(cmdch));
5484         }
5485         iin.Redraw();
5486         continue
5487     }else
5488     if( ch == 'c' || ch == 'C' ){
5489         if 0 < len(iin.line) {
5490             xline,tail := delTailChar(iin.line)
5491             if len([]byte(tail)) == 1 {
5492                 ch = int(tail[0])
5493                 if( 'a' <= ch && ch <= 'z' ){
5494                     ch = ch + 'A'-'a'
5495                 }else
5496                 if( 'A' <= ch && ch <= 'Z' ){
5497                     ch = ch + 'a'-'A'
5498                 }
5499                 iin.line = xline + string(ch)
5500             }
5501         }
5502         if MODE_ViTrace {
5503             fprintf(stderr, "%v\r\n", string(cmdch));
5504         }
5505         iin.Redraw();
5506         continue
5507     }else{
5508         iin.pch = append(iin.pch,ch) // push
5509         ch = '\\'
5510     }
5511 }
5512 switch( ch ){
5513 case 'P'-0x40: ch = GO_UP
5514 case 'N'-0x40: ch = GO_DOWN
5515 case 'B'-0x40: ch = GO_LEFT
5516 case 'F'-0x40: ch = GO_RIGHT
5517 }
5518 //fprintf(stderr, "B[%02X]\n",ch);
5519 switch( ch ){
5520 case 0:
5521     continue;
5522 case '\t':
5523     iin.Replace('j');
5524     continue
5525 case 'X'-0x40:
5526     iin.Replace('j');
5527     continue
5528 case EV_TIMEOUT:
5529     iin.Redraw();
5530     if iin.pinJmode {
5531         fprintf(stderr, "\\J\r\n")
5532         iin.inJmode = true
5533     }
5534     continue
5535 case GO_UP:
5536     if iin.lno == 1 {
5537         continue
5538     }
5539     cmd,ok := gsh.cmdStringInHistory(iin.lno-1)
5540     if ok {
5541         iin.line = cmd
5542         iin.right = ""
5543         iin.lno = iin.lno - 1
5544     }
5545     iin.Redraw();
5546     continue
5547 case GO_DOWN:
5548     cmd,ok := gsh.cmdStringInHistory(iin.lno+1)
5549     if ok {
5550         iin.line = cmd
5551         iin.right = ""
5552         iin.lno = iin.lno + 1
5553     }else{
5554         iin.line = ""
5555         iin.right = ""
5556         if iin.lno == iin.lastlno-1 {
5557             iin.lno = iin.lno + 1
5558         }
5559     }
5560     iin.Redraw();
5561     continue
5562 case GO_LEFT:
5563     if 0 < len(iin.line) {
5564         xline,tail := delTailChar(iin.line)
5565         iin.line = xline
5566         iin.right = tail + iin.right
5567     }
5568     iin.Redraw();
5569     continue;
5570 case GO_RIGHT:
5571     if( 0 < len(iin.right) && iin.right[0] != 0 ){
5572         xright,head := delHeadChar(iin.right)
5573         iin.right = xright
5574         iin.line += head
5575     }
5576     iin.Redraw();
5577     continue;
5578 case EOF:

```

```

5581         goto EXIT;
5582     case 'R'-0x40: // replace
5583         dst := convs(iin.line+iin.right);
5584         iin.line = dst
5585         iin.right = ""
5586         iin.Redraw();
5587         continue;
5588     case 'T'-0x40: // just show the result
5589         readDic();
5590         romkanmode = !romkanmode;
5591         iin.Redraw();
5592         continue;
5593     case 'L'-0x40:
5594         iin.Redraw();
5595         continue
5596     case 'K'-0x40:
5597         iin.right = ""
5598         iin.Redraw();
5599         continue
5600     case 'E'-0x40:
5601         iin.line += iin.right
5602         iin.right = ""
5603         iin.Redraw();
5604         continue
5605     case 'A'-0x40:
5606         iin.right = iin.line + iin.right
5607         iin.line = ""
5608         iin.Redraw();
5609         continue
5610     case 'U'-0x40:
5611         iin.line = ""
5612         iin.right = ""
5613         iin.clearline();
5614         iin.Redraw();
5615         continue;
5616     case DEL_RIGHT:
5617         if( 0 < len(iin.right) ){
5618             iin.right,_ = delHeadChar(iin.right)
5619             iin.Redraw();
5620         }
5621         continue;
5622     case 0x7F: // BS? not DEL
5623         if( 0 < len(iin.line) ){
5624             iin.line,_ = delTailChar(iin.line)
5625             iin.Redraw();
5626         }
5627         /*
5628         else
5629             if( 0 < len(iin.right) ){
5630                 iin.right,_ = delHeadChar(iin.right)
5631                 iin.Redraw();
5632             }
5633         */
5634         continue;
5635     case 'H'-0x40:
5636         if( 0 < len(iin.line) ){
5637             iin.line,_ = delTailChar(iin.line)
5638             iin.Redraw();
5639         }
5640         continue;
5641     }
5642     if( ch == '\n' || ch == '\r' ){
5643         iin.line += iin.right;
5644         iin.right = ""
5645         iin.Redraw();
5646         fputc(ch,stderr);
5647         AtConsoleLineTop = true
5648         break;
5649     }
5650     if MODE_CapsLock {
5651         if 'a' <= ch && ch <= 'z' {
5652             ch = ch+'A'-'a'
5653         }
5654     }
5655     if MODE_LowerLock {
5656         if 'A' <= ch && ch <= 'Z' {
5657             ch = ch+'a'-'A'
5658         }
5659     }
5660     iin.line += string(ch);
5661     iin.Redraw();
5662 }
5663 EXIT:
5664     return iin.line + iin.right;
5665 }
5666
5667 func getline_main(){
5668     line := xgetline(0,"",nil)
5669     fprintf(stderr,"%s\n",line);
5670 /*
5671     dp = strpbrk(line,"\r\n");
5672     if( dp != NULL ){
5673         *dp = 0;
5674     }
5675
5676     if( 0 ){
5677         fprintf(stderr,"\n(%d)\n",int(strlen(line)));
5678     }
5679     if( lseek(3,0,0) == 0 ){
5680         if( romkanmode ){
5681             var buf [8*1024]byte;
5682             convs(line,buf);
5683             strcpy(line,buf);
5684         }
5685         write(3,line,strlen(line));
5686         ftruncate(3,lseek(3,0,SEEK_CUR));
5687         //fprintf(stderr,"outsize=%d\n",(int)lseek(3,0,SEEK_END));
5688         lseek(3,0,SEEK_SET);
5689         close(3);
5690     }else{
5691         fprintf(stderr,"\r\ngotline: ");
5692         trans(line);
5693         //printf("%s\n",line);
5694         printf("\n");
5695     }
5696 */
5697 }
5698 //== end ====== getline
5699
5700 //
5701 // $USERHOME/.gsh/
5702 //     gsh-rc.txt, or gsh-configure.txt
5703 //     gsh-history.txt
5704 //     gsh-aliases.txt // should be conditional?

```

```

5705 //
5706 func (gshCtx *GshContext)gshSetupHomedir()(bool) {
5707     homedir,found := userHomeDir()
5708     if !found {
5709         fmt.Printf("--E-- You have no UserHomeDir\n")
5710         return true
5711     }
5712     gshhome := homedir + "/" + GSH_HOME
5713     _, err2 := os.Stat(gshhome)
5714     if err2 != nil {
5715         err3 := os.Mkdir(gshhome,0700)
5716         if err3 != nil {
5717             fmt.Printf("--E-- Could not Create %s (%s)\n",
5718                 gshhome,err3)
5719             return true
5720         }
5721         fmt.Printf("--I-- Created %s\n",gshhome)
5722     }
5723     gshCtx.GshHomeDir = gshhome
5724     return false
5725 }
5726 func setupGshContext()(GshContext,bool){
5727     gshPA := syscall.ProcAttr {
5728         "", // the staring directory
5729         os.Environ(), // environ[]
5730         []uintptr{os.Stdin.Fd(),os.Stdout.Fd(),os.Stderr.Fd()},
5731         nil, // OS specific
5732     }
5733     cwd, _ := os.Getwd()
5734     gshCtx := GshContext {
5735         cwd, // StartDir
5736         "", // GetLine
5737         []GchdirHistory { {cwd,time.Now(),0} }, // ChdirHistory
5738         gshPA,
5739         []GCommandHistory{}, //something for invokation?
5740         GCommandHistory{}, // CmdCurrent
5741         false,
5742         []int{},
5743         syscall.Rusage{},
5744         "", // GshHomeDir
5745         Ttyid(),
5746         false,
5747         false,
5748         []PluginInfo{},
5749         []string{},
5750         "",
5751         "v",
5752         ValueStack{},
5753         GServer{"",""}, // LastServer
5754         "", // RSERVER
5755         cwd, // RWD
5756         CheckSum{},
5757     }
5758     err := gshCtx.gshSetupHomedir()
5759     return gshCtx, err
5760 }
5761 func (gsh*GshContext)gshelllh(gline string)(bool){
5762     ghist := gsh.CmdCurrent
5763     ghist.WorkDir,_ = os.Getwd()
5764     ghist.WorkDirX = len(gsh.ChdirHistory)-1
5765     //fmt.Printf("--D--ChdirHistory(#{@d}\n",len(gsh.ChdirHistory))
5766     ghist.StartAt = time.Now()
5767     rusagev1 := Getrusagev()
5768     gsh.CmdCurrent.FoundFile = []string{}
5769     fin := gsh.tgshelll(gline)
5770     rusagev2 := Getrusagev()
5771     ghist.Rusagev = RusageSubv(rusagev2,rusagev1)
5772     ghist.EndAt = time.Now()
5773     ghist.CmdLine = gline
5774     ghist.FoundFile = gsh.CmdCurrent.FoundFile
5775
5776     /* record it but not show in list by default
5777     if len(gline) == 0 {
5778         continue
5779     }
5780     if gline == "hi" || gline == "history" { // don't record it
5781         continue
5782     }
5783     */
5784     gsh.CommandHistory = append(gsh.CommandHistory, ghist)
5785     return fin
5786 }
5787 // <a name="main">Main loop</a>
5788 func script(gshCtxGiven *GshContext) (_ GshContext) {
5789     gshCtxBuf,err0 := setupGshContext()
5790     if err0 {
5791         return gshCtxBuf;
5792     }
5793     gshCtx := &gshCtxBuf
5794
5795     //fmt.Printf("--I-- GSH_HOME=%s\n",gshCtx.GshHomeDir)
5796     //resmap()
5797
5798     /*
5799     if false {
5800         gsh_getlinev, with_exgetline :=
5801             which("PATH",[]string{"which","gsh-getline","-s"})
5802         if with_exgetline {
5803             gsh_getlinev[0] = toFullpath(gsh_getlinev[0])
5804             gshCtx.GetLine = toFullpath(gsh_getlinev[0])
5805         }else{
5806             fmt.Printf("--W-- No gsh-getline found. Using internal getline.\n");
5807         }
5808     }
5809     */
5810
5811     ghist0 := gshCtx.CmdCurrent // something special, or gshrc script, or permanent history
5812     gshCtx.CommandHistory = append(gshCtx.CommandHistory,ghist0)
5813
5814     prevline := ""
5815     skipping := false
5816     for hix := len(gshCtx.CommandHistory); ; {
5817         gline := gshCtx.getline(hix,skipping,prevline)
5818         if skipping {
5819             if strings.Index(gline,"fi") == 0 {
5820                 fmt.Printf("fi\n");
5821                 skipping = false;
5822             }else{
5823                 //fmt.Printf("%s\n",gline);
5824             }
5825             continue
5826         }
5827         if strings.Index(gline,"if") == 0 {
5828             //fmt.Printf("--D-- if start: %s\n",gline);

```

```

5829     skipping = true;
5830     continue
5831 }
5832 }
5833 if false {
5834     os.Stdout.Write([]byte("gotline:"))
5835     os.Stdout.Write([]byte(gline))
5836     os.Stdout.Write([]byte("\n"))
5837 }
5838 gline = strsubst(gshCtx,gline,true)
5839 if false {
5840     fmt.Printf("fmt.Printf %v - %v\n",gline)
5841     fmt.Printf("fmt.Printf %s - %s\n",gline)
5842     fmt.Printf("fmt.Printf %x - %s\n",gline)
5843     fmt.Printf("fmt.Printf %U - %s\n",gline)
5844     os.Stdout.Write([]byte(gline))
5845     fmt.Printf("\n")
5846 }
5847 /*
5848 // should be cared in substitution ?
5849 if 0 < len(gline) && gline[0] == '!' {
5850     xgline, set, err := searchHistory(gshCtx,gline)
5851     if err {
5852         continue
5853     }
5854     if set {
5855         // set the line in command line editor
5856     }
5857     gline = xgline
5858 }
5859 */
5860 fin := gshCtx.gshellllh(gline)
5861 if fin {
5862     break;
5863 }
5864 prevline = gline;
5865 hix++;
5866 }
5867 return *gshCtx
5868 }
5869 func main() {
5870     gshCtxBuf := GshContext{}
5871     gsh := &gshCtxBuf
5872     argv := os.Args
5873
5874     if( isin("wss",argv) ){
5875         gj_server(argv[1:]);
5876         return;
5877     }
5878     if( isin("wsc",argv) ){
5879         gj_client(argv[1:]);
5880         return;
5881     }
5882     if 1 < len(argv) {
5883         if isin("version",argv){
5884             gsh.showVersion(argv)
5885             return
5886         }
5887         if argv[1] == "gj" {
5888             if argv[2] == "listen" { go gj_server(argv[2:]); }
5889             if argv[2] == "server" { go gj_server(argv[2:]); }
5890             if argv[2] == "serve" { go gj_server(argv[2:]); }
5891             if argv[2] == "client" { go gj_client(argv[2:]); }
5892             if argv[2] == "join" { go gj_client(argv[2:]); }
5893         }
5894         comx := isinX("-c",argv)
5895         if 0 < comx {
5896             gshCtxBuf,err := setupGshContext()
5897             gsh := &gshCtxBuf
5898             if !err {
5899                 gsh.gshellv(argv[comx+1:])
5900             }
5901             return
5902         }
5903     }
5904     if 1 < len(argv) && isin("-s",argv) {
5905     }else{
5906         gsh.showVersion(append(argv,[]string{"-l","-a"}...))
5907     }
5908     script(nil)
5909     //gshCtx := script(nil)
5910     //gshellll(gshCtx,"time")
5911 }
5912
5913 //</div></details>
5914 //<details id="gsh-todo"><summary>Considerations</summary><div class="gsh-src">
5915 // - inter gsh communication, possibly running in remote hosts -- to be remote shell
5916 // - merged histories of multiple parallel gsh sessions
5917 // - alias as a function or macro
5918 // - instant alias and environ export to the permanent > -./gsh/gsh-alias and gsh-environ
5919 // - retrieval PATH of files by its type
5920 // - gsh as an IME with completion using history and file names as dictionaies
5921 // - gsh a scheduler in precise time of within a millisecond
5922 // - all commands have its subucomand after "---" symbol
5923 // - filename expansion by "-find" command
5924 // - history of ext code and output of each commoand
5925 // - "script" output for each command by pty-tee or telnet-tee
5926 // - $BUILTIN command in PATH to show the priority
5927 // - "?" symbol in the command (not as in arguments) shows help request
5928 // - searching command with wild card like: which ssh-*
5929 // - longformat prompt after long idle time (should dismiss by BS)
5930 // - customizing by building plugin and dynamically linking it
5931 // - generating syntactic element like "if" by macro expansion (like CPP) >> alias
5932 // - "!" symbol should be used for negation, don't wast it just for job control
5933 // - don't put too long output to tty, record it into GSH_HOME/session-id/comand-id.log
5934 // - making canonical form of command at the start adding quotation or white spaces
5935 // - name(a,b,c) ... use "(" and ")" to show both delimiter and realm
5936 // - name? or name! might be useful
5937 // - htar format - packing directory contents into a single html file using data scheme
5938 // - filepath substitution should be done by each command, especially in case of builtins
5939 // - @N substition for the history of working directory, and @spec for more generic ones
5940 // - @dir prefix to do the command at there, that means like (chdir @dir; command)
5941 // - GSH_PATH for plugins
5942 // - standard command output: list of data with name, size, resouce usage, modified time
5943 // - generic sort key option -nm name, -sz size, -ru rusage, -ts start-time, -tm mod-time
5944 // -wc word-count, grep match line count, ...
5945 // - standard command execution result: a list of string, -tm, -ts, -ru, -sz, ...
5946 // - -tailf-filename like tail -f filename, repeat close and open before read
5947 // - max. size and max. duration and timeout of (generated) data transfer
5948 // - auto. numbering, aliasing, IME completion of file name (especially rm of quieer name)
5949 // - IME "?" at the top of the command line means searching history
5950 // - IME %d/0x10000/ %x/ffff/
5951 // - IME ESC to go the edit mode like in vi, and use :command as :s/x/y/g to edit history
5952 // - gsh in WebAssembly

```



```

5953 // - gsh as a HTTP server of online-manual
5954 //---END--- (^-^)//ITS more</div></details>
5955
5956 //<span class="gsh-golang-data">
5957
5958 var WorldDic = //<span id="gsh-world-dic">
5959 "data:text/dic;base64,+
5960 "Iy87Tk1JTUUVMc4wLjEg6L6E5pu4lCgyMDIwLTA4MTlhKQpZwThaSDkuJbnlYwKa28g44GT"+
5961 "Cm5uIOCKwpuasDjgKYZ2hp100BoQp0aSDjgaEKaGg44GvCnNlIO0BmwrYSDjgYsKasDj"+
5962 "gYQK";
5963 //</span>
5964
5965 var WnnDic = //<span id="gsh-wnn-dic">
5966 "data:text/dic;base64,+
5967 "PglldEGyZ2hcnNld0iVVVRLTgiPgo8dGV4dGFyZWEgY29scz04MCRyY3dzPTQwPgovL2Rp"+
5968 "Y3ZlcglHU2h1bGxccc0lNRVxzZG1jdG1vbmFyeVxzZm9yXHNHbW5ccy8vXHMxMDIwLTA4MzAK"+
5969 "RlNO2WxwCUDTaGvsbArjgo/jgZ/jgZcu56eBCndhdGFzaGk56eBCndhdGFzaQnnp4EK44Gg"+
5970 "44G+44GICeWjgEwJjQpuYw1hZQnlKi3l1Y0K44Gq44G44GuCeS4remHjgpuYwThbm8J5Lit"+
5971 "6YeOcnhdCeOcjwP0YQnjgZ8Kc2Kj44GXCNNoaQnjgZcKbm8J44GuCm5hCeOBgqptYQnjg4K"+
5972 "ZQnjgYgKaGEJ44GvCm5hCeOBgqptYQnjgYsKbm8J44GuCmRlCeOBpwpzqQnjgZK2VxzCWj"+
5973 "aG8KZG1jCWRpIwPlYzhvcWVjaG8KcmVwGf5CXl3cGtheqpyZXB1YXQJcmVwZWFOCmR0CWrh"+
5974 "dGVccysnYklsbSVkLVSIOiVWoiVVTJwp0aW9uCXRp24KJXQJLJy8gdG8gYmUgTW4gYWN0"+
5975 "a89uCXjwvGV4dGFyZWE+CG==";
5976 //</span>
5977
5978 var SumomoDic = //<span id="gsh-sumomo-dic">
5979 "data:text/dic;base64,+
5980 "PglldEGyZ2hcnNld0iVVVRLTgiPgo8dGV4dGFyZWEgY29scz04MCRyY3dzPTQwPgovL3Zl"+
5981 "cg1HU2h1bGxccc0lNRVxzZG1jdG1vbmFyeVxzZm9yXHNHTDw1bW9ccy8vXHMxMDIwLTA4MzAK"+
5982 "c3UJ44G2CmlCeOCgpubwnjga4KQnjgYKYZ2hpCeOB0p0aQnJgjaEKdWNoaQnlh0KdXRP"+
5983 "CeWChQpzd1vbW8J44G244KC44KCCNl1bW9tb21vCeOBmeOCguOCguCgpgtb21vCeahgwpt"+
5984 "b21vbW8J5Gd44KCCiwsCeOAgQouLgnjgIIFKPC9X0Xh0YXJlYT4K";
5985 //</span>
5986
5987 var SijimiDic = //<span id="gsh-sijimi-dic">
5988 "data:text/dic;base64,+
5989 "PglldEGyZ2hcnNld0iVVVRLTgiPgo8dGV4dGFyZWEgY29scz04MCRyY3dzPTQwPgovL3Zl"+
5990 "cg1HU2h1bGxccc0lNRVxzZG1jdG1vbmFyeVxzZm9yXHNHTDw1bW9ccy8vXHMxMDIwLTA4MzAK"+
5991 "CmNpCeOB1wPzqGk44GXcmprCeOBmPtaQnjg8Kbm8J44GqCmp1CeOBmOOCp04eXUJ44KF"+
5992 "CmUJ44G2CmlCeOBgprbwmjgZMKYnuJ44G2Cm5uCeOCkwpubwnjga4KY2hpCeOB0p0aQnjg"+
5993 "gaEKa2EJ44G2CmlCeOCiQoslAnjgIEKLi4J44CCNhuY5hCeS4qvp4anV1CeNngOp4hmkJ"+
5994 "5lqCmteveAnlgsKa29xCeWaiwprb3gJ5YCLCM5hbmFqdXVuaXgJnzIKbmFuYwPl1dW5peHJ"+
5995 "77y77yScm5hbmFqdXVuaVgJ77Y77yScuS4g+WngeS6jHgJnzIKa29idW5uCeWai+WIhgp0"+
5996 "awthcmFxCeOB0eBi+OCiQp0aWthcmEJ5YqbcMnoaWthcmEJ5YqbcjwvGV4dGFyZWE+CG="
5997 //</span>
5998
5999 var JA_JKLDic = //<span id="gsh-ja-jkl-dic">
6000 "data:text/dic;base64,+
6001 "Iy92ZJJsCU15SUIFamRyY2ptb3JzZWRpKQWpKS0w0mJyAyMGowODE5KShelV4pL1NhdG94SVRT"+
6002 "CmtqamprbGta2tsa2psIOS44ueVjApqamtgamwJ44GCmTqbAnjgYQKa2tqbAnjgYKamtq"+
6003 "amwJ44GICmtq2trbAnjgYoKa2pra2wJ44GLCmPrAmrbrAnjgY0Ka2trAmwJ44GCmPramps"+
6004 "CeOBKQpamprbAnjgZMkamtq2psCeOB1Qpamtq2wJ44GXcmprAmrbrAnjgZKa2pqamts"+
6005 "CeOBmPmpamprbAnjgZ0KamtsCeOBnwrp2prbAnjgjaEKa2pqa2wJ44GKcmTga2pqbAnjgYaK"+
6006 "a2tqat2CeOBgApramtsCeOBgppqa2prbAnjgKasKa2tra2wJ44G6Cmpga2psCeOBp0pra2pq"+
6007 "bnjga4Kamr2wJ44G2CmPqa2tqbAnjgKamp2wJ44G1CmTsCeOBuAppa2tsCeOBuwpq"+
6008 "a2tqbAnjg4Kamr2psCeOBwprbAnjgKamr2prbAnjgKamr2psCeOCg0pqa2tqga2wJ44KCMtgamwJ"+
6009 "44KCMpr2pqbAnjgKampsCeOCiApra2tsCeOCiQpamtsCeOCiGpqa2pqa2wJ44KLCmpq"+
6010 "amwJ44KCMmtq2psCeOCjQpqa2psCeOCjvpramtrAmwJ44KQCMtqamrbrAnjgEka2pqa2wJ44K"+
6011 "44KSCmtq2prbAnjgpmKa2pqa2psCeODvApra2wJ44KbCmtrAmprbAnjgpmKa2pramtrbAnjg"+
6012 "gIEK";
6013 //</span>
6014
6015 //</span>
6016 /*
6017 <style id="gsh-references-style">
6018 #references details { font-family:Georgia; }
6019 #references a { font-family:Georgia; }
6020 .wrap { white-space:normal; }
6021 </style>
6022 <details id="references"><summary>References</summary><div class="gsh-src">
6023 Web technology
6024 <a href="https://html.spec.whatwg.org">HTML: The Living Standard</a> (September 2020)
6025 <a href="https://html.spec.whatwg.org/dev/">Developer Version</a>
6026
6027 <a href="https://drafts.csswg.org">CSS Working Group Editor Drafts</a> (September 2020)
6028
6029 <a href="https://developer.mozilla.org/ja/docs/Web">MDN web docs</a>
6030 <a href="https://developer.mozilla.org/ja/docs/Web/HTML/Element">HTML</a>
6031 <a href="https://developer.mozilla.org/en-US/docs/Web/CSS">CSS</a> : <span class="wrap">
6032 <a href="https://developer.mozilla.org/en-US/docs/Web/CSS/CSS_Selectors">selectors</a>
6033 <a href="https://developer.mozilla.org/en-US/docs/Web/CSS/background-repeat">repeat</a></span>
6034 <a href="https://developer.mozilla.org/en-US/docs/Web/JavaScript">JavaScript</a>
6035 <a href="https://developer.mozilla.org/en-US/docs/Web/HTTP">HTTP</a>
6036 <a href="https://mdn-web-dna.s3-us-west-2.amazonaws.com/MDN-Browser-Compatibility-Report-2020.pdf">MDN Browser Compatibility Report (2020)</a>
6037
6038 Go language (August 2020 / Go 1.15)
6039 <a href="https://golang.org">The Go Programming Language</a>
6040 <a href="https://golang.org/pkg/">Packages</a>
6041 <a href="https://godoc.org/golang.org/x/net/websocket">WebSocket</a>
6042
6043 <a href="https://stackoverflow.com/">Stackoverflow</a>
6044 <!--
6045 <iframe src="https://golang.org" width="100%" height="300"></iframe>
6046 -->
6047 </div></details>
6048 */
6049 /*
6050 <details id="html-src" onclick="frame_open();"><summary>Raw Source</summary><div>
6051
6052 <!-- h2>The full of this HTML including the Go code is here.</h2 -->
6053 <details id="gsh-whole-view"><summary>Whole file</summary>
6054 <a name="whole-src-view"></a>
6055 <span id="src-frame"></span><!-- a window to show source code -->
6056 </details>
6057
6058 <details id="gsh-style-frame" onclick="fill_CSSView()"><summary>CSS part</summary>
6059 <a name="style-src-view"></a>
6060 <span id="gsh-style-view"></span>
6061 </details>
6062
6063 <details id="gsh-script-frame" onclick="fill_JavaScriptView()"><summary>JavaScript part</summary>
6064 <a name="script-src-view"></a>
6065 <span id="gsh-script-view"></span>
6066 </details>
6067
6068 <details id="gsh-data-frame" onclick="fill_DataView()"><summary>Built-in data part</summary>
6069 <a name="gsh-data-frame"></a>
6070 <span id="gsh-data-view"></span>
6071 </details>
6072
6073 </div></details>
6074 */
6075
6076 /*

```



```

6201 .gsh-link{color:green;}
6202 #gsh {border-width:1;margin:0;padding:0;}
6203 #gsh {font-family:monospace,Courier New;color:#ddf;font-size:8px;}
6204 #gsh header{height:100px;}
6205 #gsh header{height:100px;background-image:url(GShell-Logo00.png);}
6206 #GshMenu{font-size:14pt;color:#c44;}
6207 .GshMenu{
6208   font-size:14pt;color:#2a2;padding:4px; text-align:right;
6209 }
6210 .GshMenu: hover{
6211   font-size:14pt;color:#fff;font-weight:bold;background-color:#2a2;
6212 }
6213 #GshFooter{height:100px;background-size:80px;background-repeat:no-repeat;}
6214 #gsh note{color:#000;font-size:10pt;}
6215 #gsh h2{color:#24a;font-family:Georgia;font-size:18pt;}
6216 #gsh h3{color:#24a;font-family:Georgia;font-size:16pt;}
6217 #gsh details{color:#888;background-color:#fff;font-family:monospace;}
6218 #gsh summary{font-size:16pt;color:#fff;background-color:#8af;xxxheight:30px;}
6219 #gsh summary{font-size:16pt;color:#fff;
6220   padding:2pt;
6221   line-height:1.0;
6222   vertical-align:middle;
6223   xxx-background-color:#8af;
6224   background-color:#6881AD;xxx-PBlue;
6225   xxxheight:30px;
6226 }
6227 #gsh pre{font-size:11pt;color:#223;background-color:#ffffff;}
6228 #gsh a{color:#24a;}
6229 #gsh a[name]{color:#24a;font-size:16pt;}
6230 #gsh .gsh-src{white-space:pre;font-family:monospace,Courier New;font-size:11pt;}
6231 #gsh .gsh-src{background-color:#ffffff;color:#223;}
6232 #gsh-src-src{spellcheck:false}
6233 #SrcTextarea{white-space:pre;font-family:Courier New;font-size:10pt;}
6234 #SrcTextarea{background-color:#ffffff;color:#223;}
6235 .gsh-code {white-space:pre;font-family:Courier New !important;}
6236 .gsh-code {color:#024;font-size:11pt; background-color:#fafff;}
6237 .gsh-golang-data {display:none;}
6238 #gsh-WinId {color:#000;font-size:14pt;}
6239
6240 .gsh-document {font-size:11pt;background-color:#fff;font-family:Georgia;}
6241 .gsh-document {color:#000;background-color:#fff !important;}
6242 .gsh-document > h2{color:#000;background-color:#fff !important;}
6243 .gsh-document details{color:#000;background-color:#fff;font-family:Georgia;}
6244 .gsh-document p{max-width:550pt;color:#000;background-color:#fff;font-family:Georgia;}
6245 .gsh-document address{width:500pt;color:#000;background-color:#fff;font-family:Georgia;}
6246
6247 @media print {
6248   #gsh pre{font-size:11pt !important;}
6249 }
6250 </style>
6251
6252 <!--
6253 // Logo image should be drawn by JavaScript from a meta-font.
6254 // CSS seems not follow line-splitted URL
6255 -->
6256 <script id="gsh-data">
6257 //GShellLogo="QR-ITS-more.jp.png"
6258 GShellLogo="data:image/png;base64,\
6259 iVBORw0KGgoAAAANSUHEUgAAQAAEAAAB/CAYAAADvs3f4AAAAAXNSR0IARs4c6QAAAHlWE1m\
6260 TU0AKgAAAgAABAFAAAUAAABAAAPgEBAUAAABAAABAAARgEoAMAAABAAIAADpAAQAAAB\
6261 AAAATgAAAAABIAAAQAQAAEgAAABAAQAAQADAAAAQABAAcAgEAAQAAQAAQAAQAAQAAWAE\
6262 AAAAQAQAAH8AAAAAYx1BhgAAAAwSFLzAAALeWAAcXMBAAJcGAAAF3RJRFFUEAhtnQUFNWZ\
6263 x+tTukZ3iCggO/jY6Osb8WgmZAvn7uG4+blSTR7YnQXQdQPCk72anWLD2MSlRkeUaPnoCdu\
6264 4iuJx7jrIY25DODGmF2VqTBEiSggCoiMMA+mu+vu//ZMD9U1da62aUbv91GRK93vvd6/g\
6265 fnXvdxstBA8SIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6266 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6267 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6268 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6269 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6270 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6271 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6272 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6273 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6274 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6275 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6276 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6277 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6278 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6279 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6280 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6281 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6282 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6283 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6284 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6285 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6286 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6287 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6288 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6289 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6290 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6291 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6292 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6293 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6294 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6295 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6296 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6297 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6298 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6299 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6300 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6301 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6302 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6303 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6304 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6305 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6306 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6307 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6308 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6309 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6310 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6311 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6312 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6313 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6314 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6315 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6316 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6317 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6318 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6319 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6320 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6321 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6322 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6323 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\
6324 IAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAESIAES\

```

```
6325 wKgz9FWrITCRJwJwh5+/ocSLzQ1zG52BVtG+wOpqXRYEwaRf rdbSgC5bD/PySxBhKfPWO\
6326 qzZy94L10uAB4kx5we8qdsHO6++b0nwjzFXyAUyV6Ece00117SAzKx0UgxtmZB9RcaVyx\
6327 ZcMBHj3dTCzUwWYkriwy4my7H9zt3R93/8XlJ0ESWety7qFj1J0dKxhMFAZkD601Wwe6\
6328 H5ZhuWtLlQHQQZyW67yztL7r9u40VJg4JBMJcayRhyeYX8/cxu+rur9L5ye50a+W\
6329 Bv0wN2Zxrw7VADPzCEdpKpdsXoKefrErYm++j7aEaA'yxzZjXm'61FzU146c7h0d6Q/m\
6330 Wncf9BTVxbs623hXpV1mLkjhJUBTFkRbhagLQCWibwuiiPytkLhWzq8YKoeMcj19Y9Ly\
6331 Pwk79U/55Bk75fSXMcwhj79Y5xv7qu8YspvTbSG+55hdjnn6Y6S6ErFyqVOL2xoeLrwm\
6332 Ywkq5S2p1OK5dJzgs+2L1B426/gG+uosa6yuy0Y1jzcCuogA41lqV00Yep1wulXUL4pPR\
6333 zD3GL6w1VE4jA35xePk1NLSuBb/34RcwB6JGgz6rflBBjBbJH7lWbGDRVdb4bieXpghPbb\
6334 NQT31qMhZ7eTHvUrxn45r8FpQWRNd1qVfV2qBlxFL6+rgDLV82CTnVYIBds2JfBpWMPJ\
6335 aW3rYbqng9XMLmChjCvN5F5KMRc2LbzJbK8mU55en4x/zrLdJQzN1tKkyuo01pdgocfF\
6336 gKqP/ahfXooVi+JtoFimZuYn8F70HhMAMxdAaeUX6cF7075Uukyg50z33v/20C7b+ach\
6337 LtntpH3VeW84ipGt4JWAnu7Pn5xwvjxB41MabC3Q8rflzPCF7C0Sf0b8NadZSfWqfFhBu\
6338 nmldjITHGh3eSrt+42Mk5KwCtXfMe35RJTvorF3rmn49VM0qfP8oiD191X61dvbXmkqjvb\
6339 NfydX9m8wim2MLKZeSL/VzQSkDpZcdYcye71q/B4XKfQaNeK3mL4r29FQL/ga+/vrEO\
6340 gDTX00UWUKUMf9MYULzjVpZxxu0FP00/pTehodh/1XXxGzawFuXp6eG1lz+eme2X9lbo\
6341 OxaU119F0bLaGgQhafa5NVPhxjK7X0gLu0MRm+JAFesfnaKzLRhZXLyBf5ediUwKc1/wD7\
6342 FD+JL7zVtEPEIqgWkzj6zP/PP5dutz+2HihxKfLhnsTumT011AjKyVScemp1WALAACzAB\
6343 dqV2Sx/S+nLNodPeLXVtD/skUr+JL5/9vsbl75z+bYNS8Q2EuQN/Oa3x1/FJZs/VZ30EGeGB\
6344 ePdtCYCRORKr3q6VL0p0f7KXvDaaZvczqjQECzA56CYcmz/7CyUwar21INzXk4NOC075/\
6345 4yMTRk3KuyfEGjgmx/xdpbt8uSR17L11uocF7GmJUL7cKxfyqVfVdvpw9RPAeh07FRV\
6346 hU469cYwYkF0K+CcyOvTRXZy1h/3n7fi1bretHtSuVUMrt1jPKWYmKfZmhdPzF1M\
6347 dM1f6+eW10/65LmCDDZYPFL2fDyegq38aRbQSPK1sCGUCaKrD0UyzaauvgzK6zAVTE\
6348 LLGqFLXPJfjYjthCkphr+n++76LoLJd3d451+sndV9Yr4veCwQ9+SrXtX6G/arezLAWK\
6349 tgzv7Wk4n+28f/FFzUKIA3ky5ULmo9CEB83HgLin15rNny32hsXoRntBmBvWmiPzT03\
6350 j0g8vnn35zccfYlYgCmlw2/fvCjoXytleoL0xvRghMyN21/IJtL6W3j5y8j+71dyU57\
6351 xLJDmJm+xOqGtrucgEUTDVPfCvovWaf2KAeVArG5T3tjBGQT+5rCIU+1BzxFIPJumpRVP\
6352 4YEuz9wP9x1fv/0ppuyxDP9uNpYih91/XNkovNSd5GG8wms31CzfrkCQUTZSHj+wm8Q\
6353 JV7E3Xm6WjLsR6LV668ToExtHjJ/4Cwd24+uzvFvsJrsT11RkFoOALtznFzdf2SD12QrO\
6354 8Y5V88pdsboVhRLQD6exvrE0j9y4g9DPKc52mjjyz021LD7y3zFL8qmsDMOFARTVFC3\
6355 N1NQGWk1EavQOmRz78D2VefmHcdPFC86nbFB5zKF1FMRHE6F00S0atOm/d8V98km7D\
6356 C58YrseFLvLspLpbx79z64erd2NyuNLkileJdalUak7j0orr315x+YA9CbQBDf/cK7JkHdB\
6357 E5sg690KM9pRdJd6v3vEvYbdQucoc1VM9n0/QaPP3K2Lve8zCmCjK30kx+30RKQe8KIw\
6358 blxaFhe29JqB8of8Gkam65P9mdgP5bmukpmc22TR7BHSKjP0kMctCf/KAMLS0JxtEj\
6359 v7q+/OzmZbn/25IoHT3+NPgZn2eyx7u120JDM9xoytZB70ya+vndqW3URPijYxmb0e1/au\
6360 zq4BeygslmpGdLlKxcmLwXskzB6Gwa940stveB+s71411K30105Mxod+r/1ZvX0P9E3\
6361 xp7KQYU8JGTmcatO+NeI/99v3xbh+21bh03cnot1jdfCznzkeapSDW/vjDg4XP4AABAB\
6362 9ezduK2Q3FeV051ytcqom30pzk9E5s8n0r+FY150rCzr5HkPFMGaaQ3yAO9PydFDjJ\
6363 pPfe5jKq6rmY3DfEYK5h1400Kj1zezhBJ9NtWfBAGvU1Luw2E2VfahfLsF50dfpseeAB\
6364 nRiFLX0m8kxmp/Fby6aVgZ2ft55KkwnoZmPFSF3gqf3o4UGSj/v1548wLfbVvab720b\
6365 Xx/MwrfL9zrXPQMbx5c1AfjH1yJhsR7BKmfG8mT+D3CdJF2god1vNN334d60WhYfE\
6366 koSvF0pEpkZFeqJWQt1d706cndp1H7zi0z933h0LHWYU1RrhZ7ptxeVe69XWH+3JdasmtO\
6367 iEwsY1G5j8EaJ2NR0adga7EvOR2LBSccVCR80u5UelJbspxVgHEcusjRkYlW0VSSUinTmW\
6368 LaycFXhPswLkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIk\
6369 QAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIk\
6370 QAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIk\
6371 QAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIk\
6372 QAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIk\
6373 QAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIkQAIk\
6374 m38w0cAAAAASUVORK5CYI=";
```



```

6697     color:#df8 !important;
6698     background-color:rgba(32,32,32,1.0) !important;
6699     line-height:0.0;
6700 }
6701 .GJWin{
6702     z-index:10000;
6703     display:inline;
6704     position:relative;
6705     flex-wrap: wrap;
6706     top:0; left:0px;
6707     width:285px !important; height:205px !important;
6708     border:1px solid #eea; border-radius:2px;
6709     margin:0px; padding:0px;
6710     font-size:8pt;
6711     line-height:0.0;
6712     color:#fff; background-color:rgba(0,0,64,0.1) !important;
6713 }
6714 .GJTab{
6715     display:inline;
6716     position:relative;
6717     top:0px; left:0px;
6718     margin:0px; padding:2px;
6719     border:0px solid #000; border-radius:2px;
6720     width:90px; height:20px;
6721     font-family:Georgia;
6722     font-size:9pt;
6723     line-height:1.0;
6724     white-space:nowrap;
6725     color:#fff; background-color:rgba(0,0,64,0.7);
6726     text-align:center;
6727     vertical-align:middle;
6728 }
6729 .GJStat:focus{
6730     color:#df8 !important;
6731     background-color:rgba(32,32,32,1.0) !important;
6732     line-height:1.0;
6733 }
6734 .GJStat{
6735     display:inline;
6736     position:relative;
6737     top:0px; left:0px;
6738     margin:0px; padding:2px;
6739     border:0px solid #00f; border-radius:2px;
6740     width:166px; height:20px;
6741     font-family:monospace;
6742     font-size:9pt;
6743     line-height:1.0;
6744     color:#fff; background-color:rgba(0,0,64,0.2);
6745     text-align:center;
6746     vertical-align:middle;
6747 }
6748 .GJIcon{
6749     display:inline;
6750     position:relative;
6751     top:0px; left:1px;
6752     border:2px solid #44a;
6753     margin:0px; padding:1px;
6754     width:13.2; height:13.2px;
6755     border-radius:2px;
6756     font-family:Georgia;
6757     font-size:13.2px;
6758     line-height:1.0;
6759     white-space:nowrap;
6760     color:#fff; background-color:rgba(32,32,160,0.8);
6761     text-align:center;
6762     vertical-align:middle;
6763     text-shadow:0px 0px;
6764 }
6765 .GJText:focus{
6766     color:#fff !important;
6767     background-color:rgba(32,32,160,0.8) !important;
6768     line-height:1.0;
6769 }
6770 .GJText{
6771     display:inline;
6772     position:relative;
6773     top:0px; left:0px;
6774     border:0px solid #000; margin:0px; padding:0px;
6775     width:280px; height:160px;
6776     border:0px;
6777     font-family:Courier New,monospace !important;
6778     font-size:8pt;
6779     line-height:1.0;
6780     white-space:pre;
6781     color:#fff; xbackground-color:rgba(0,0,64,0.5);
6782     background-color:rgba(32,32,128,0.8) !important;
6783 }
6784 .GJMode{
6785     display:inline;
6786     position:relative;
6787     top:0px; left:0px;
6788     border:0px solid #000; border-radius:0px;
6789     margin:0px; padding:0px;
6790     width:280px; height:20px;
6791     font-size:9pt;
6792     line-height:1.0;
6793     white-space:nowrap;
6794     color:#fff; background-color:rgba(0,0,64,0.7);
6795     text-align:left;
6796     vertical-align:middle;
6797 }
6798 </style>
6799
6800 <script id="gsh-script">
6801 // 2020-0909 added, permanent local storage
6802 // https://developer.mozilla.org/en-US/docs/Web/API/Window/localStorage
6803 var MyHistory = ""
6804 Permanent = localStorage;
6805 MyHistory = Permanent.getItem('MyHistory')
6806 if( MyHistory == null ){ MyHistory = "" }
6807 d = new Date()
6808 MyHistory = d.getTime()/1000+ " "+document.URL+"\n" + MyHistory
6809 Permanent.setItem('MyHistory',MyHistory)
6810 //Permanent.setItem('MyWindow',window)
6811
6812 var GJLog_Win = null
6813 var GJLog_Tab = null
6814 var GJLog_Stat = null
6815 var GJLog_Text = null
6816 var GJWin_Mode = null
6817 var FProductInterval = 0
6818
6819 var GJ_FactoryID = -1
6820 var GJFactory = null

```

```

6821 if( e = document.getElementById('GJFactory_0') ){
6822   GJFactory_1.height = 0
6823   GJFactory = e
6824   e.setAttribute('class', 'GJFactory')
6825   var GJ_FactoryID = 0
6826 }else{
6827   GJFactory = GJFactory_1
6828   var GJ_FactoryID = 1
6829 }
6830
6831 function GJFactory_Destroy(){
6832   gjf = GJFactory
6833   //gjf = document.getElementById('GJFactory')
6834   //alert('gjf='+gjf)
6835   if( gjf != null ){
6836     if( gjf.childNodes != null ){
6837       for( i = 0; i < gjf.childNodes.length; i++ ){
6838         gjf.removeChild(gjf.childNodes[i])
6839       }
6840     }
6841     gjf.innerHTML = ''
6842     gjf.style.width = 0
6843     gjf.style.height = 0
6844     gjf.removeAttribute('style')
6845     GJLog_Win = GJLog_Tab = GJLog_Stat = GJLog_Text = GJWin_Mode = null
6846     window.clearInterval(FProductInterval)
6847     return '-- Destroy: work product destroyed'
6848   }else{
6849     return '-- Destroy: work product not exist'
6850   }
6851 }
6852
6853 var TransMode = false
6854 var onKeyControl = false
6855 var OnKeyShift = false
6856 var OnKeyAlt = false
6857 var OnKeyJ = false
6858 var OnKeyK = false
6859 var OnKeyL = false
6860
6861 function GJWin_OnKeyUp(ev){
6862   keycode = ev.code;
6863   if( keycode == 'ShiftLeft' ){
6864     OnKeyShift = false
6865   }else
6866   if( keycode == 'ControlLeft' ){
6867     onKeyControl = false
6868   }else
6869   if( keycode == 'AltLeft' ){
6870     OnKeyAlt = false
6871   }else
6872   if( keycode == 'KeyJ' ){ OnKeyJ = false }else
6873   if( keycode == 'KeyK' ){ OnKeyK = false }else
6874   if( keycode == 'KeyL' ){ OnKeyL = false }else
6875   {
6876   }
6877   ev.preventDefault()
6878 }
6879 function and(a,b){ if(a){ if(b){ return true; } return false; } }
6880 function GJWin_OnKeyDown(ev){
6881   keycode = ev.code;
6882   mode = ''
6883   key = ''
6884   if( keycode == 'ControlLeft' ){
6885     onKeyControl = true
6886     ev.preventDefault()
6887     return;
6888   }else
6889   if( keycode == 'ShiftLeft' ){
6890     OnKeyShift = true
6891     ev.preventDefault()
6892     return;
6893   }else
6894   if( keycode == 'AltLeft' ){
6895     ev.preventDefault()
6896     OnKeyAlt = true
6897     return;
6898   }else
6899   if( keycode == 'Backquote' ){
6900     TransMode = !TransMode
6901     ev.preventDefault()
6902   }else
6903   if( and(keycode == 'Space', OnKeyShift) ){
6904     TransMode = !TransMode
6905     ev.preventDefault()
6906   }else
6907   if( keycode == 'ShiftRight' ){
6908     TransMode = !TransMode
6909   }else
6910   if( keycode == 'Escape' ){
6911     TransMode = true
6912     ev.preventDefault()
6913   }else
6914   if( keycode == 'Enter' ){
6915     TransMode = false
6916     //ev.preventDefault()
6917   }
6918   if( keycode == 'KeyJ' ){ OnKeyJ = true }else
6919   if( keycode == 'KeyK' ){ OnKeyK = true }else
6920   if( keycode == 'KeyL' ){ OnKeyL = true }else
6921   {
6922   }
6923
6924   if( ev.altKey ){ key += 'Alt+' }
6925   if( onKeyControl ){ key += 'Ctrl+' }
6926   if( OnKeyShift ){ key += 'Shift+' }
6927   if( and(keycode != 'KeyJ', OnKeyJ) ){ key += 'J+' }
6928   if( and(keycode != 'KeyK', OnKeyK) ){ key += 'K+' }
6929   if( and(keycode != 'KeyL', OnKeyL) ){ key += 'L+' }
6930   key += keycode
6931
6932   if( TransMode ){
6933     //mode = "[\343\201\202r]"
6934     mode = "[\u202f]"
6935   }else{
6936     mode = '[---]'
6937   }
6938   ///// /gjmode.innerHTML = "[---]"
6939   GJWin_Mode.innerHTML = mode + ' ' + key
6940   //alert('Key:'+keycode)
6941   ev.stopPropagation()
6942   //ev.preventDefault()
6943 }
6944 function GJWin_OnScroll(ev){

```



```

6945     x = DragStartX = gsh.getBoundingClientRect().left.toFixed(0)
6946     y = DragStatty = gsh.getBoundingClientRect().top.toFixed(0)
6947     GJLog_append('OnScroll: x='+x+',y='+y)
6948 }
6949 document.addEventListener('scroll',GJWin_OnScroll)
6950 function GJWin_OnResize(ev){
6951     w = window.innerWidth
6952     h = window.innerHeight
6953     GJLog_append('OnResize: w='+w+',h='+h)
6954 }
6955 window.addEventListener('resize',GJWin_OnResize)
6956
6957 var DragStartX = 0
6958 var DragStartY = 0
6959 function GJWin_DragStart(ev){
6960     // maybe this is the grabbing position
6961     this.style.position = 'fixed'
6962     x = DragStartX = this.getBoundingClientRect().left.toFixed(0)
6963     y = DragStatty = this.getBoundingClientRect().top.toFixed(0)
6964     GJLog_Stat.value = 'DragStart: x='+x+',y='+y
6965 }
6966 function GJWin_Drag(ev){
6967     x = ev.clientX; y = ev.clientY // x = ev.pageX; y = ev.pageY
6968     this.style.left = x - DragStartX
6969     this.style.top = y - DragStartY
6970     this.style.zIndex = '30000'
6971     this.style.position = 'fixed'
6972     x = this.getBoundingClientRect().left.toFixed(0)
6973     y = this.getBoundingClientRect().top.toFixed(0)
6974     GJLog_Stat.value = 'x='+x+',y='+y
6975     ev.preventDefault()
6976     ev.stopPropagation()
6977 }
6978 function GJWin_DragEnd(ev){
6979     x = ev.clientX; y = ev.clientY
6980     //x = ev.pageX; y = ev.pageY
6981     this.style.left = x - DragStartX
6982     this.style.top = y - DragStartY
6983     this.style.zIndex = '30000'
6984     this.style.position = 'fixed'
6985     if( true ){
6986         console.log("Dropped: "+this.nodeName+'#'+this.id+' x='+x+' y='+y
6987             +' parent='+this.parentNode.id)
6988     }
6989     x = this.getBoundingClientRect().left.toFixed(0)
6990     y = this.getBoundingClientRect().top.toFixed(0)
6991     GJLog_Stat.value = 'x='+x+',y='+y
6992     ev.preventDefault()
6993     ev.stopPropagation()
6994 }
6995 function GJWin_DragIgnore(ev){
6996     ev.preventDefault()
6997     ev.stopPropagation()
6998 }
6999 // 2020-09-15 let every object have console view!
7000 var GJ_ConsoleID = 0
7001 var PrevReport = new Date()
7002 function GJLog_StatUpdate(){
7003     txa = GJLog_Stat;
7004     if( txa == null ){
7005         return;
7006     }
7007     tmLap0 = new Date();
7008     p = txa.parentNode;
7009     pw = txa.getBoundingClientRect().width;
7010     ph = txa.getBoundingClientRect().height;
7011     //txa.value += '#'+p.id+' pw='+pw+' ph='+ph+'\n';
7012     tx1 = '#'+p.id+' pw='+pw+' ph='+ph+'\n';
7013
7014     w = txa.getBoundingClientRect().width;
7015     h = txa.getBoundingClientRect().height;
7016     //txa.value += 'w='+w+', h='+h+'\n';
7017     tx1 += 'w='+w+', h='+h+'\n';
7018
7019     //txa.value += '\n';
7020     //txa.value += DateShort() + '\n';
7021     tx1 += '\n';
7022     tx1 += DateShort() + '\n';
7023     tmLap1 = new Date();
7024
7025     txa.value += tx1;
7026     tmLap2 = new Date();
7027
7028     // vertical centering of the last line
7029     sHeight = txa.scrollHeight - 30; // depends on the font-size
7030     tmLap3 = new Date();
7031
7032     txa.scrollTop = sHeight; // depends on the font-size
7033     tmLap4 = new Date();
7034
7035     now = tmLap0.getTime();
7036     if( PrevReport == 0 || 10000 <= now-PrevReport ){
7037         PrevReport = now;
7038         console.log('StatBarUpdate:
7039             + 'leng=' + txa.value.length + ' byte, '
7040             + 'time=' + (tmLap4 -tmLap0) + 'ms { '
7041             + 'tadd=' + (tmLap2 -tmLap1) + ', '
7042             + 'hcal=' + (tmLap3 -tmLap2) + ', '
7043             + 'scl=' + (tmLap4 -tmLap3) + '}'
7044         );
7045     }
7046 }
7047 GJWin_StatUpdate = GJLog_StatUpdate;
7048 function GJ_showTime1(wid){
7049     //e = document.getElementById(wid);
7050     //console.log(wid.id+'.value.length='+wid.value.length)
7051     if( e != null ){
7052         //e.value = DateShort();
7053     }else{
7054         // should remove the Listener
7055     }
7056 }
7057 function GJWin_OnResizeTextarea(ev){
7058     this.value += 'resized: ' + '\n'
7059 }
7060 function GJ_NewConsole(wname){
7061     wid = wname + '_' + GJ_ConsoleID
7062     GJ_ConsoleID += 1
7063
7064     GJFactory.style.setProperty('width',360+'px'); //GJFsize
7065     GJFactory.style.setProperty('height',320+'px')
7066     e = GJFactory;
7067     console.log('GJFa #' +e.id+' from w='+e.style.width+', h='+e.style.height)
7068 }

```

```

7069 if( GJFactory.innerHTML == "" ){
7070   GJFactory.innerHTML = '<'+H3>GJ Factory_+ GJ_FactoryID +'<'+/H3><<'+hr>\n'
7071 }else{
7072   GJFactory.innerHTML += '<'+hr>\n'
7073 }
7074
7075 gjwin = GJLog_Win = document.createElement('span')
7076 gjwin.id = wid
7077 gjwin.setAttribute('class','GJWin')
7078 gjwin.setAttribute('draggable','true')
7079 gjwin.addEventListener('dragstart',GJWin_DragStart)
7080 gjwin.addEventListener('drag',GJWin_Drag)
7081 gjwin.addEventListener('dragend',GJWin_Drag)
7082 gjwin.addEventListener('dragover',GJWin_DragIgnore)
7083 gjwin.addEventListener('dragenter',GJWin_DragIgnore)
7084 gjwin.addEventListener('dragleave',GJWin_DragIgnore)
7085 gjwin.addEventListener('dragexit',GJWin_DragIgnore)
7086 gjwin.addEventListener('drop',GJWin_DragIgnore)
7087 gjwin.addEventListener('keydown',GJWin_OnKeyDown)
7088
7089 gjtab = GJLog_Tab = document.createElement('textarea')
7090 gjtab.addEventListener('keydown',GJWin_OnKeyDown)
7091 gjtab.style.readonly = true
7092 gjtab.contenteditable = false
7093 gjtab.value = wid
7094 gjtab.id = wid + '_Tab'
7095 gjtab.setAttribute('class','GJTab')
7096 gjtab.setAttribute('spellcheck','false')
7097 gjwin.appendChild(gjtab)
7098
7099 gjstat = GJLog_Stat = document.createElement('textarea')
7100 gjstat.addEventListener('keydown',GJWin_OnKeyDown)
7101 gjstat.id = wid + '_Stat'
7102 gjstat.value = DateShort()
7103 gjstat.setAttribute('class','GJStat')
7104 gjstat.setAttribute('spellcheck','false')
7105 gjwin.appendChild(gjstat)
7106
7107 gjicon = document.createElement('span')
7108 gjicon.addEventListener('keydown',GJWin_OnKeyDown)
7109 gjicon.id = wid + '_Icon'
7110 gjicon.innerHTML = '<G<font color="#F4">J</font>'
7111 gjicon.setAttribute('class','GJIcon')
7112 gjicon.setAttribute('spellcheck','false')
7113 gjwin.appendChild(gjicon)
7114
7115 gjtext = GJLog_Text = document.createElement('textarea')
7116 gjtext.addEventListener('keydown',GJWin_OnKeyDown)
7117 gjtext.addEventListener('keyup',GJWin_OnKeyUp)
7118 gjtext.addEventListener('resize',GJWin_OnResizeTextarea)
7119 gjtext.id = wid + '_Text'
7120 gjtext.setAttribute('class','GJText')
7121 gjtext.setAttribute('spellcheck','false')
7122 gjwin.appendChild(gjtext)
7123
7124
7125 // user's mode as of IME
7126 gjmode = GJWin_Mode = document.createElement('textarea')
7127 gjmode.addEventListener('keydown',GJWin_OnKeyDown)
7128 gjmode.addEventListener('keydown',GJWin_OnKeyDown)
7129 gjmode.id = wid + '_Mode'
7130 gjmode.setAttribute('class','GJMode')
7131 gjmode.setAttribute('spellcheck','false')
7132 gjmode.innerHTML = '[---]'
7133 gjwin.appendChild(gjmode)
7134
7135 gjwin.zIndex = 30000
7136 GJFactory.appendChild(gjwin)
7137
7138 gjtab.scrollTop = 0
7139 gjstat.scrollTop = 0
7140
7141 //x = gjwin.getBoundingClientRect().left.toFixed(0)
7142 //y = gjwin.getBoundingClientRect().top.toFixed(0)
7143 //gjwin.style.position = 'static'
7144 //gjwin.style.left = 0
7145 //gjwin.style.top = 0
7146
7147 //update = '{+wid+'.value=DateShort()}',
7148 update = '{GJ showTime('+wid+')}',
7149 // 2020-09-19 this causes memory leaks
7150 //FProductInterval = window.setInterval(update,200)
7151 //FProductInterval = window.setInterval(GJWin_StatUpdate,200)
7152 //FProductInterval = window.setInterval(GJ_showTime,200,wid);
7153 FProductInterval = window.setInterval(GJ_showTime,200,gjstat);
7154 return update
7155 }
7156 function xxxGJF_StripeClass(){
7157   GJLog_Win.style.removeProperty('width')
7158   GJLog_Tab.style.removeProperty('width')
7159   GJLog_Stat.style.removeProperty('width')
7160   GJLog_Text.style.removeProperty('width')
7161   return "Stripped classes"
7162 }
7163 function isElem(id){
7164   return document.getElementById(id) != null
7165 }
7166 function GJLog_append(...args){
7167   txt = GJLog_Text;
7168   if( txt == null ){
7169     return; // maybe GJLog element is removed
7170   }
7171   logs = args.join(' ')
7172   txt.value += logs + '\n'
7173   txt.scrollTop = txt.scrollHeight
7174   //GJLog_Stat.value = DateShort()
7175 }
7176 //window.addEventListener('time',GJLog_StatUpdate)
7177 function test_GJ_Console(){
7178   window.setInterval(GJLog_StatUpdate,1000);
7179   GJ_NewConsole('GJ_Console')
7180   e = GJFactory;
7181   console.log('GJF0 #'+e.id+' from w='+e.style.width+', h='+e.style.height)
7182   e.style.width = 360; //GJFsize
7183   e.style.height = 320;
7184   console.log('GJF0 #'+e.id+' to w='+e.style.width+', h='+e.style.height)
7185 }
7186 /// test_GJ_Console();
7187
7188 var StopConsoleLog = true
7189 // 2020-09-15 added,
7190 // log should be saved to permanet memory
7191 // const px = new Proxy(console.log,{ alert() })
7192 __console_log = console.log

```

```

7193 __console_info = console.info
7194 __console_warn = console.warn
7195 __console_error = console.error
7196 __console_exception = console.exception
7197 // should pop callstack info.
7198 console.exception = function(...args){
7199     __console_exception(...args)
7200     alert('-- got console.exception("+args+")')
7201 }
7202 console.error = function(...args){
7203     __console_error(...args)
7204     alert('-- got console.error("+args+")')
7205 }
7206 console.warn = function(...args){
7207     __console_warn(...args)
7208     alert('-- got console.warn("+args+")')
7209 }
7210 console.info = function(...args){
7211     alert('-- got console.info("+args+")')
7212     __console_info(...args)
7213 }
7214 console.xxxlog = function(...args){ // rewrite xxxlog to log to enable it
7215     console_log(...args)
7216     if( StopConsoleLog ){
7217         return;
7218     }
7219     if( 0 <= args[0].indexOf('.') ){
7220         //alert('-- got console.log("+args+")')
7221     }
7222     GJLog_append(...args)
7223 }
7224
7225 //document.getElementById('GshFaviconURL').href = GShellFavicon
7226 //document.getElementById('GshFaviconURL').href = GShellInsideIcon
7227 //document.getElementById('GshFaviconURL').href = ITSmoreQR
7228 //document.getElementById('GshFaviconURL').href = GShellLogo
7229
7230 // id of GShell HTML elements
7231 var E_BANNER = "GshBanner" // banner element in HTML
7232 var E_FOOTER = "GshFooter" // footer element in HTML
7233 var E_GINDEX = "gsh-gindex" // index of Golang code of GShell
7234 var E_GOCODE = "gsh-gocode" // Golang code of GShell
7235 var E_TODO = "gsh-todo" // TODO of GShell
7236 var E_DICT = "gsh-dict" // Dictionary of GShell
7237
7238 function bannerElem(){ return document.getElementById(E_BANNER); }
7239 function bannerStyleFunc(){ return bannerElem().style; }
7240 var bannerStyle = bannerStyleFunc()
7241 function GshSetImages(){
7242     document.getElementById('GshFaviconURL').href = GShellInsideIcon
7243     bannerStyle.backgroundImage = "url("+GShellLogo+")";
7244     //bannerStyle.backgroundImage = "url("+GShellInsideIcon+")";
7245     //bannerStyle.backgroundImage = "url("+GShellFavicon+")";
7246     GMenu.style.backgroundImage = "url("+GShellInsideIcon+")";
7247     showFooter();
7248 }
7249
7250 function footerElem(){ return document.getElementById(E_FOOTER); }
7251 function footerStyle(){ return footerElem().style; }
7252 //footerElem().style.backgroundImage="url("+ITSmoreQR+")";
7253 //footerStyle().backgroundImage = "url("+ITSmoreQR+")";
7254
7255 function html_fold(e){
7256     if( e.innerHTML == "Fold" ){
7257         e.innerHTML = "Unfold"
7258         document.getElementById('gsh-menu-exit').innerHTML=""
7259         document.getElementById('GshStatement').open=false
7260         GshFeatures.open = false
7261         document.getElementById('html-src').open=false
7262         document.getElementById(E_GINDEX).open=false
7263         document.getElementById(E_GOCODE).open=false
7264         document.getElementById(E_TODO).open=false
7265         document.getElementById('References').open=false
7266     }else{
7267         e.innerHTML = "Fold"
7268         document.getElementById('GshStatement').open=true
7269         GshFeatures.open = true
7270         document.getElementById(E_GINDEX).open=true
7271         document.getElementById(E_GOCODE).open=true
7272         document.getElementById(E_TODO).open=true
7273         document.getElementById('References').open=true
7274     }
7275 }
7276 function html_pure(e){
7277     if( e.innerHTML == "Pure" ){
7278         document.getElementById('gsh').style.display=true
7279         //document.style.display = false
7280         e.innerHTML = "Unpure"
7281     }else{
7282         document.getElementById('gsh').style.display=false
7283         //document.style.display = true
7284         e.innerHTML = "Pure"
7285     }
7286 }
7287
7288 var bannerIsStopping = false
7289 //NOTE: .com/JSREF/prop_style_backgroundposition.asp
7290 function shiftBG(){
7291     bannerIsStopping = !bannerIsStopping
7292     bannerStyle.backgroundPosition = "0 0";
7293 }
7294 // status should be inherited on Window Fork(), so use the status in DOM
7295 function html_stop(e,toggle){
7296     if( toggle ){
7297         if( e.innerHTML == "Stop" ){
7298             bannerIsStopping = true
7299             e.innerHTML = "Start"
7300         }else{
7301             bannerIsStopping = false
7302             e.innerHTML = "Stop"
7303         }
7304     }else{
7305         // update JavaScript variable from DOM status
7306         if( e.innerHTML == "Stop" ){ // shown if it's running
7307             bannerIsStopping = false
7308         }else{
7309             bannerIsStopping = true
7310         }
7311     }
7312 }
7313 html_stop(document.getElementById('GshMenuStop'),false) // onInit.
7314 //html_stop(bannerElem(),false) // onInit.
7315
7316 //https://www.w3schools.com/jsref/met_win_setinterval.asp

```

```

7317 var banNshift = 0;
7318 function conslog(str){
7319     //console.log(str);
7320 }
7321 function shiftBanner(){
7322     var now = new Date().getTime();
7323     bpos = ((now/10%10000).toFixed(0)+'px' + " 0px";
7324     if( !bannerIsStopping ){
7325         bannerStyle.backgroundColor = bpos;
7326         //GshBanner.style.setProperty('background-position',bpos,'!important');
7327         banNshift += 1;
7328         conslog('shiftBanner <'+GshBanner.nodeName+'> '+banNshift
7329             + ' now'+(now%10)
7330             //+ ' stop'+bannerIsStopping
7331             + ' pos'+bpos
7332             + ' -> '+bannerStyle.backgroundColor);
7333     }
7334 }
7335 function Banner_init(){
7336     console.log("-- Banner Shift init.");
7337     window.setInterval(shiftBanner,10); // onInit.
7338 }
7339
7340 // <a href="https://developer.mozilla.org/ja/docs/Web/API/Window/open">window.open()</a>
7341 // from embedded html to standalone page
7342 var MyChildren = 0
7343 function html_fork(){
7344     ResetPerfMon();
7345     ResetAffView();
7346     Reset_ShadingCanvas();
7347     GJFactory_Destroy();
7348     MyChildren += 1
7349     WinId = document.getElementById('gsh-WinId').innerHTML + "." + MyChildren;
7350     newwin = window.open("",WinId,"");
7351     src = document.getElementById("gsh");
7352     srctml = src.outerHTML
7353     newwin.document.write("/<<"+"html>\n");
7354     newwin.document.write(srctml);
7355     newwin.document.write("<<"+"/html>\n");
7356     newwin.document.getElementById('gsh-menu-exit').innerHTML = "Close";
7357     newwin.document.getElementById('gsh-WinId').innerHTML = WinId;
7358     newwin.document.close();
7359     newwin.focus();
7360 }
7361 function html_close(){
7362     window.close()
7363 }
7364 function win_jump(win){
7365     //win = window.top;
7366     win = window.opener; // https://developer.mozilla.org/ja/docs/Web/API/window.opener
7367     if( win == null ){
7368         console.log("jump to window.opener("+win+") (Error)\n")
7369     }else{
7370         console.log("jump to window.opener("+win+")\n")
7371         win.focus();
7372     }
7373 }
7374
7375 // 0.2.9 2020-0902 created chekcksum of HTML
7376 CRC32UNIX = 0x04C11DB7 // Unix cksum
7377 function byteCRC32add(bigcrc,octstr,octlen){
7378     var crc = new Int32Array(1)
7379     crc[0] = bigcrc
7380
7381     let oi = 0
7382     for( ; oi < octlen; oi++){
7383         var oct = new Int8Array(1)
7384         oct[0] = octstr[oi]
7385         for( bi = 0; bi < 8; bi++){
7386             //console.log("--CRC32 "+crc[0]+" "+oct[0].toString(16)+" ["+oi+"."+bi+"]\n")
7387             ovf1 = crc[0] < 0 ? 1 : 0
7388             ovf2 = oct[0] < 0 ? 1 : 0
7389             ovf = ovf1 ^ ovf2
7390             oct[0] <<= 1
7391             crc[0] <<= 1
7392             if( ovf ){ crc[0] ^= CRC32UNIX }
7393         }
7394     }
7395     //console.log("--CRC32 byteAdd return crc="+crc[0]+" "+oi+"/"+octlen+"\n")
7396     return crc[0];
7397 }
7398 function strCRC32add(bigcrc,stri,strlen){
7399     var crc = new Uint32Array(1)
7400     crc[0] = bigcrc
7401     var code = new Uint8Array(strlen);
7402     for( i = 0; i < strlen; i++){
7403         code[i] = stri.charCodeAt(i) // not charAt() !!!!
7404         //console.log("=== "+code[i].toString(16)+" <<= "+stri[i]+"")
7405     }
7406     crc[0] = byteCRC32add(crc,code,strlen)
7407     //console.log("--CRC32 strAdd return crc="+crc[0]+"")
7408     return crc[0]
7409 }
7410 function byteCRC32end(bigcrc,len){
7411     var crc = new Uint32Array(1)
7412     crc[0] = bigcrc
7413     var slen = new Uint8Array(4)
7414     let li = 0
7415     for( ; li < 4; ){
7416         slen[li] = len
7417         li += 1
7418         len >>= 8
7419         if( len == 0 ){
7420             break
7421         }
7422     }
7423     crc[0] = byteCRC32add(crc[0],slen,li)
7424     crc[0] ^= 0xFFFFFFFF
7425     return crc[0]
7426 }
7427 function strCRC32(stri,len){
7428     var crc = new Uint32Array(1)
7429     crc[0] = 0
7430     crc[0] = strCRC32add(0,stri,len)
7431     crc[0] = byteCRC32end(crc[0],len)
7432     //console.log("--CRC32 "+crc[0]+" "+len+"\n")
7433     return crc[0]
7434 }
7435
7436 DestroyGJLink = null; // to be replaced
7437 DestroyFooter = null; // to be defined
7438 DestroyEventSharingCodeview = function dummy({})
7439 Destroy_WirtualDesktop = function(){}
7440 DestroyNaviButtons = function(){}
```

```

7441
7442 function getSourceText(){
7443     if( DestroyFooter != null ) DestroyFooter();
7444     version = document.getElementById('GshVersion').innerHTML
7445     sfavico = document.getElementById('GshFaviconURL').href;
7446     sbanner = document.getElementById('GshBanner').style.backgroundImage;
7447     spositi = document.getElementById('GshBanner').style.backgroundPosition;
7448
7449     if( document.getElementById('GJC_1') != null ){ GJC_1.remove() }
7450     if( DestroyGJLink != null ) DestroyGJLink();
7451     DestroyEventSharingCodeview();
7452     DestroyWirtualDesktop();
7453     GshTopbar.innerHTML = "";
7454     DestroyIndexBar();
7455     DestroyNaviButtons();
7456     ResetPerfMon();
7457     ResetAffView();
7458     Reset_ShadingCanvas();
7459
7460     // these should be removed by CSS selector or class, after seveda to non-printed attribute
7461     GshBanner.removeAttribute("style");
7462     document.getElementById('GshMenuSign').removeAttribute("style");
7463     styleGMenu = GMenu.getAttribute("style")
7464     GMenu.removeAttribute("style");
7465     styleGStat = GStat.getAttribute("style")
7466     GStat.removeAttribute("style");
7467     styleGTop = GTop.getAttribute("style")
7468     GTop.removeAttribute("style");
7469     styleGshGrid = GshGrid.getAttribute("style")
7470     GshGrid.removeAttribute("style");
7471     //styleGPos = GPos.getAttribute("style");
7472     //GPos.removeAttribute("style");
7473     //GPos.innerHTML = "";
7474     //styleGLog = GLog.getAttribute("style");
7475     //GLog.removeAttribute("style");
7476     //GLog.innerHTML = "";
7477     styleGShellPlane = GShellPlane.getAttribute("style")
7478     GShellPlane.removeAttribute("style")
7479     styleRawTextViewer = RawTextViewer.getAttribute("style")
7480     RawTextViewer.removeAttribute("style")
7481     styleRawTextViewerClose = RawTextViewerClose.getAttribute("style")
7482     RawTextViewerClose.removeAttribute("style")
7483
7484     GshFaviconURL.href = "";
7485     if( iselem('ConfigIcon') ) ConfigIcon.src = "";
7486
7487     //it seems that interHTML and outerHTML generate style="" for these (??)
7488     //GshBanner.removeAttribute('style');
7489     //GshFooter.removeAttribute('style');
7490     //GshMenuSign.removeAttribute('style');
7491     GshBanner.style=""
7492     GshMenuSign.style=""
7493
7494     textarea = document.createElement("textarea")
7495     srchtml = document.getElementById("gsh").outerHTML;
7496     //textarea = document.createElement("textarea")
7497     // 2020-0910 ?? ... this causes inserting style="" to Banner and Footer,
7498     // with Chromium?/ after reloading from file:///
7499     textarea.innerHTML = srchtml
7500     // <a href="https://stackoverflow.com/questions/5796718/html-entity-decode">Thanks</a>
7501     var rawtext = textarea.value
7502     //textarea.destroy()
7503     //rawtext = gsh.textContent // this removes #include <FILENAME> too
7504     var orgtext = ""
7505     + /*<+>html>\n" // lost preamble text
7506     + rawtext
7507     + "<+>/html>\n" // lost trail text
7508     ;
7509
7510     tlen = orgtext.length
7511     //console.log("getSourceText: length="+tlen+"\n")
7512     document.getElementById('GshFaviconURL').href = sfavico;
7513
7514     document.getElementById('GshBanner').style.backgroundImage = sbanner;
7515     document.getElementById('GshBanner').style.backgroundPosition = spositi;
7516
7517     GStat.setAttribute("style",styleGStat)
7518     GMenu.setAttribute("style",styleGMenu)
7519     GTop.setAttribute("style",styleGTop)
7520     //GLog.setAttribute("style",styleGLog)
7521     //GPos.setAttribute("style",styleGPos)
7522     GshGrid.setAttribute("style",styleGshGrid)
7523     GShellPlane.setAttribute("style",styleGShellPlane)
7524     RawTextViewer.setAttribute("style",styleRawTextViewer)
7525     RawTextViewerClose.setAttribute("style",styleRawTextViewerClose)
7526     canontext = orgtext.replace(' style=""','')
7527     // open="" too
7528     return canontext
7529 }
7530 function getDigest(){
7531     var text = ""
7532     text = getSourceText()
7533     var digest = ""
7534     tlen = text.length
7535     digest = strCRC32(text,tlen) + " " + tlen
7536     return { text, digest }
7537 }
7538 function html_digest(){
7539     version = document.getElementById('GshVersion').innerHTML
7540     let {text, digest} = getDigest()
7541     alert("cksum: " + digest + " " + version)
7542 }
7543 function charsin(stri,char){
7544     ln = 0;
7545     for( i = 0; i < stri.length; i++){
7546         if( stri.charCodeAt(i) == char.charCodeAt(0) )
7547             ln++;
7548     }
7549     return ln;
7550 }
7551
7552 //class digestElement extends HTMLElement { }
7553 //< script>customElements.define('digest',digestElement)< /script>
7554 function showDigest(e){
7555     result = 'version=' + GshVersion.innerHTML + '\n'
7556     result += 'lines=' + e.dataset.lines + '\n'
7557     + 'length=' + e.dataset.length + '\n'
7558     + 'crc32u=' + e.dataset.crc32u + '\n'
7559     + 'time=' + e.dataset.time + '\n';
7560
7561     alert(result)
7562 }
7563
7564 function html_sign(e){

```

```

7565     if( RawTextViewer.style.zIndex == 1000 ){
7566         hideRawTextViewer()
7567         return
7568     }
7569     GshTopbar.innerHTML = "";
7570     ResetPerfMon();
7571     ResetAffView();
7572     Reset_ShadingCanvas();
7573     DestroyIndexBar();
7574     DestroyNaviButtons();
7575     DestroyEventSharingCodeview();
7576     Destroy_WirtualDesktop();
7577     GJFactory_Destroy()
7578     if( DestroyGJLink != null ) DestroyGJLink();
7579     //gsh_digest_.innerHTML = "";
7580     text = getSourceText() // the original text
7581     tlen = text.length
7582     digest = strCRC32(text,tlen)
7583     //gsh_digest_.innerHTML = digest + " " + tlen
7584     //text = getSourceText() // the text with its digest
7585     Lines = charsin(text, '\n')
7586
7587     name = "gsh"
7588     sid = name + "-digest"
7589     d = new Date()
7590     signedAt = d.getTime()
7591
7592     sign = '/'+'*'+ '<span>\n'
7593         + ' id="' + sid + '"\n'
7594         + ' class=" digest_\n'
7595         + ' data-target-id="'+name+"\n'
7596         + ' data-crc32u=" + digest + "'\n'
7597         + ' data-length=" + tlen + "'\n'
7598         + ' data-lines=" + Lines + "'\n'
7599         + ' data-time=" + signedAt + "'\n'
7600         + '>' + '</span>\n*'+ '\n'
7601
7602     text = sign + text
7603
7604     txthtml = '<' + '<table id="LineNumbered"><' + '<tr><' + '<td>'
7605         + '<' + '<textarea cols=5 rows=' + Lines + ' class="LineNumber">'
7606         for( i = 1; i <= Lines; i++ ){
7607             txthtml += i.toString() + '\n'
7608         }
7609         txthtml += ""
7610         + '<' + '</textarea>'
7611         + '<' + '</td><' + '<td>'
7612         + '<' + '<textarea cols=150 rows=' + Lines + ' spellcheck="false"'
7613         + ' class="LineNumber">'
7614         + text + '<' + '</textarea>'
7615         + '<' + '</td><' + '</tr><' + '</table>'
7616
7617     for( i = 1; i <= 30; i++ ){
7618         txthtml += '<br>\n'
7619     }
7620     RawTextViewer.innerHTML = txthtml
7621     RawTextViewer.spellcheck = false // (spellcheck above seems ineffective)
7622
7623     btn = e
7624     e.style.color = "rgba(128,128,255,0.9)";
7625     y = e.getBoundingClientRect().top.toFixed(0)
7626     //h = e.getBoundingClientRect().height.toFixed(0)
7627     RawTextViewer.style.top = Number(y) + 30
7628     RawTextViewer.style.left = 100;
7629     RawTextViewer.style.height = window.innerHeight - 20;
7630     //RawTextViewer.style.Opacity = 1.0;
7631     //RawTextViewer.style.backgroundColor = "rgba(0,0,0,0.0)";
7632     RawTextViewer.style.backgroundColor = "rgba(255,255,255,0.8)";
7633     RawTextViewer.style.zIndex = 1000;
7634     RawTextViewer.style.display = true;
7635
7636     if( RawTextViewerClose.style == null ){
7637         RawTextViewerClose.style = "";
7638     }
7639     RawTextViewerClose.style.top = Number(y) + 10
7640     RawTextViewerClose.style.left = 100;
7641     RawTextViewerClose.style.zIndex = 1001;
7642     ScrollToElement(CurElement,RawTextViewerClose)
7643 }
7644 }
7645 function hideRawTextViewer(){
7646     RawTextViewer.style.left = 10000;
7647     RawTextViewer.style.zIndex = -100;
7648     RawTextViewer.style.Opacity = 0.0;
7649     RawTextViewer.style = null
7650     RawTextViewer.innerHTML = "";
7651
7652     GshMenuSign.style.color = "rgba(255,128,128,1.0)";
7653     RawTextViewerClose.style.top = 0;
7654     RawTextViewerClose.style = null
7655 }
7656
7657 // source code view
7658 function frame_close(){
7659     srcframe = document.getElementById("src-frame");
7660     srcframe.innterHTML = "";
7661     //srcframe.style.cols = 1;
7662     srcframe.style.rows = 1;
7663     srcframe.style.height = 0;
7664     srcframe.style.display = false;
7665     src = document.getElementById("SrcTextarea");
7666     src.innerHTML = ""
7667     //src.cols = 0
7668     src.rows = 0
7669     src.display = false
7670     //alert("--closed--")
7671 }
7672 //<!-- | <span onclick="html_view();">Source</span> -->
7673 //<!-- | <span onclick="frame_close();">SourceClose</span> -->
7674 //<!--| <span>Download</span> -->
7675 function frame_open(){
7676     GshTopbar.innerHTML = "";
7677     ResetPerfMon();
7678     ResetAffView();
7679     Reset_ShadingCanvas();
7680     DestroyIndexBar();
7681     DestroyNaviButtons();
7682     if( DestroyFooter != null ) DestroyFooter();
7683     document.getElementById('GshFaviconURL').href = "";
7684     oldsrc = document.getElementById("GENSRC");
7685     if( oldsrc != null ){
7686         //alert("--I--(erasing old text)")
7687         oldsrc.innterHTML = "";
7688         return

```

```

7689 }else{
7690 //alert("--I--(no old text)")
7691 }
7692 styleBanner = GshBanner.getAttribute("style")
7693 GshBanner.removeAttribute("style")
7694 if( document.getElementById('GJC_1') ){ GJC_1.remove() }
7695
7696 GshFaviconURL.href = "";
7697 if( iselem('ConfigIcon') ) ConfigIcon.src = "";
7698 GStat.removeAttribute('style')
7699 GshGrid.removeAttribute('style')
7700 GshMenuSign.removeAttribute('style')
7701 //GPos.removeAttribute('style')
7702 //GPos.innerHTML = "";
7703 //GLog.removeAttribute('style')
7704 //GLog.innerHTML = "";
7705 GMenu.removeAttribute('style')
7706 GTop.removeAttribute('style')
7707 GShellPlane.removeAttribute('style')
7708 RawTextViewer.removeAttribute('style')
7709 RawTextViewerClose.removeAttribute('style')
7710
7711 if( DestroyGJLink != null ) DestroyGJLink();
7712 GJFactory_Destroy();
7713 Destroy_WirtualDesktop();
7714 DestroyEventSharingCodeview();
7715
7716 src = document.getElementById("gsh");
7717 srchtml = src.outerHTML
7718 srcframe = document.getElementById("src-frame");
7719 srcframe.innerHTML = ""
7720 + "<"+<cite id="GENSRC">\n"
7721 + "<"+<style>\n"
7722 + "#GENSRC textarea(tab-size:4;)\n"
7723 + "#GENSRC textarea(-o-tab-size:4;)\n"
7724 + "#GENSRC textarea(-moz-tab-size:4;)\n"
7725 + "#GENSRC textarea(spellcheck:false;)\n"
7726 + "</"+<style>\n"
7727 + "<"+<textarea id="SrcTextarea" cols=100 rows=20 class="gsh-code" spellcheck="false">"
7728 + "/"+<html>\n" // lost preamble text
7729 + srchtml
7730 + "<"+</html>\n" // lost trail text
7731 + "</"+<textarea>\n"
7732 + "</"+<cite><!-- GENSRC -->\n";
7733
7734 //srcframe.style.cols = 80;
7735 //srcframe.style.rows = 80;
7736
7737 GshBanner.setAttribute('style',styleBanner)
7738 }
7739 function fill_CSSView(){
7740 part = document.getElementById('GshStyleDef')
7741 view = document.getElementById('gsh-style-view')
7742 view.innerHTML = ""
7743 + "<"+<textarea cols=100 rows=20 class="gsh-code">"
7744 + part.innerHTML
7745 + "<"+</textarea>"
7746 }
7747 function fill_JavaScriptView(){
7748 jspart = document.getElementById('gsh-script')
7749 view = document.getElementById('gsh-script-view')
7750 view.innerHTML = ""
7751 + "<"+<textarea cols=100 rows=20 class="gsh-code">"
7752 + jspart.innerHTML
7753 + "<"+</textarea>"
7754 }
7755 function fill_DataView(){
7756 part = document.getElementById('gsh-data')
7757 view = document.getElementById('gsh-data-view')
7758 view.innerHTML = ""
7759 + "<"+<textarea cols=100 rows=20 class="gsh-code">"
7760 + part.innerHTML
7761 + "<"+</textarea>"
7762 }
7763 function jumpto_StyleView(){
7764 jsview = document.getElementById('html-src')
7765 jsview.open = true
7766 jsview = document.getElementById('gsh-style-frame')
7767 jsview.open = true
7768 fill_CSSView()
7769 }
7770 function jumpto_JavaScriptView(){
7771 jsview = document.getElementById('html-src')
7772 jsview.open = true
7773 jsview = document.getElementById('gsh-script-frame')
7774 jsview.open = true
7775 fill_JavaScriptView()
7776 }
7777 function jumpto_DataView(){
7778 jsview = document.getElementById('html-src')
7779 jsview.open = true
7780 jsview = document.getElementById('gsh-data-frame')
7781 jsview.open = true
7782 fill_DataView()
7783 }
7784 function jumpto_WholeView(){
7785 jsview = document.getElementById('html-src')
7786 jsview.open = true
7787 jsview = document.getElementById('gsh-whole-view')
7788 jsview.open = true
7789 frame_open()
7790 }
7791 function html_view(){
7792 html_stop();
7793
7794 banner = document.getElementById('GshBanner').style.backgroundImage;
7795 footer = document.getElementById('GshFooter').style.backgroundImage;
7796 document.getElementById('GshBanner').style.backgroundImage = "";
7797 document.getElementById('GshBanner').style.backgroundPosition = "";
7798 document.getElementById('GshFooter').style.backgroundImage = "";
7799
7800 //srcwin = window.open("", "CodeView2", "");
7801 srcwin = window.open("", "", "");
7802 srcwin.document.write("<span id="gsh">\n");
7803
7804 src = document.getElementById("gsh");
7805 srcwin.document.write("<"+<style>\n");
7806 srcwin.document.write("<textarea(tab-size:4;)\n");
7807 srcwin.document.write("<textarea(-o-tab-size:4;)\n");
7808 srcwin.document.write("<textarea(-moz-tab-size:4;)\n");
7809 srcwin.document.write("</style>\n");
7810 srcwin.document.write("<h2>\n");
7811 srcwin.document.write("<"+<span onclick="window.close();\>Close</span> | \n");
7812 //srcwin.document.write("<"+<span onclick="html_stop();\>Run</span>\n");

```

```

7813 srcwin.document.write("</h2>\n");
7814 srcwin.document.write("<+>textarea id=\"gsh-src-src\" cols=100 rows=60>");
7815 srcwin.document.write("/<+>html>\n");
7816 srcwin.document.write("<+>span id=\"gsh\">");
7817 srcwin.document.write(src.innerHTML);
7818 srcwin.document.write("<+>/span><+>/html>\n");
7819 srcwin.document.write("</+>textarea>\n");
7820
7821 document.getElementById('GshBanner').style.backgroundImage = banner;
7822 document.getElementById('GshFooter').style.backgroundImage = footer;
7823
7824 sty = document.getElementById("GshStyleDef");
7825 srcwin.document.write("<+>style>\n");
7826 srcwin.document.write(sty.innerHTML);
7827 srcwin.document.write("<+>/style>\n");
7828
7829 run = document.getElementById("gsh-script");
7830 srcwin.document.write("<+>script>\n");
7831 srcwin.document.write(run.innerHTML);
7832 srcwin.document.write("<+>/script>\n");
7833
7834 srcwin.document.write("<+>/span><+>/html>\n"); // gsh span
7835 srcwin.document.close();
7836 srcwin.focus();
7837 }
7838 GSH = document.getElementById("gsh")
7839
7840 //GSH.onclick = "alert('Ouch!')"
7841 //GSH.css = "{background-color:#eef;}"
7842 //GSH.style = "background-color:#eef;"
7843 //GSH.style.display = false;
7844 //alert('Ouch0!')
7845 //GSH.style.display = true;
7846
7847 // 2020-0904 created, tentative
7848 //document.addEventListener('keydown',jgshCommand);
7849 //CurElement = GshStatement
7850 CurElement = GshMenu
7851 MemElement = GshMenu
7852
7853 function nextSib(e){
7854     n = e.nextSibling;
7855     for( i = 0; i < 100; i++ ){
7856         if( n == null ){
7857             break;
7858         }
7859         if( n.nodeName == "DETAILS" ){
7860             return n;
7861         }
7862         n = n.nextSibling;
7863     }
7864     return null;
7865 }
7866 function prevSib(e){
7867     n = e.previousSibling;
7868     for( i = 0; i < 100; i++ ){
7869         if( n == null ){
7870             break;
7871         }
7872         if( n.nodeName == "DETAILS" ){
7873             return n;
7874         }
7875         n = n.previousSibling;
7876     }
7877     return null;
7878 }
7879 function setColor(e,eName,eColor){
7880     if( e.hasChildNodes() ){
7881         s = e.childNodes;
7882         if( s != null ){
7883             for( ci = 0; ci < s.length; ci++ ){
7884                 if( s[ci].nodeName == eName ){
7885                     s[ci].style.color = eColor;
7886                     //s[ci].style.backgroundColor = eColor;
7887                     break;
7888                 }
7889             }
7890         }
7891     }
7892 }
7893
7894 // https://docs.microsoft.com/en-us/previous-versions//hh781509(v=vs.85)
7895 function showCurElementPosition(ev){
7896     // if( document.getElementById("GPos") == null ){
7897     //     return;
7898     // }
7899     // if( GPos == null ){
7900     //     return;
7901     // }
7902     e = CurElement
7903     y = e.getBoundingClientRect().top.toFixed(0)
7904     x = e.getBoundingClientRect().left.toFixed(0)
7905
7906     h = ev + " "
7907     h += 'y'+y+", "+ 'x'+x+" -- "
7908     h += "w=" + window.innerWidth + ", h=" + window.innerHeight + " -- "
7909     //GPos.test = h
7910     //GPos.innerHTML = h
7911     // GPos.innerHTML = h
7912 }
7913
7914 function zero2(n){
7915     if( n < 10 ){
7916         return '0' + n;
7917     }else{
7918         return n;
7919     }
7920 }
7921 function DateHourMin(){
7922     d = new Date();
7923     //return '%02d:%02d'.sprintf(d.getHours(),d.getMinutes())
7924     return zero2(d.getHours()) + ":" + zero2(d.getMinutes());
7925 }
7926 function DateShort0(d){
7927     return d.getFullYear()
7928         + '/' + zero2(d.getMonth())
7929         + '/' + zero2(d.getDate())
7930         + ' ' + zero2(d.getHours())
7931         + ':' + zero2(d.getMinutes())
7932         + ':' + zero2(d.getSeconds())
7933 }
7934 function DateShort(){
7935     return DateShort0(new Date());
7936 }

```



```

7937 function DateLong0(ms){
7938   d = new Date();
7939   d.setTime(ms);
7940   return   DateShort0(d)
7941     + ' ' + d.getMilliseconds()
7942     + ' ' + d.getTimezoneOffset()/60
7943     + ' ' + d.getTime() + '.' + d.getMilliseconds()
7944 }
7945 function DateLong(){
7946   return DateLong0(new Date());
7947 }
7948 function GShellMenu(e){
7949   //GLog.innerHTML = "Hello, World! (" + DateLong() + ")"
7950   //showGShellPlane()
7951   ConfigClick();
7952 }
7953 // placements of planes
7954 function GShellResizeX(ev){
7955   //if( document.getElementById("GMenu") != null ){
7956     GMenu.style.left = window.innerWidth - 100
7957     GMenu.style.top = window.innerHeight - 90 - 200
7958     //console.log("place GMENU "+GMenu.style.left+" "+GMenu.style.top)
7959   //}
7960   //}
7961   GStat.style.width = window.innerWidth
7962   //if( document.getElementById("GPos") != null ){
7963     //GPos.style.width = window.innerWidth
7964     //GPos.style.top = window.innerHeight - 30; //GPos.style.height
7965   //}
7966   //if( document.getElementById("GLog") != null ){
7967     // GLog.style.width = window.innerWidth
7968     //GLog.innerHTML = ""
7969   //}
7970   //if( document.getElementById("GLog") != null ){
7971     //GLog.innerHTML = "Resize: w=" + window.innerWidth +
7972     //", h=" + window.innerHeight
7973   //}
7974   showCurElementPosition(ev)
7975 }
7976 function GShellResize(){
7977   GShellResizeX("[RESIZE]")
7978 }
7979 window.onresize = GShellResize
7980 var prevNode = null
7981 var LogMouseMoveOverElement = false;
7982 function GJSH_OnMouseMove(ev){
7983   if( LogMouseMoveOverElement == false ){
7984     return;
7985   }
7986   x = ev.clientX
7987   y = ev.clientY
7988   d = new Date()
7989   t = d.getTime() / 1000
7990   if( document.elementFromPoint ){
7991     e = document.elementFromPoint(x,y)
7992     if( e != null ){
7993       if( e == prevNode ){
7994         }else{
7995           console.log('Mo-'+t+' '+x+' '+y+' '
7996             +e.nodeType+' '+e.tagName+'#'+e.id)
7997           prevNode = e
7998         }
7999       }else{
8000         console.log(t+' '+x+' '+y+' no element')
8001       }
8002     }else{
8003       console.log(t+' '+x+' '+y+' no elementFromPoint')
8004     }
8005   }
8006   window.addEventListener('mousemove',GJSH_OnMouseMove);
8007 }
8008 function GJSH_OnMouseMoveScreen(ev){
8009   x = ev.screenX
8010   y = ev.screenY
8011   d = new Date()
8012   t = d.getTime() / 1000
8013   console.log(t+' '+x+' '+y+' no elementFromPoint')
8014 }
8015 //screen.addEventListener('mousemove',GJSH_OnMouseMoveScreen);
8016 }
8017 function ScrollToElement(oe,ne){
8018   ne.scrollIntoView()
8019   ny = ne.getBoundingClientRect().top.toFixed(0)
8020   nx = ne.getBoundingClientRect().left.toFixed(0)
8021   //GLog.innerHTML = "["+ny+", "+nx+"]"
8022   //window.scrollTo(0,0)
8023 }
8024 GTop.style.backgroundColor = "rgba(0,0,0,0.0)"
8025 GShGrid.style.left = "250px";
8026 GShGrid.style.zIndex = 0
8027 if( false ){
8028   oy = oe.getBoundingClientRect().top.toFixed(0)
8029   ox = oe.getBoundingClientRect().left.toFixed(0)
8030   y = e.getBoundingClientRect().top.toFixed(0)
8031   x = e.getBoundingClientRect().left.toFixed(0)
8032   window.scrollTo(x,y)
8033   ny = e.getBoundingClientRect().top.toFixed(0)
8034   nx = e.getBoundingClientRect().left.toFixed(0)
8035   //GLog.innerHTML = "["+oy+", "+ox+"]->["+y+", "+x+"]->["+ny+", "+nx+"]"
8036 }
8037 }
8038 function showGShellPlane(){
8039   if( GShellPlane.style.zIndex == 0 ){
8040     GShellPlane.style.zIndex = 1000;
8041     GShellPlane.style.left = 30;
8042     GShellPlane.style.height = 320;
8043     GShellPlane.innerHTML = DateLong() + "<br>" +
8044     "-- History --<br>" + MyHistory;
8045   }else{
8046     GShellPlane.style.zIndex = 0;
8047     GShellPlane.style.left = 0;
8048     GShellPlane.style.height = 50;
8049     GShellPlane.innerHTML = "";
8050   }
8051 }
8052 var SuppressGJShell = false
8053 function jgshCommand(kevent){
8054   if( SuppressGJShell ){
8055     return
8056   }
8057   key = kevent
8058   keycode = key.code
8059   //GStat.style.width = window.innerWidth
8060   GStat.style.backgroundColor = "rgba(0,0,0,0.4)"

```

```

8061
8062 console.log("JSGsh-Key:"+keycode+"(^-^)//")
8063 if( keycode == "Slash"){
8064     console.log('('+x+', '+y+') ')
8065     e = document.elementFromPoint(x,y)
8066     console.log('('+x+', '+y+') '+e.nodeType+ ' '+e.tagName+'#'+e.id)
8067 }else
8068 if( keycode == "Digit0" ){ // fold side-bar
8069     // "Zero page"
8070     showGShellPlane();
8071 }else
8072 if( keycode == "Digit1" ){ // fold side-bar
8073     primary.style.width = "94%"
8074     secondary.style.width = "0%"
8075     secondary.style.opacity = 0
8076     GStat.innerHTML = "[Single Column View]"
8077 }else
8078 if( keycode == "Digit2" ){ // unfold side-bar
8079     primary.style.width = "58%"
8080     secondary.style.width = "36%"
8081     secondary.style.opacity = 1
8082     GStat.innerHTML = "[Double Column View]"
8083 }else
8084 if( keycode == "KeyU" ){ // fold/unfold all
8085     html_fold(GshMenuFold);
8086     location.href = "#"+CurElement.id;
8087 }else
8088 if( keycode == "KeyO" || keycode == "ArrowRight" ){ // fold the element
8089     CurElement.open = !CurElement.open;
8090 }else
8091 if( keycode == "ArrowRight" ){ // unfold the element
8092     CurElement.open = true
8093 }else
8094 if( keycode == "ArrowLeft" ){ // unfold the element
8095     CurElement.open = false
8096 }else
8097 if( keycode == "KeyI" ){ // inspect the element
8098     e = CurElement
8099     //GLog.innerHTML =
8100     GJLog.append("Current Element: " + e + "<br>"
8101         + "name="+e.nodeName + ", "
8102         + "id="+e.id + ", "
8103         + "children="+e.childNodes.length + ", "
8104         + "parent="+e.parentNode.id + "<br>"
8105         + "text="+e.textContent)
8106     GStat.style.backgroundColor = "rgba(0,0,0,0.8)"
8107     return
8108 }else
8109 if( keycode == "KeyM" ){ // memory the position
8110     MemElement = CurElement
8111 }else
8112 if( keycode == "KeyN" || keycode == "ArrowDown" ){ // next element
8113     e = nextSib(CurElement)
8114     if( e != null ){
8115         setColor(CurElement,"SUMMARY","#fff")
8116         setColor(e,"SUMMARY","#8f8") // should be complement ?
8117         oe = CurElement
8118         CurElement = e
8119         //location.href = "#"+e.id;
8120         ScrollToElement(oe,e)
8121     }
8122 }else
8123 if( keycode == "KeyP" || keycode == "ArrowUp" ){ // previous element
8124     oe = CurElement
8125     e = prevSib(CurElement)
8126     if( e != null ){
8127         setColor(CurElement,"SUMMARY","#fff")
8128         setColor(e,"SUMMARY","#8f8") // should be complement ?
8129         CurElement = e
8130         //location.href = "#"+e.id;
8131         ScrollToElement(oe,e)
8132     }else{
8133         e = document.getElementById("GshBanner")
8134         if( e != null ){
8135             setColor(CurElement,"SUMMARY","#fff")
8136             CurElement = e
8137             ScrollToElement(oe,e)
8138         }else{
8139             e = document.getElementById("primary")
8140             if( e != null ){
8141                 setColor(CurElement,"SUMMARY","#fff")
8142                 CurElement = e
8143                 ScrollToElement(oe,e)
8144             }
8145         }
8146     }
8147 }else
8148 if( keycode == "KeyR" ){
8149     location.reload()
8150 }else
8151 if( keycode == "KeyJ" ){
8152     GshGrid.style.top = '120px';
8153     GshGrid.innerHTML = '(>_<){Down}';
8154 }else
8155 if( keycode == "KeyK" ){
8156     GshGrid.style.top = '0px';
8157     GshGrid.innerHTML = '^_^){Up}';
8158 }else
8159 if( keycode == "KeyH" ){
8160     GshGrid.style.left = '0px';
8161     GshGrid.innerHTML = "( '_ ) {Left}";
8162 }else
8163 if( keycode == "KeyL" ){
8164     //GLog.innerHTML +=
8165     GJLog.append(
8166         "screen="+screen.width+'px'+<br>'+
8167         "window="+window.innerWidth+'px'+<br>'+
8168     )
8169     GshGrid.style.left = (document.documentElement.clientWidth-160).toString(10)+'px';
8170     GshGrid.innerHTML = '({_}){Right}';
8171 }else
8172 if( keycode == "KeyS" ){
8173     html_stop(GshMenuStop,true)
8174 }else
8175 if( keycode == "KeyF" ){
8176     html_fork()
8177 }else
8178 if( keycode == "KeyC" ){
8179     window.close()
8180 }else
8181 if( keycode == "KeyD" ){
8182     html_digest()
8183 }else
8184 if( keycode == "KeyV" ){

```

```

8185     e = document.getElementById('gsh-digest')
8186     if( e != null ){
8187         showDigest(e)
8188     }
8189 }
8190
8191 showCurElementPosition(["+key.code+" --]);
8192 //if( document.getElementById("GPos") != null ){
8193 //GPos.innerHTML += "+key.code+" --"
8194 //}
8195 //GShellResizeX(["+key.code+" --"]);
8196 }
8197 var initGSKC = false;
8198 function GShell_initKeyCommands(){
8199     if( initGSKC ){ return; } initGSKC = true;
8200
8201     GShellResizeX(["INIT"]);
8202     DisplaySize = '-- Display: '
8203     + 'screen='+screen.width+'px, '+window.innerWidth+'px';
8204
8205     let {text, digest} = getDigest()
8206     //GLog.innerHTML +=
8207     GJLog.append(
8208         '-- GShell: ' + GshVersion.innerHTML + '\n' +
8209         '-- Digest: ' + digest + '\n' +
8210         DisplaySize
8211         //+ "<br>" + "-- LastVisit:<br>" + MyHistory
8212     )
8213     GShellResizeX(null);
8214 }
8215 //GShell_initKeyCommands();
8216
8217 // <a href="https://www.w3.org/TR/WebCryptoAPI/">Web Cryptography API</a>
8218 //Convert a string into an ArrayBuffer
8219 //from https://developers.google.com/web/updates/2012/06/How-to-convert-ArrayBuffer-to-and-from-String
8220 function str2ab(str) {
8221     const buf = new ArrayBuffer(str.length);
8222     const bufView = new Uint8Array(buf);
8223     for (let i = 0, strLen = str.length; i < strLen; i++) {
8224         bufView[i] = str.charCodeAt(i);
8225     }
8226     return buf;
8227 }
8228 function importPrivateKey(pem) {
8229     const binaryDerString = window.atob(pemContents);
8230     const binaryDer = str2ab(binaryDerString);
8231     return window.crypto.subtle.importKey(
8232         "pkcs8",
8233         binaryDer,
8234         {
8235             name: "RSA-PSS",
8236             modulusLength: 2048,
8237             publicExponent: new Uint8Array([1, 0, 1]),
8238             hash: "SHA-256",
8239         },
8240         true,
8241         ["sign"]
8242     );
8243 }
8244 //importPrivateKey(ppem)
8245
8246 //key = {}
8247 //buf = "abc"
8248 //enc = "xyzxxxxx"; //crypto.publicEncrypt(key,buf)
8249 //b64 = btoa(enc)
8250 //dec = atob(b64)
8251 //GLog.innerHTML = "enc:" + b64 + ", dec:" + dec
8252 </script>
8253 */
8254
8255 /*
8256 <!-- ----- GJConsole BEGIN { ----- -->
8257 <span id="gjc" data-title="GJConsole" data-author="sato@its-more.jp">
8258 <details><summary>GJ Console</summary>
8259 <p>
8260 <span id="GJE_RootNode0"></span>
8261 <span id="GJCL_Container"></span>
8262 </p>
8263 <style id="GJConsoleStyle">
8264 .GJConsole {
8265     z-index:1000;
8266     width:400; height:200px;
8267     margin:2px;
8268     color:#fff; background-color:#66a;
8269     font-size:12px; font-family:monospace,Courier New;
8270 }
8271 </style>
8272 <script id="GJConsoleScript" class="GJConsole">
8273 var PS1 = "$ "
8274 function GJC_KeyDown(keyevent){
8275     key = keyevent.code
8276     if( key == "Enter" ){
8277         GJC_Command(this)
8278         this.value += "\n" + PS1 // prompt
8279     }else
8280     if( key == "Escape"){
8281         SuppressGJShell = false
8282         GshMenu.focus() // should be previous focus
8283     }
8284 }
8285
8286 var GJC_SessionId
8287 function GJC_SetSessionId(){
8288     var xd = new Date()
8289     GJC_SessionId = xd.getTime() / 1000
8290 }
8291 GJC_SetSessionId()
8292 function GJC_Memory(mem,args,text){
8293     argv = args.split(' ')
8294     cmd = argv[0]
8295     argv.shift()
8296     args = argv.join(' ')
8297     ret = ""
8298
8299     if( cmd == 'clear' ){
8300         Permanent.setItem(mem,'')
8301     }else
8302     if( cmd == 'read' ){
8303         ret = Permanent.getItem(mem)
8304     }else
8305     if( cmd == 'save' ){
8306         val = Permanent.getItem(mem)
8307         if( val == null ){ val = "" }
8308         d = new Date()

```

```

8309     val += d.getTime()/1000+ " "+GJC_SessionId+ " "+document.URL+ " "+args+"\n"
8310     val += text.value
8311     Permanent.setItem(mem,val)
8312 }else
8313 if( cmd == 'write' ){
8314     val = Permanent.getItem(mem)
8315     if( val == null ){ val = "" }
8316     d = new Date()
8317     val += d.getTime()/1000+ " "+GJC_SessionId+ " "+document.URL+ " "+args+"\n"
8318     Permanent.setItem(mem,val)
8319 }else{
8320     ret = "Commands: write | read | save | clear"
8321 }
8322 return ret
8323 }
8324 // -- 2020-09-14 added TableEditor
8325 var GJE_CurElement = null; //GJE_RootNode
8326 GJE_NodeSaved = null
8327 GJE_TableNo = 1
8328 function GJE_StyleKeyCommand(kev){
8329     keycode = kev.code
8330     console.log('GJE-Key: '+keycode)
8331     if( keycode == 'Escape' ){
8332         GJE_SetStyle(this);
8333     }
8334     kev.stopPropagation()
8335     // https://developer.mozilla.org/en-US/docs/Web/API/Event/stopPropagation
8336 }
8337 var GJE_CommandMode = false
8338 function GJE_TableKeyCommand(kev,tab){
8339     wasCmdMode = GJE_CommandMode
8340     key = kev.code
8341     if( key == 'Escape' ){
8342         console.log("To command mode: "+tab.nodeName+"#" +tab.id)
8343         //tab.setAttribute('contenteditable','false')
8344         tab.style.caretColor = "blue"
8345         GJE_CommandMode = true
8346     }else
8347     if( key == "KeyA" ){
8348         tab.style.caretColor = "red"
8349         GJE_CommandMode = false
8350     }else
8351     if( key == "KeyI" ){
8352         tab.style.caretColor = "red"
8353         GJE_CommandMode = false
8354     }else
8355     if( key == "KeyO" ){
8356         tab.style.caretColor = "red"
8357         GJE_CommandMode = false
8358     }else
8359     if( key == "KeyJ" ){
8360         console.log("ROW-DOWN")
8361     }else
8362     if( key == "KeyK" ){
8363         console.log("ROW-UP")
8364     }else
8365     if( key == "Keyw" ){
8366         console.log("COL-FORW")
8367     }else
8368     if( key == "Keyb" ){
8369         console.log("COL-BACK")
8370     }
8371     kev.stopPropagation()
8372     if( wasCmdMode ){
8373         kev.preventDefault()
8374     }
8375 }
8376 function GJE_DragEvent(ev,elem){
8377     x = ev.clientX
8378     y = ev.clientY
8379     console.log("Dragged: "+this.nodeName+'#' +this.id+' x='+x+' y='+y)
8380 }
8381 // https://developer.mozilla.org/en-US/docs/Web/API/Event/stopPropagation
8382 // https://www.w3.org/TR/uievents/#events-mouseevents
8383 function GJE_DropEvent(ev,elem){
8384     x = ev.clientX
8385     y = ev.clientY
8386     this.style.x = x
8387     this.style.y = y
8388     this.style.position = 'absolute' // 'fixed'
8389     this.parentNode = gsh // just for test
8390     console.log("Dropped: "+this.nodeName+'#' +this.id+' x='+x+' y='+y
8391     +' parent='+this.parentNode.id)
8392 }
8393 function GJE_SetTableStyle(ev){
8394     this.innerHTML = this.value; // sync. for external representation?
8395     if(false){
8396         stid = this.parentNode.id+this.id
8397         // and remove " span" at the end
8398         e = document.getElementById(stid)
8399         //alert('SetTableStyle #' +e.id+' \n'+this.value)
8400         if( e != null ){
8401             e.innerHTML = this.value
8402         }else{
8403             console.log('Style Not found: '+stid)
8404         }
8405         //alert('event StopPropagation: '+ev)
8406     }
8407 }
8408 function setCSSofClass(cclass,cstyle){
8409     const ss = document.styleSheets[3]; // 0, 1, 2, 3, ... ?
8410     rlen = ss.cssRules.length;
8411     let tabrule = null;
8412     rulex = -1
8413     // should skip white space at the top of cstyle
8414     sel = cstyle.charAt(0);
8415     selector = sel+cclass;
8416     console.log('-- search style rule for '+selector)
8417     for(let i = 0; i < rlen; i++){
8418         cr = ss.cssRules[i];
8419         console.log('CSS rule [' +i+'/' +rlen+' ] '+cr.selectorText);
8420         if( cr.selectorText === selector ){ // css class selector
8421             tabrule = ss.cssRules[i];
8422             console.log('CSS rule found for: [' +i+'/' +rlen+' ] '+selector);
8423             ss.deleteRule(i);
8424             //rlen = ss.cssRules.length;
8425             rulex = i
8426             // should search and replace the property here
8427         }
8428     }
8429 }
8430 // https://developer.mozilla.org/en-US/docs/Web/API/CSSStyleSheet/insertRule

```

```

8433 if( tabrule == null ){
8434     console.log('CSS rule NOT found for:['+rlen+'] '+selector);
8435     ss.insertRule(cstyle,rlen);
8436     ss.insertRule(cstyle,0); // override by 0?
8437     console.log('CSS rule inserted:['+(rlen+1)+']\n'+cstyle);
8438 }else{
8439     ss.insertRule(cstyle,rlen);
8440     ss.insertRule(cstyle,0);
8441     console.log('CSS rule replaced:['+(rlen+1)+']\n'+cstyle);
8442 }
8443 }
8444 function GJE_SetStyle(te){
8445     console.log('Apply the style to:'+te.id+'\n');
8446     console.log('Apply the style to:'+te.parentNode.id+'\n');
8447     console.log('Apply the style to:'+te.parentNode.class+'\n');
8448     cclass = te.parentNode.class;
8449     setCSSofClass(cclass,te.value); // should get selector part from
8450     // selector { rules }
8451 }
8452 if(false){
8453     //console.log('Apply the style:')
8454     //stid = this.parentNode.id+this.id+
8455     //stid = this.id+".style"
8456     css = te.value
8457     stid = te.parentNode.id+".style"
8458     e = document.getElementById(stid)
8459     if( e != null ){
8460         //console.log('Apply the style:'+e.id+'\n'+te.value);
8461         console.log('Apply the style:'+e.id+'\n'+css);
8462         // e.innerHTML = css; //te.value;
8463         //ncss = e.sheet;
8464         //ncss.insertRule(te.value,ncss.cssRules.length);
8465     }else{
8466         console.log('No element to Apply the style: '+stid)
8467     }
8468     tblid = te.parentNode.id+".table";
8469     e = document.getElementById(tblid);
8470     if( e != null ){
8471         //e.setAttribute('style',css);
8472         e.setProperty('style',css,'!important');
8473     }
8474 }
8475 }
8476 function makeTable(argv){
8477     //tid = ''
8478     //cwe = GJE_CurElement
8479     cwe = GJCL_Container;
8480     //cwd = GJFactory;
8481     tid = 'table_' + GJE_TableNo
8482
8483     nt = new Text('\n')
8484     cwe.appendChild(nt)
8485
8486     ne = document.createElement('span'); // the container
8487     cwe.appendChild(ne)
8488     ne.id = tid + 'span'
8489     ne.setAttribute('contenteditable',true)
8490
8491     htspan = document.createElement('span'); // html part
8492     //htspan.id = tid + '-html'
8493     //ne.innerHTML = '\n'
8494     nt = new Text('\n')
8495     ne.appendChild(nt)
8496     ne.appendChild(htspan)
8497
8498     htspan.id = tid
8499     htspan.setAttribute('class',tid)
8500
8501     ne.setAttribute('draggable','true')
8502     ne.addEventListener('drag',GJE_DragEvent);
8503     ne.addEventListener('dragend',GJE_DropEvent);
8504
8505     var col = 3
8506     var row = 2
8507     if( argv[0] != null ){
8508         col = argv[0]
8509         argv.shift()
8510     }
8511     if( argv[0] != null ){
8512         row = argv[0]
8513         argv.shift()
8514     }
8515 }
8516 //ne.setAttribute('class',tid)
8517 ht = "\n"
8518 //ht += '<'+'table ' + 'id="'+tid+'"' + ' class="'+tid+'"'
8519 ht += '<'+'table '
8520 + ' onkeydown="GJE_TableKeyCommand(event,this)"'
8521 //+ ' ondrag="GJE_DragEvent(event,this)"\n'
8522 //+ ' ondragend="GJE_DropEvent(event,this)"\n'
8523 //+ ' draggable="true"\n'
8524 //+ ' contenteditable="true"'
8525 + '>\n'
8526 ht += '<'+'tbody>\n';
8527 for( r = 0; r < row; r++ ){
8528     ht += "<"+tr>\n"
8529     for( c = 0; c < col; c++ ){
8530         ht += "<"+td>"
8531         ht += "ABCDEFGHJKLMNPQRSTUVWXYZ".charAt(c) + r
8532         ht += "<"+td>\n"
8533     }
8534     ht += "<"+tr>\n"
8535 }
8536 ht += '<'+'tbody>\n';
8537 ht += '<'+'table>\n';
8538 htspan.innerHTML = ht;
8539 nt = new Text('\n')
8540 ne.appendChild(nt)
8541
8542 st = '#'+tid+' *{\n' // # for instanse specific
8543 + 'border:1px solid #aaa;\n'
8544 + 'background-color:#efe;\n'
8545 + 'color:#222;\n'
8546 + 'font-size:#14pt !important;\n'
8547 + 'font-family:monospace,Courier New !important;\n'
8548 + '}' //+ hit ESC to apply */*\n'
8549
8550 // wish script to be included
8551 //nj = document.createElement('script')
8552 //ne.appendChild(nj)
8553 //ne.innerHTML = 'function SetStyle(e){'
8554
8555 // selector seems lost in dynamic style appending
8556 if(false){

```

```

8557     ns = document.createElement('style')
8558     ne.appendChild(ns)
8559     ns.id = tid + '.style'
8560     ns.innerHTML = '\n'+st
8561     nt = new Text('\n')
8562     ne.appendChild(nt)
8563 }
8564 setCSSofClass(tid,st); // should be in JavaScript script?
8565
8566 nx = document.createElement('textarea')
8567 ne.appendChild(nx)
8568 nx.id = tid + '-style_def'
8569 nx.setAttribute('class','GJ_StyleEditor')
8570 nx.spellcheck = false
8571 nx.cols = 60
8572 nx.rows = 10
8573 nx.innerHTML = '\n'+st
8574 nx.addEventListener('change',GJE_SetTableStyle);
8575 nx.addEventListener('keydown',GJE_StyleKeyCommand);
8576 //nx.addEventListener('click',GJE_SetTableStyle);
8577
8578 nt = new Text('\n')
8579 cwe.appendChild(nt)
8580
8581 GJE_TableNo += 1
8582 return 'created TABLE id="'+tid+"'
8583 }
8584 function GJE_NodeEdit(argv){
8585     cwe = GJE_CurElement
8586     cmd = argv[0]
8587     argv.shift()
8588     args = argv.join(' ')
8589     ret = ""
8590
8591     if( cmd == '.u' || cmd == '.un' || cmd == 'undo' ){
8592         if( GJE_NodeSaved != null ){
8593             xn = GJE_RootNode
8594             GJE_RootNode = GJE_NodeSaved
8595             GJE_NodeSaved = xn
8596             ret = "-- did undo"
8597         }else{
8598             ret = "-- could not undo"
8599         }
8600         return ret
8601     }
8602     GJE_NodeSaved = GJE_RootNode.cloneNode()
8603     if( cmd == '.c' || cmd == '.cd' || cmd == 'cd' ){
8604         if( argv[0] == null ){
8605             ne = GJE_RootNode
8606         }else
8607         if( argv[0] == '..' ){
8608             ne = cwe.parentNode
8609         }else{
8610             ne = document.getElementById(argv[0])
8611         }
8612         if( ne != null ){
8613             GJE_CurElement = ne
8614             ret = "-- current node: " + ne.id
8615         }else{
8616             ret = "-- not found: " + argv[0]
8617         }
8618     }else
8619     if( cmd == '.mkt' || cmd == '.mktable' ){
8620         makeTable(argv)
8621     }else
8622     if( cmd == '.m' || cmd == '.mk' || cmd == 'mk' ){
8623         ne = document.createElement(argv[0])
8624         //ne.id = argv[0]
8625         ret = "-- created " + ne + " under " + cwe.tagName + "#" + cwe.id
8626         cwe.appendChild(ne)
8627         if( cmd == '.m' || cmd == '.mk' ){
8628             GJE_CurElement = ne
8629         }
8630     }else
8631     if( cmd == '.n' || cmd == '.nm' || cmd == 'nm' ){
8632         cwe.id = argv[0]
8633     }else
8634     if( cmd == '.r' || cmd == '.rm' || cmd == 'rm' ){
8635     }else
8636     if( cmd == '.h' || cmd == '.sh' || cmd == 'sh' ){
8637         s = argv.join(' ')
8638         cwe.innerHTML = s
8639     }else
8640     if( cmd == '.a' || cmd == '.sa' || cmd == 'sa' ){
8641         cwe.setAttribute(argv[0],argv[1])
8642     }else
8643     if( cmd == '.l' ){
8644     }else
8645     if( cmd == '.i' || cmd == '.ih' || cmd == 'ih' ){
8646         ret = cwe.innerHTML
8647     }else
8648     if( cmd == '.p' || cmd == '.pw' || cmd == 'pw' ){
8649         ret = cwe.nodeType + " " + cwe.tagName + " " + cwe.id
8650         for( we = cwe.parentNode; we != null; ){
8651             ret += "\n" + " " + we.nodeType + " " + we.tagName + " " + we.id
8652             we = we.parentNode
8653         }
8654     }else
8655     {
8656         ret = "Command: mk | rm \n"
8657         ret += "    pw -- print current node\n"
8658         ret += "    mk type -- make node with name and type\n"
8659         ret += "    nm name -- set the id #name of current node\n"
8660         ret += "    rm name -- remove named node\n"
8661         ret += "    cd name -- change current node\n"
8662     }
8663     //alert(ret)
8664     return ret
8665 }
8666 function GJC_Command(text){
8667     lines = text.value.split('\n')
8668     line = lines[lines.length-1]
8669     argv = line.split(' ')
8670     text.value += '\n'
8671     if( argv[0] == '#' ){ argv.shift() }
8672     args0 = argv.join(' ')
8673     cmd = argv[0]
8674     argv.shift()
8675     args = argv.join(' ')
8676
8677     if( cmd == 'nolog' ){
8678         StopConsoleLog = true
8679     }else
8680     if( cmd == 'new' ){

```

```

8681     if( argv[0] == 'table' ){
8682         argv.shift()
8683         console.log('argv='+argv)
8684         text.value += makeTable(argv)
8685     }else
8686     if( argv[0] == 'console' ){
8687         text.value += GJ_NewConsole('GJ_Console')
8688     }else{
8689         text.value += '-- new { console | table }'
8690     }
8691 }else
8692 if( cmd == 'strip' ){
8693     //text.value += GJF_StripeClass()
8694 }else
8695 if( cmd == 'css' ){
8696     sel = '#table_1'
8697     if(argv[0]==''0')
8698     rule1 = sel+'{color:#000 !important; background-color:#fff !important;}';
8699     else
8700     rule1 = sel+'{color:#f00 !important; background-color:#eef !important;}';
8701     document.styleSheets[3].deleteRule(0);
8702     document.styleSheets[3].insertRule(rule1,0);
8703     text.value += 'CSS rule added: '+rule1
8704 }else
8705 if( cmd == 'print' ){
8706     e = null;
8707     if( e == null ){
8708         e = document.getElementById('GJFactory_0')
8709     }
8710     if( e == null ){
8711         e = document.getElementById('GJFactory_1')
8712     }
8713     if( argv[0] != null ){
8714         id = argv[0]
8715         if( id == 'f' ){
8716             //e = document.getElementById('GJE_RootNode');
8717         }else{
8718             e = document.getElementById(id)
8719         }
8720         if( e != null ){
8721             text.value += e.outerHTML
8722         }else{
8723             text.value += "Not found: " + id
8724         }
8725     }else{
8726         text.value += GJE_RootNode.outerHTML
8727         //text.value += e.innerHTML
8728     }
8729 }else
8730 if( cmd == 'destroy' ){
8731     text.value += GJFactory_Destroy()
8732 }else
8733 if( cmd == 'save' ){
8734     e = document.getElementById('GJFactory')
8735     Permanent.setItem('GJFactory-1',e.innerHTML)
8736     text.value += "-- Saved GJFactory"
8737 }else
8738 if( cmd == 'load' ){
8739     gjf = Permanent.getItem('GJFactory-1')
8740     e = document.getElementById('GJFactory')
8741     e.innerHTML = gjf
8742     // must restore EventListener
8743     text.value += "-- EventListener was not restored"
8744 }else
8745 if( cmd.charAt(0) == '.' ){
8746     argv0 = args0.split(' ')
8747     text.value += GJE_NodeEdit(argv0)
8748 }else
8749 if( cmd == 'cont' ){
8750     bannerIsStopping = false
8751     GshMenuStop.innerHTML = "Stop"
8752 }else
8753 if( cmd == 'date' ){
8754     text.value += DateLong()
8755 }else
8756 if( cmd == 'echo' ){
8757     text.value += args
8758 }else
8759 if( cmd == 'fork' ){
8760     html_fork()
8761 }else
8762 if( cmd == 'last' ){
8763     text.value += MyHistory
8764     //h = document.createElement("span")
8765     //h.innerHTML = MyHistory
8766     //text.value += h.innerHTML
8767     //tx = MyHistory.replace("\n", "")
8768     //text.value += tx.replace("<"+br>", "\n") + "xxxx<"+br>yyyy"
8769 }else
8770 if( cmd == 'ne' ){
8771     text.value += GJE_NodeEdit(argv)
8772 }else
8773 if( cmd == 'reload' ){
8774     location.reload()
8775 }else
8776 if( cmd == 'mem' ){
8777     text.value += GJC_Memory('GJC_Storage',args,text)
8778 }else
8779 if( cmd == 'stop' ){
8780     bannerIsStopping = true
8781     GshMenuStop.innerHTML = "Start"
8782 }else
8783 if( cmd == 'who' ){
8784     text.value += "SessionId="+GJC_SessionId+" "+document.URL
8785 }else
8786 if( cmd == 'wall' ){
8787     text.value += GJC_Memory('GJC_Wall', 'write', text)
8788 }else
8789 {
8790     text.value += "Commands: help | echo | date | last \n"
8791     + '          new | save | load | mem \n'
8792     + '          who | wall | fork | nife'
8793 }
8794 }
8795
8796 function GJC_Input(){
8797     if( this.value.endsWith("\n") ){ // remove NL added by textarea
8798         this.value = this.value.slice(0,this.value.length-1)
8799     }
8800 }
8801
8802 var GCJ_Id = null
8803 function GJC_Resize(){
8804     GJC_Id.style.zindex = 20000

```

```

8805 //GJC_Id.style.width = window.innerWidth - 16
8806 GJC_Id.style.width = '100%';
8807 GJC_Id.style.height = 300;
8808 GJC_Id.style.backgroundColor = "rgba(0,64,16,1.0)" // blackboard color
8809 GJC_Id.style.color = "rgba(255,255,255,1.0)"
8810 }
8811 function GJC_FocusIn(){
8812 this.spellCheck = false
8813 SuppressGJShell = true
8814 this.onkeydown = GJC_Keydown
8815 GJC_Resize()
8816 }
8817 function GJC_FocusOut(){
8818 SuppressGJShell = false
8819 this.removeEventListener('keydown',GJC_Keydown);
8820 }
8821 window.addEventListener('resize',GJC_Resize);
8822
8823 function GJC_OnStorage(e){
8824 //alert('Got Message')
8825 //GJC.value += "\n((ReceivedMessage))\n"
8826 }
8827 window.addEventListener('storage',GJC_OnStorage);
8828 //window.addEventListener('storage',()=>alert('GotMessage'))
8829
8830 function GJC_Setup(gjcId){
8831 //gjcId.style.width = gsh.getBoundingClientRect().width
8832 gjcId.style.width = '100%';
8833 gjcId.value = "GJShell Console // " + GshVersion.innerHTML + "\n"
8834 //gjcId.value += "Date: " + DateLong() + "\n"
8835 gjcId.value += PS1
8836 gjcId.onfocus = GJC_FocusIn
8837 gjcId.addEventListener('input',GJC_Input);
8838 gjcId.addEventListener('focusout',GJC_FocusOut);
8839 GJC_Id = gjcId
8840 }
8841 function GJC_Clear(id){
8842 }
8843 function GJConsole_initConsole(){
8844 if( document.getElementById("GJC_0") != null ){
8845 GJC_Setup(GJC_0)
8846 }else{
8847 GJCl_Container.innerHTML = '<
8848 +<textarea id="GJC_1" class="GJConsole"><'+'/>textarea>';
8849 GJC_Setup(GJC_1)
8850 factory = document.createElement('span');
8851 gsh.appendChild(factory)
8852 GJE_RootNode = factory;
8853 GJE_CurElement = GJE_RootNode;
8854 }
8855 }
8856 var initGJCF = false;
8857 function GJConsole_initFactory(){
8858 if( initGJCF ){ return; } initGJCF = true;
8859 GShell_initKeyCommands();
8860 GJConsole_initConsole();
8861 }
8862 //GJConsole_initFactory();
8863 // TODO: focus handling
8864 </script>
8865 <style>
8866 .GJ_StyleEditor {
8867 font-size:9pt !important;
8868 font-family:Courier New, monospace !important;
8869 }
8870 </style>
8871
8872 </details>
8873 </span>
8874 <!-- ----- GJConsole END ) ----- -->
8875 */
8876
8877 /*
8878 <span id="BlinderText">
8879 <style id="BlinderTextStyle">
8880 #GJLinkView {
8881 xxposition:absolute; z-index:5000;
8882 position:relative;
8883 display:block;
8884 left:8px;
8885 color:#fff;
8886 width:800px; height:300px; resize:both;
8887 margin:0px; padding:4px;
8888 background-color:rgba(200,200,200,0.5) !important;
8889 }
8890 .MsgText {
8891 width:578px !important;
8892 resize:both !important;
8893 color:#000 !important;
8894 }
8895 .GjNote {
8896 font-family:Georgia !important;
8897 font-size:13pt !important;
8898 color:#22a !important;
8899 }
8900 .textField {
8901 display:inline;
8902 border:0.5px solid #444;
8903 border-radius:3px;
8904 color:#000; background-color:#fff;
8905 width:106pt; height:18pt;
8906 margin:2px;
8907 padding:2px;
8908 resize:none;
8909 vertical-align:middle;
8910 font-size:10pt; font-family:Courier New;
8911 }
8912 .textLabel {
8913 border:0px solid #000 !important;
8914 background-color:rgba(0,0,0,0);
8915 }
8916 .textURL {
8917 width:300pt !important;
8918 border:0px solid #000 !important;
8919 background-color:rgba(0,0,0,0);
8920 }
8921 .VisibleText {
8922 }
8923 .BlinderText {
8924 color:#000; background-color:#eee;
8925 }
8926 .joinButton {
8927 font-family:Georgia !important;
8928 font-size:11pt;

```



```

8929     line-height:1.1;
8930     height:18pt;
8931     width:50pt;
8932     padding:3px !important;
8933     text-align:center !important;
8934     border-color:#aaa !important;
8935     border-radius:5px;
8936     color:#fff; background-color:#4a4 !important;
8937     vertical-align:middle !important;
8938 }
8939 .SendButton {
8940     vertical-align:top;
8941 }
8942 .ws0_log {
8943     font-size:10pt;
8944     color:#000 !important;
8945     line-height:1.0;
8946     background-color:rgba(255,255,255,0.7) !important;
8947     font-family:Courier New,monospace !important;
8948     width:99.3%;
8949     white-space:pre;
8950 }
8951 </style>
8952
8953 <!-- Form autofill test
8954 Location: <input id="xxserv" type="text" value="https://192.168.10.1/boafm/formLogin" size="80">
8955 <form method="POST" id="xxform" action="https://192.168.10.1/boafm/formLogin">
8956 dest? <input id="XDS" name="dest" type="text" size="80" value="/index_contents.html">
8957 -->
8958 <details><summary>Form Auto. Filling</summary>
8959 <style>
8960 .xxinput { width:260pt !important; line-height:1.1 !important; margin:1px;
8961     display:inline !important; font-size:10pt !important; padding:1px !important;
8962 }
8963 </style>
8964 <span style="font-family:Courier New;color:black;font-size:12pt;" onactive="">
8965 <form method="POST" id="xxform" action="https://192.168.10.1/" style="white-space:pre;">
8966 Location: <input id="xxserv" class="xxinput" type="text" value="https://192.168.10.1/" size="80">
8967 Username: <input id="xxuser" class="xxinput" name="user" type="text" autocomplete="on">
8968 Password: <input id="xxpass" class="xxinput" name="pass" type="password" autocomplete="on">
8969 SessionId: <input id="xxssid" class="xxinput" name="SESSION_ID" type="text" size="80">
8970 <input id="xxsubm" class="xxinput" type="submit" value="Submit"></form>
8971 </span>
8972 <script>
8973 function XXSetFormAction(){
8974     xxform.setAttribute('action',xxserv.value);
8975 }
8976 xxform.setAttribute('action',xxserv.value);
8977 xxserv.addEventListener('change',XXSetFormAction);
8978 //xxserv.value = location.href;
8979 </script>
8980 </details>
8981 */
8982 /*
8983 */
8984 <details id="BlinderTextClass"><summary>BlinderText</summary>
8985 <span class="gsh_src">
8986 <span id="BlinderTextScript">
8987 // https://w3c.github.io/uievents/#event-type-keydown
8988 //
8989 // 2020-09-21 class BlinderText - textarea element not to be readable
8990 //
8991 // BlinderText attributes
8992 // bl_plainText - null
8993 // bl_hideChecksum - [false]
8994 // bl_showLength - [false]
8995 // bl_visible - [false]
8996 // data-bl_config - []
8997 // - min. length
8998 // - max. length
8999 // - acceptable charset in generate text
9000 //
9001 function BlinderChecksum(text){
9002     plain = text.bl_plainText;
9003     return strCRC32(plain,plain.length).toFixed(0);
9004 }
9005 function BlinderKeydown(ev){
9006     pass = ev.target
9007     if( ev.code == 'Enter' ){
9008         ev.preventDefault();
9009     }
9010     ev.stopPropagation()
9011 }
9012 function BlinderKeyUp1(ev){
9013     blind = ev.target
9014     if( ev.code == 'Backspace'){
9015         blind.bl_plainText = blind.bl_plainText.slice(0,blind.bl_plainText.length-1)
9016     }else
9017     if( and(ev.code == 'KeyV', ev.ctrlKey) ){
9018         blind.bl_visible = !blind.bl_visible;
9019     }else
9020     if( and(ev.code == 'KeyL', ev.ctrlKey) ){
9021         blind.bl_showLength = !blind.bl_showLength;
9022     }else
9023     if( and(ev.code == 'KeyU', ev.ctrlKey) ){
9024         blind.bl_plainText = "";
9025     }else
9026     if( and(ev.code == 'KeyR', ev.ctrlKey) ){
9027         checksum = BlinderChecksum(blind);
9028         blind.bl_plainText = checksum; // .toString(32);
9029     }else
9030     if( ev.code == 'Enter' ){
9031         ev.stopPropagation();
9032         ev.preventDefault();
9033         return;
9034     }else
9035     if( ev.key.length != 1 ){
9036         console.log('KeyUp: '+ev.code+'/'+ev.key);
9037         return;
9038     }else{
9039         blind.bl_plainText += ev.key;
9040     }
9041 }
9042 leng = blind.bl_plainText.length;
9043 //console.log('KeyUp: '+ev.code+'/'+blind.bl_plainText);
9044 checksum = BlinderChecksum(blind) % 10; // show last one digit only
9045
9046 visual = '';
9047 if( !blind.bl_hideChecksum || blind.bl_showLength ){
9048     visual += '[';
9049 }
9050 if( !blind.bl_hideChecksum ){
9051     visual += '#'+checksum.toString(10);
9052 }

```

```

9053     if( blind.bl_showLength ){
9054         visual += '/' + leng;
9055     }
9056     if( !blind.bl_hideChecksum || blind.bl_showLength ){
9057         visual += ']' ;
9058     }
9059     if( blind.bl_visible ){
9060         visual += blind.bl_plainText;
9061     }else{
9062         visual += '*'.repeat(leng);
9063     }
9064     blind.value = visual;
9065 }
9066 function BlinderKeyUp(ev){
9067     BlinderKeyUp1(ev);
9068     ev.stopPropagation();
9069 }
9070 // https://w3c.github.io/uievents/#keyboardevent
9071 // https://w3c.github.io/uievents/#uievent
9072 // https://dom.spec.whatwg.org/#event
9073 function BlinderTextEvent(){
9074     ev = event;
9075     blind = ev.target;
9076     console.log('Event '+ev.type+'@'+blind.nodeName+'#'+blind.id)
9077     if( ev.type == 'keyup' ){
9078         BlinderKeyUp(ev);
9079     }else
9080     if( ev.type == 'keydown' ){
9081         BlinderKeyDown(ev);
9082     }else{
9083         console.log('thru-event '+ev.type+'@'+blind.nodeName+'#'+blind.id)
9084     }
9085 }
9086 << textarea hidden id="BlinderTextClassDef" class="textField"
9087 // onkeydown="BlinderTextEvent()" onkeyup="BlinderTextEvent()"
9088 // spellcheck="false">< /textarea>
9089 << textarea hidden id="gj_pass1"
9090 // class="textField BlinderText"
9091 // placeholder="Password"
9092 // onkeydown="BlinderTextEvent()"
9093 // onkeyup="BlinderTextEvent()"
9094 // spellcheck="false"< /textarea>
9095 function SetupBlinderText(parent,txa,phold){
9096     if( txa == null ){
9097         txa = document.createElement('textarea');
9098         //txa.id = id;
9099     }
9100     txa.setAttribute('class','textField BlinderText');
9101     txa.setAttribute('placeholder',phold);
9102     txa.setAttribute('onkeydown','BlinderTextEvent()');
9103     txa.setAttribute('onkeyup','BlinderTextEvent()');
9104     txa.setAttribute('spellcheck','false');
9105     //txa.setAttribute('bl_plainText','false');
9106     txa.bl_plainText = '';
9107     //parent.appendChild(txa);
9108 }
9109 function DestroyBlinderText(txa){
9110     txa.removeAttribute('class');
9111     txa.removeAttribute('placeholder');
9112     txa.removeAttribute('onkeydown');
9113     txa.removeAttribute('onkeyup');
9114     txa.removeAttribute('spellcheck');
9115     txa.bl_plainText = '';
9116 }
9117 //
9118 // visible textarea like Username
9119 //
9120 function VisibleTextEvent(){
9121     if( event.code == 'Enter' ){
9122         if( event.target.NoEnter ){
9123             event.preventDefault();
9124         }
9125     }
9126     event.stopPropagation();
9127 }
9128 function SetupVisibleText(parent,txa,phold){
9129     if( false ){
9130         txa.setAttribute('class','textField VisibleText');
9131     }else{
9132         newclass = txa.getAttribute('class');
9133         if( and(newclass != null, newclass != '') ){
9134             newclass += ' ';
9135         }
9136         newclass += 'VisibleText';
9137         txa.setAttribute('class',newclass);
9138     }
9139     //console.log('SetupVisibleText class='+txa.class);
9140     txa.setAttribute('placeholder',phold);
9141     txa.setAttribute('onkeydown','VisibleTextEvent()');
9142     txa.setAttribute('onkeyup','VisibleTextEvent()');
9143     txa.setAttribute('spellcheck','false');
9144     cols = txa.getAttribute('cols');
9145     if( cols != null ){
9146         txa.style.width = '580px';
9147         //console.log('VisualText#'+txa.id+' cols='+cols)
9148     }else{
9149         //console.log('VisualText#'+txa.id+' NO cols')
9150     }
9151     rows = txa.getAttribute('rows');
9152     if( rows != null ){
9153         txa.style.height = '30px';
9154         txa.style.resize = 'both';
9155         txa.NoEnter = false;
9156     }else{
9157         txa.NoEnter = true;
9158     }
9159 }
9160 function DestroyVisibleText(txa){
9161     txa.removeAttribute('class');
9162     txa.removeAttribute('placeholder');
9163     txa.removeAttribute('onkeydown');
9164     txa.removeAttribute('onkeyup');
9165     txa.removeAttribute('spellcheck');
9166     cols = txa.removeAttribute('cols');
9167 }
9168 </span>
9169 <script>
9170 js = document.getElementById('BlinderTextScript');
9171 eval(js.innerHTML);
9172 //js.outerHTML = ""
9173 </script>
9174
9175 </span><!-- end of class="gsh-src" -->
9176 </details>

```

```

9177 </span>
9178 */
9179
9180 /*
9181 <script id="GJLinkScript">
9182 function gjkey_hash(text){
9183     return strCRC32(text,text.length) % 0x10000;
9184 }
9185 function gj_addlog(e,msg){
9186     now = (new Date().getTime() / 1000).toFixed(3);
9187     tstp = '['+now+'] '
9188     e.value += tstp + msg;
9189     e.scrollTop = e.scrollHeight;
9190 }
9191 function gj_addlog_cl(msg){
9192     ws0_log.value += '(console.log) ' + msg + '\n';
9193 }
9194 var GJ_Channel = null;
9195 var GJ_Log = null;
9196 var gjx; // the global variable
9197 function GJ_Join(){
9198     target = gj_join;
9199     if( target.value == 'Leave' ){
9200         GJ_Channel.close();
9201         GJ_Channel = null;
9202         target.value = 'Join';
9203         return;
9204     }
9205
9206     var ws0;
9207     var ws0_log;
9208
9209     sav_console_log = console.error
9210     console.error = gj_addlog_cl
9211     ws0 = new WebSocket(gj_serv.innerHTMLHTML);
9212     console.error = sav_console_log
9213
9214     GJ_Channel = ws0;
9215     ws0_log = document.getElementById('ws0_log');
9216     GJ_Log = ws0_log;
9217
9218     now = (new Date().getTime() / 1000).toFixed(3);
9219     const wsstats = ["CONNECTING","OPEN","CLOSING","CLOSED"];
9220     cst = wsstats[ws0.readyState];
9221     gj_addlog(ws0_log,'stat '+ws0.readyState+'('+cst+') : GJ Linked\n');
9222
9223     ws0.addEventListener('error', function(event){
9224         gj_addlog(ws0_log,'stat error : transport error?\n');
9225     });
9226     ws0.addEventListener('open', function(event){
9227         GJLinkView.style.zIndex = 10000;
9228         //console.log('#'+GJLinkView.id+'.zIndex='+GJLinkView.style.zIndex);
9229         datel = new Date().getTime();
9230         date2 = (datel / 1000).toFixed(3);
9231         seed = datel.toString(16);
9232
9233         // user name and key
9234         user = document.getElementById('gj_user').value;
9235         if( user.length == 0 ){
9236             gj_user.value = 'nemo';
9237             user = 'nemo';
9238         }
9239         key1 = document.getElementById('gj_ukey').bl_plainText;
9240         ukey = gjkey_hash(seed+user+key1).toString(16);
9241
9242         // session name and key
9243         chan = document.getElementById('gj_chan').value;
9244         if( chan.length == 0 ){
9245             gj_chan.value = 'main';
9246             chan = 'main';
9247         }
9248         key2 = document.getElementById('gj_ckey').bl_plainText;
9249         ckey = gjkey_hash(seed+chan+key2).toString(16);
9250
9251         msg = date2 + ' JOIN ' + user + '|' + chan + ' ' + ukey + ' ' + ckey;
9252         gj_addlog(ws0_log,'send '+msg+'\n');
9253         ws0.send(msg);
9254
9255         target.value = 'Leave';
9256         //console.log('[ '+date2+' ] #'+target.id+' '+target.value+'\n');
9257         //gj_addlog(ws0_log,'label '+target.value+'\n');
9258     });
9259     ws0.addEventListener('message', function(event){
9260         now = (new Date().getTime() / 1000).toFixed(3);
9261         msg = event.data;
9262         gj_addlog(ws0_log,'recv '+msg+'\n');
9263
9264         argv = msg.split(' ')
9265         tstamp = argv[0];
9266         argv.shift();
9267         if( argv[0] == 'reload' ){
9268             location.reload()
9269         }
9270         argv.shift(); // command
9271         argv.shift(); // from/to
9272         if( argv[0] == 'auth' ){
9273             // doing authorization required
9274         }
9275         if( argv[0] == 'echo' ){
9276             now = (new Date().getTime() / 1000).toFixed(3);
9277             msg = now+' '+RESP '+argv.join(' ');
9278             gj_addlog(ws0_log,'send '+msg+'\n');
9279             ws0.send(msg);
9280         }
9281         if( argv[0] == 'eval' ){
9282             argv.shift();
9283             js = argv.join(' ');
9284             ret = eval(js); // <----- eval()
9285             gj_addlog(ws0_log,'eval '+js+' '+ret+'\n');
9286             now = (new Date().getTime() / 1000).toFixed(3);
9287             msg = now + ' ' + RESP + ret;
9288             ws0.send(msg);
9289             gj_addlog(ws0_log,'send '+msg+'\n')
9290         }
9291     });
9292     ws0.addEventListener('close', function(event){
9293         if( GJ_Channel == null ){
9294             gj_addlog(ws0_log,'stat OK : GJ UnLinked\n');
9295             return;
9296         }
9297         GJ_Channel.close();
9298         GJ_Channel = null;
9299         target.value = 'Join';
9300         gj_addlog(ws0_log,'stat error : close : GJ UnLinked unexpectedly\n');

```

```

9301     });
9302 }
9303 function GJ_SendMessageUserPass(user,chan,msgbody){
9304     now = (new Date().getTime() / 1000).toFixed(3);
9305     msg = now + " ISAY " + user + " | " + chan + " " + msgbody;
9306     gj_addlog(GJ_Log,'send '+msg+'\n');
9307     GJ_Channel.send(msg);
9308 }
9309 function GJ_SendMessage(msgbody){
9310     if( GJ_Channel == null ){
9311         gj_addlog(ws0_log,'stat error : send : GJ not Linked\n');
9312         return;
9313     }
9314     //target = event.target;
9315     user = document.getElementById('gj_user').value;
9316     chan = document.getElementById('gj_chan').value;
9317     GJ_SendMessageUserPass(user,chan,msgbody);
9318 }
9319 function GJ_Send(){
9320     msgbody = gj_sendText.value;
9321     GJ_SendMessage(msgbody);
9322 }
9323 </script>
9324
9325 <!-- ----- GJLINK ----- -->
9326 <!--
9327 - User can subscribe to a channel
9328 - A channel will be broadcasted
9329 - A channel can be a pattern (regular expression)
9330 - User is like From:(me) and channel is like To: or Recipient:
9331 - like VIABUS
9332 - watch message with SENDME, WATCH, CATCH, HEAR, or so
9333 - routing with path expression or name pattern (with routing with DNS like system)
9334 -->
9335 */
9336
9337 <<span id="GJLinkGolang">
9338 <<details id="GshWebSocket"><summary>Golang / JavaScript Link</summary>
9339 <<span class="gsh-src"><!-- { -->
9340 << 2020-0920 created
9341 << a href="https://pkg.go.dev/golang.org/x/net/websocket">WS</a>
9342 << a href="https://golang.org/x/net/websocket">WS</a>
9343 << INSTALL: go get golang.org/x/net/websocket
9344 << INSTALL: sudo {apt,yum} install git (if git is not instlled yet)
9345 << import "golang.org/x/net/websocket"
9346 const gshws_origin = "http://localhost:9999"
9347 const gshws_server = "localhost:9999"
9348 const gshws_port = 9999
9349 const gshws_path = "gjlink1"
9350 const gshws_url = "ws://" + gshws_server + "/" + gshws_path
9351 const GSHWS_MSGSIZE = (8*1024)
9352 func fmtstring(fmts string, params ...interface{})(string){
9353     return fmt.Sprintf(fmts,params...)
9354 }
9355 func GSHWS_MARK(what string)(string){
9356     now := time.Now()
9357     us := fmtstring("%06d",now.Nanosecond() / 1000)
9358     mark := ""
9359     if( !AtConsoleLineTop ){
9360         mark += "\n"
9361         AtConsoleLineTop = true
9362     }
9363     mark += "[" + now.Format(time.Stamp) + "." + us + "]" -GJ- + what + " : "
9364     return mark
9365 }
9366 func gchk(what string,err error){
9367     if( err != nil ){
9368         panic(GSHWS_MARK(what)+err.Error())
9369     }
9370 }
9371 func glog(what string, fmts string, params ...interface{}){
9372     fmt.Print(GSHWS_MARK(what))
9373     fmt.Printf(fmts+"\n",params...)
9374 }
9375
9376 var WSV = []*websocket.Conn{}
9377 func jsend(argv []string){
9378     if len(argv) <= 1 {
9379         fmt.Printf("--Ij %v [-m] command arguments\n",argv[0])
9380         return
9381     }
9382     argv = argv[1:]
9383     if( len(WSV) == 0 ){
9384         fmt.Printf("--Ej-- No link now\n")
9385         return
9386     }
9387     if( 1 < len(WSV) ){
9388         fmt.Printf("--Ij-- multiple links (%v)\n",len(WSV))
9389     }
9390
9391     multicast := false // should be filtered with regexp
9392     if( 0 < len(argv) && argv[0] == "-m" ){
9393         multicast = true
9394         argv = argv[1:]
9395     }
9396     args := strings.Join(argv, " ")
9397
9398     now := time.Now()
9399     msec := now.UnixNano() / 1000000;
9400     tstamp := fmtstring("%.3f",float64(msec)/1000.0)
9401     msg := fmtstring("%v SEND gshell|* %v",tstamp,args)
9402
9403     if( multicast ){
9404         for i,ws := range WSV {
9405             wn,werr := ws.Write([]byte(msg))
9406             if( werr != nil ){
9407                 fmt.Printf("[%v] wn=%v, werr=%v\n",i,wn,werr)
9408             }
9409             glog("SQ",fmtstring("(%v) %v",wn,msg))
9410         }
9411     }else{
9412         i := 0
9413         ws := WSV[i]
9414         wn,werr := ws.Write([]byte(msg))
9415         if( werr != nil ){
9416             fmt.Printf("[%v] wn=%v, werr=%v\n",i,wn,werr)
9417         }
9418         glog("SQ",fmtstring("(%v) %v",wn,msg))
9419     }
9420 }
9421 func serv1(ws *websocket.Conn) {
9422     WSV = append(WSV,ws)
9423     //fmt.Print("\n")
9424     glog("CO","accepted connections[%v]",len(WSV))

```

```

9425 //remoteAddr := ws.RemoteAddr
9426 //fmt.Printf("--- accepted %v\n",remoteAddr)
9427 //fmt.Printf("--- accepted %v\n",ws.Config())
9428 //fmt.Printf("--- accepted %v\n",ws.Config().Header)
9429 //fmt.Printf("--- accepted %v // %v\n",ws,svrl)
9430
9431 var reqb = make([]byte, GSHWS_MSGSIZE)
9432 for {
9433     rn, rerr := ws.Read(reqb)
9434     if( rerr != nil || rn < 0 ){
9435         glog("SQ",fmtstring("(%v,%v)",rn,rerr))
9436         break
9437     }
9438     req := string(reqb[0:rn])
9439     glog("SQ",fmtstring("(%v) %v",rn,req))
9440
9441     margv := strings.Split(req, " ");
9442     margv = margv[1:]
9443     if( 0 < len(margv) ){
9444         if( margv[0] == "RESP" ){
9445             // should forward to the destination
9446             continue;
9447         }
9448     }
9449     now := time.Now()
9450     msec := now.UnixNano() / 1000000;
9451     tstamp := fmtstring("%.3f",float64(msec)/1000.0)
9452     res := fmtstring("%v "+CAST+" %v",tstamp,req)
9453     wn, werr := ws.Write([]byte(res))
9454     gchk("SE",werr)
9455     glog("SR",fmtstring("(%v) %v",wn,string(res)))
9456 }
9457 glog("SF","WS response finish")
9458
9459 wsv := []*websocket.Conn{}
9460 wsx := 0
9461 for l,v := range WSV {
9462     if( v != ws ){
9463         wsx = l
9464         wsv = append(wsv,v)
9465     }
9466 }
9467 WSV = wsv
9468 //glog("CO","closed %v",ws)
9469 glog("CO","closed connection [%v/%v]",wsx+1,len(WSV)+1)
9470 ws.Close()
9471 }
9472 // url := [scheme://]host[:port]/[path]
9473 func decomp_URL(url string){
9474 }
9475 func full_wsURL(){
9476 }
9477 func gj_server(argv []string) {
9478     gjserv := gshws_url
9479     gjport := gshws_server
9480     gjpath := gshws_path
9481     gjscheme := "ws"
9482
9483     //cmd := argv[0]
9484     argv = argv[1:]
9485     if( 1 <= len(argv) ){
9486         serv := argv[0]
9487         if( 0 < strings.Index(serv,"://") ){
9488             schemev := strings.Split(serv,"://")
9489             gjscheme = schemev[0]
9490             serv = schemev[1]
9491         }
9492         if( 0 < strings.Index(serv,"/") ){
9493             pathv := strings.Split(serv,"/")
9494             serv = pathv[0]
9495             gjpath = pathv[1]
9496         }
9497     }
9498     servv := strings.Split(serv,":")
9499     host := "localhost"
9500     port := 9999
9501     if( servv[0] != "" ){
9502         host = servv[0]
9503     }
9504     if( len(servv) == 2 ){
9505         fmt.Sscanf(servv[1],"%d",&port)
9506     }
9507     //glog("LC","hostport=%v (%v : %v)",servv,host,port)
9508     gjport = fmt.Sprintf("%v:%v",host,port)
9509     gjserv = gjscheme + "://" + gjport + "/" + gjpath
9510 }
9511 glog("LS",fmtstring("listening at %v",gjserv))
9512 http.Handle("/"+gjpath,websocket.Handler(svrl))
9513 err := error(nil)
9514 if( gjscheme == "wss" ){
9515     // https://golang.org/pkg/net/http/#ListenAndServeTLS
9516     //err = http.ListenAndServeTLS(gjport,nil)
9517 }else{
9518     err = http.ListenAndServe(gjport,nil)
9519 }
9520 gchk("LE",err)
9521 }
9522 func gj_client(argv []string) {
9523     glog("CS",fmtstring("connecting to %v",gshws_url))
9524     ws, err := websocket.Dial(gshws_url,"",gshws_origin)
9525     gchk("C",err)
9526
9527     var resb = make([]byte, GSHWS_MSGSIZE)
9528     for qi := 0; qi < 3; qi++ {
9529         req := fmtstring("Hello, GShell! (%v)",qi)
9530         wn, werr := ws.Write([]byte(req))
9531         glog("QH",fmtstring("(%v) %v",wn,req))
9532         gchk("QE",werr)
9533         rn, rerr := ws.Read(resb)
9534         gchk("RE",rerr)
9535         glog("RM",fmtstring("(%v) %v",rn,string(resb)))
9536     }
9537     glog("CF","WS request finish")
9538 }
9539 //</span><!-- end of class="gsh-src" -->
9540 //</details></span>
9541
9542 /*
9543 <details><summary>GJ Link</summary>
9544 <span id="GJLinkView" class="GJLinkView">
9545 <p>
9546 <note class="GJNote">Execute command "gsh gj server" on the localhost and push the Join button:</note>
9547 </p>
9548 */

```

```

9549 <span id="GJLink_1">
9550 <div id="GJLink_ServerSet"></div>
9551
9552 <div>
9553 <input id="gj_join" type="button" class="joinButton" onclick="GJ_Join()" value="Join">
9554 <span id="GJLink_Account"></span>
9555 </div>
9556
9557 <div>
9558 <input id="gj_sendButton" type="button" class="joinButton SendButton" onclick="GJ_Send()" value="Send" data-bodyid="gj_sendText">
9559 <span id="GJLink_SendArea"></span>
9560 </div>
9561
9562 <div id="ws0_log_container"></div>
9563 </span>
9564 </span>
9565
9566 <script>
9567 function setupGJLinkArea(){
9568     GJLink_ServerSet.innerHTML = '<'+span id="gj_serv_label"
9569     + ' class="textField textLabel">Server: <'+/span>
9570     + '<'+span id="gj_serv" class="textField textURL" contenteditable><'+/span>';
9571
9572     GJLink_Account.innerHTML = '<'+textarea id="gj_user" class="textField"><'+/textarea>'
9573     + '<'+textarea id="gj_ukey" class="textField"><'+/textarea>'
9574     + '<'+textarea id="gj_chan" class="textField"><'+/textarea>'
9575     + '<'+textarea id="gj_ckey" class="textField"><'+/textarea>';
9576
9577     GJLink_SendArea.innerHTML =
9578     '<'+textarea id="gj_sendText" class="textField MmsgText" cols=60 rows=2><'+/textarea>';
9579
9580     ws0_log_container.innerHTML = '<'+textarea id="ws0_log" class="ws0_log"
9581     + ' cols=100 rows=10 spellcheck="false"><'+/textarea>';
9582 }
9583 function clearGJLinkArea(){
9584     GJLink_ServerSet.innerHTML = "";
9585     GJLink_Account.innerHTML = "";
9586     GJLink_SendArea.innerHTML = "";
9587     ws0_log_container.innerHTML = "";
9588 }
9589 </script>
9590
9591 <script>
9592 function SetupGJLink(){
9593     setupGJLinkArea();
9594     SetupVisibleText(GJLink_1,gj_serv,'GJLinkSv');
9595     SetupVisibleText(GJLink_1,gj_user,'UserName');
9596     SetupBlinderText(GJLink_1,gj_ukey,'UserKey');
9597     SetupVisibleText(GJLink_1,gj_chan,'ChannelName');
9598     SetupBlinderText(GJLink_1,gj_ckey,'ChannelKey');
9599     SetupVisibleText(GJLink_1,gj_sendText,'Message');
9600     gj_serv.innerHTML = 'ws://localhost:9999/gjlink1'
9601 }
9602 function GJLink_init(){
9603     SetupGJLink();
9604 }
9605 function iselem(eid){
9606     return document.getElementById(eid);
9607 }
9608 function DestroyGJLink1(){
9609     clearGJLinkArea();
9610     if( !iselem('gj_user') ){
9611         return;
9612     }
9613     if( gj_serv_label.parentNode != gj_user ){
9614         return;
9615     }
9616     if( iselem('gj_serv_label') ) gj_user.parentNode.removeChild(gj_serv_label);
9617     if( iselem('gj_serv') ) gj_user.parentNode.removeChild(gj_serv);
9618     if( iselem('gj_user') ) gj_user.parentNode.removeChild(gj_user);
9619     if( iselem('gj_ukey') ) gj_ukey.parentNode.removeChild(gj_ukey);
9620     if( iselem('gj_chan') ) gj_chan.parentNode.removeChild(gj_chan);
9621     if( iselem('gj_ckey') ) gj_ckey.parentNode.removeChild(gj_ckey);
9622     if( iselem('gj_sendText') ) gj_sendText.parentNode.removeChild(gj_sendText);
9623     if( iselem('ws0_log') ) ws0_log.parentNode.removeChild(ws0_log);
9624 }
9625 DestroyGJLink = DestroyGJLink1;
9626 </script>
9627 </details>
9628 */
9629
9630 /*
9631 <style>
9632 .GJDigest {
9633     display:none;
9634 }
9635 </style>
9636 <script id="HtmlCodeview-script">
9637 function showNodeAsHtmlSourceX(otxa,code,prefix,postfix,sign){
9638     txa = document.createElement('textarea');
9639     txa.id = otxa.id;
9640     txa.setAttribute('class','HtmlCodeviewText');
9641     otxa.parentNode.replaceChild(txa,otxa);
9642     txa.setAttribute('spellcheck','false');
9643     //txa.value = code.innerHTML;
9644     //txa.innerHTML = code.innerHTML;
9645     txa.innerHTML = prefix + code.outerHTML + postfix;
9646     if( sign ){
9647         text = txa.value;
9648         tlen = txa.value.length;
9649         digest = strCRC32(text,tlen) + ' ' + tlen
9650         + ' ' + code.id + ' (' + DateShort() + ')';
9651         //alert('digest: '+digest);
9652         console.log('digest: '+digest);
9653         txa.innerHTML += '<'+span class="GJDigest">'+digest+'<'+/span>\n';
9654     }
9655     txa.style.display = "block";
9656     txa.style.width = "100%";
9657     txa.style.height = "300px";
9658 }
9659 function showHtmlCodeX(otxa,code,prefix,postfix,sign){
9660     if( event.target.value == 'ShowCode' ){
9661         showNodeAsHtmlSourceX(otxa,code,prefix,postfix,sign);
9662         event.target.value = 'HideCode';
9663     }else{
9664         otxa.style.display = "none";
9665         event.target.value = 'ShowCode';
9666     }
9667 }
9668 function showNodeAsHtmlSource(otxa,code){
9669     showNodeAsHtmlSourceX(otxa,code,'','');
9670 }
9671 function showHtmlCode(otxa,code){
9672     if( event.target.value == 'ShowCode' ){

```

```

9673     showNodeAsHtmlSource(otxa,code);
9674     event.target.value = 'HideCode';
9675 }else{
9676     otxa.style.display = "none";
9677     event.target.value = 'ShowCode';
9678 }
9679 }
9680 </script>
9681 <style id="HtmlCodeview-style">
9682     .HtmlCodeviewText {
9683         font-size:10pt;
9684         font-family:Courier New;
9685         white-space:pre;
9686     }
9687     .HtmlCodeViewButton {
9688         padding:2pt !important;
9689         line-height:1.1 !important;
9690         border:2px inset #bbb !important;
9691         font-size:11pt !important;
9692         font-weight:normal !important;
9693         font-family:Georgia !important;
9694         border-radius:3px !important;
9695         color:#ddd; background-color:#228 !important;
9696     }
9697 </style>
9698 */
9699
9700 /*
9701 <details><summary>Live HTML Snapshot</summary>
9702 <span id="LiveHTML">
9703 <!-- ----- HTML Snapshot: Edit, save and load // 2020-0924 SatoxITS { -->
9704 <input class="HtmlCodeViewButton" type="button" value="ShowCode" onclick="showLiveHTMLCode()">
9705 <span id="LiveHTML_Codeview"></span>
9706 <script id="LiveHtmlScript">
9707     function showLiveHTMLCode(){
9708         showHtmlCode(LiveHTML_Codeview,LiveHTML);
9709     }
9710     var _editable = false;
9711     var savSuppressGJShell = false;
9712     function ToggleEditMode(){
9713         _editable = !_editable;
9714         if( _editable ){
9715             savSuppressGJShell = SuppressGJShell;
9716             SuppressGJShell = true;
9717             gsh.setAttribute('contenteditable','true');
9718             GshMenuEdit.innerHTML = 'Lock';
9719             GshMenuEdit.style.color = 'rgba(255,0,0,1)';
9720             GshMenuEdit.style.backgroundColor = 'rgba(255,255,255,1)';
9721         }else{
9722             SuppressGJShell = savSuppressGJShell;
9723             gsh.setAttribute('contenteditable','false');
9724             GshMenuEdit.innerHTML = 'Edit';
9725             GshMenuEdit.style.color = 'rgba(16,160,16,1)';
9726             GshMenuEdit.style.backgroundColor = 'rgba(255,255,255,1)';
9727         }
9728     }
9729     function html_edit(){
9730         ToggleEditMode();
9731     }
9732
9733     // Live HTML (DOM) Snapshot onto browser's localStorage
9734     // 2020-0923 SatoxITS
9735     var htRoot = gsh // -- Element-ID, should be selectable
9736     const snappedHTML = 'SnappedHTML'; // Item-ID of the HTML data in localStogate
9737     // -- should be a [map] of URL
9738     // -- should be with CSSOM as inline script
9739     const htVersionTag = 'VersionTag'; // VesionTag Element-ID in the HTML (in DOM)
9740     function showVersion(note,w,v,u,t){
9741         w.alert(note+' : ' + v + '\n'
9742             + '-- URL: ' + u + '\n'
9743             + '-- Time: ' + t + ' (' + DateLong0(t*1000) + ')');
9744     }
9745
9746     function html_save(){
9747         u = document.URL;
9748         t = new Date().getTime() / 1000;
9749         v = '<'+span id="+htVersionTag+" data-url="+u+" data-time="+t+'>';
9750         h += '<'+span>\n';
9751         h += v + htRoot.outerHTML;
9752         localStorage.setItem(snappedHTML,h);
9753         showVersion("Saved",window,v,u,t);
9754     }
9755     function html_load(){
9756         h = localStorage.getItem(snappedHTML);
9757         if( h == null ){
9758             alert('No snapshot taken yet');
9759             return;
9760         }
9761         w = window.open('','');
9762         d = w.document;
9763         d.write(h);
9764         w.focus();
9765         html_ver1("Loaded",w,d);
9766     }
9767     function html_ver1(note,w,d){
9768         if( (v = d.getElementById(htVersionTag)) != null ){
9769             h = v.outerHTML;
9770             u = v.getAttribute('data-url');
9771             t = v.getAttribute('data-time');
9772         }else{
9773             h = 'No version info. in the page';
9774             u = '';
9775             t = 0;
9776         }
9777         showVersion(note,w,v,u,t);
9778     }
9779     function html_ver0(){
9780         html_ver1("Version",window,document);
9781     }
9782 </script>
9783 <!-- LiveHTML } -->
9784 </span>
9785 </details>
9786 */
9787
9788 /*
9789 <details><summary>Event sharing</summary>
9790 <span id="EventSharingCodeSpan">
9791
9792 <!-- ----- Event sharing // 2020-0925 SatoxITS { -->
9793
9794 <div id="iftestTemplate" class="iftest" hidden="">
9795 <style> .iftestbody{ color:#f22;font-family:Georgia;font-size:10pt;} </style>
9796 <span id="frameBody" class="iftestbody" onclick="frameClick()"><script>

```

```

9797 function docadd(txt){
9798     document.body.append(txt);
9799     window.scrollTo(0,100000);
9800 }
9801 function frameClick(){
9802     xy = '(x='+event.x + ' y='+event.y+')';
9803     //docadd('Got Click on #' +event.target.id+ '+xy+ '\n');
9804     docadd('Got Click on #' +Fid.value+ ', '+xy+ '\n');
9805     window.scrollTo(0,100000);
9806     window.parent.postMessage('OnClick: '+xy, '*');
9807 }
9808 function frameMousemove(){
9809     if( false ){
9810         document.body.append('Mousemove on #' +event.target.id+ ' '
9811             + 'x='+event.x + ' y='+event.y + '\n');
9812         peerWin = window.frames.iframe1;
9813         document.body.append('Send to peer #' +peerWin+ ' ' + '\n');
9814         window.scrollTo(0,100000);
9815         peerWin.postMessage('Hi!', '*');
9816     }
9817 }
9818 function frameKeydown(){
9819     msg = 'Got Keydown: #' +Fid.value+ ', (' +event.code+')';
9820     docadd(msg+ '\n');
9821     window.parent.postMessage(msg, '*');
9822 }
9823 function frameOnMessage(){
9824     docadd('Message ' + event.data + '\n');
9825     window.scrollTo(0,100000);
9826 }
9827 if( document.getElementById('Fid') ){
9828     frameBody.id = Fid.value;
9829     h = '';
9830     h += '<'+style>*{';
9831     h += 'font-size:10pt;white-space:pre-wrap;';
9832     h += 'font-family:Courier New;';
9833     h += '}<'+/style>';
9834     h += 'I am '+Fid.value+ '\n';
9835     document.write(h);
9836     window.addEventListener('click', frameClick);
9837     window.addEventListener('keydown', frameKeydown);
9838     window.addEventListener('message', frameOnMessage);
9839     window.addEventListener('mousemove', frameMousemove);
9840     window.parent.postMessage('Hi parent, I am '+Fid.value, '*');
9841 }
9842 </script></span></div>
9843
9844 <style>.iframeTest{margin:3px;resize:both;width:370px;height:120px}</style>
9845 <h2>Inter-window communicaiton</h2>
9846 <note>
9847 frame0 >>> frame1 and frame2<br>
9848 frame1 >>> frame0 and frame2<br>
9849 frame2 >>> frame0 and frame1<br>
9850 </note>
9851 <div id="iframe-test">
9852 <pre id="iframeHost" style="border:1px;font-family:Courier New;font-size:10pt;"></pre>
9853 <iframe id="iframe0" title="iframe0" class="iframeTest" style=""></iframe>
9854 <iframe id="iframe1" title="iframe1" class="iframeTest"></iframe>
9855 <iframe id="iframe2" title="iframe2" class="iframeTest"></iframe>
9856 </div>
9857
9858 <script id="if0-test-script">
9859     function InterFrameComm_init(){
9860         setupFrames0();
9861         setupFrames12();
9862     }
9863     function setFrameSrcdoc(dst,src){
9864         if( true ){
9865             dst.contentWindow.document.write(src);
9866             // this makes browser waite close, and crash if accumulated !?
9867             // so it should be closed after write
9868             dst.contentWindow.document.close();
9869         }else{
9870             // to be erased before source dump
9871             // but shold be set for live snapshot
9872             dst.srcdoc = src;
9873         }
9874     }
9875     function setupFrames0(){
9876         ibody = iframe0.contentWindow.document.body;
9877         iframe0.style.width = "755px"
9878         //iframeHost.innerHTML = "Message exchange at iframes' host:\n";
9879         window.addEventListener('message',messageFromChild);
9880
9881         if0 = '';
9882         if0 += '<'+pre style="font-family:Courier New;">';
9883         if0 += '<input id="Fid" value="iframe0">';
9884         if0 += iftestTemplate.innerHTML;
9885         setFrameSrcdoc(iframe0,if0);
9886
9887         function clickOnChild(){
9888             console.log('clickOn #' +this.id);
9889         }
9890         function moveOnChild(){
9891             console.log('moveOn #' +this.id);
9892         }
9893         iframe0.contentWindow.document.body.style.setProperty('white-space', 'pre');
9894         iframe0.contentWindow.document.body.style.setProperty('font-size', '9pt');
9895     }
9896     function setupFrames12(){
9897         if1 = '<input id="Fid" value="iframe1">';
9898         if1 += iftestTemplate.innerHTML;
9899         setFrameSrcdoc(iframe1,if1);
9900         //iframe1.name = 'iframe1'; // this seems break contentWindow
9901
9902         if2 = '<input id="Fid" value="iframe2">';
9903         if2 += iftestTemplate.innerHTML;
9904         setFrameSrcdoc(iframe2,if2);
9905
9906         iframe1.addEventListener('message',messageFromChild);
9907         //iframe1.addEventListener('mouseover',moveOnChild);
9908         iframe2.addEventListener('message',messageFromChild);
9909         //iframe2.addEventListener('mouseover',moveOnChild);
9910         iframe1.contentWindow.postMessage(['parent0] Hi iframe1 -- from parent.', '*');
9911         //iframe1.contentWindow.postMessage('Your peer is '+iframe2.contentWindow, '*');
9912         iframe2.contentWindow.postMessage(['parent0] Hi iframe2 -- from parent.', '*');
9913         //iframe2.contentWindow.postMessage('Your peer is '+iframe1.contentWindow, '*');
9914     }
9915     function messageFromChild(){
9916         from = null;
9917         forw = null;
9918         if( event.source == iframe0.contentWindow ){
9919             from = 'iframe0';
9920             forw = 'iframe12';

```



```

9921     }else
9922     if( event.source == iframe1.contentWindow ){
9923         from = '{iframe1}'
9924         forw = 'iframe2';
9925     }else
9926     if( event.source == iframe2.contentWindow ){
9927         from = '{iframe2}'
9928         forw = 'iframe1';
9929     }else
9930     {
9931         iframeHost.innerHTML += 'Message [unknown] '
9932         + ' orig=' + event.origin
9933         + ' data=' + event.data
9934         //+ ' from=' + event.source
9935         ;
9936     }
9937     msglog1 = from + event.data + ' -- '
9938     + ' from=' + event.source
9939     + ' orig=' + event.origin
9940     + ' name=' + event.source.name
9941     //+ ' port=' + event.ports
9942     //+ ' evid=' + event.lastEventId
9943     + '\n'
9944     ;
9945     if( true ){
9946         if( forw == 'iframe1' || forw == 'iframe12' ){
9947             iframe1.contentWindow.postMessage(from+event.data);
9948         }
9949         if( forw == 'iframe2' || forw == 'iframe12' ){
9950             iframe2.contentWindow.postMessage(from+event.data);
9951         }
9952     }
9953     txtadd0(msglog1);
9954
9955     function txtadd0(txt){
9956         iframe0.contentWindow.document.body.append(txt);
9957         iframe0.contentWindow.scrollTo(0,100000);
9958     }
9959
9960     function es_ShowSelf(){
9961         iframe1.setAttribute('src',document.URL);
9962         iframe2.setAttribute('src',document.URL);
9963     }
9964 </script>
9965
9966 <input class="HtmlCodeViewButton" type="button" value="ShowSelf" onclick="es_ShowSelf()">
9967 <input class="HtmlCodeViewButton" type="button" value="ShowCode" onclick="es_showHtmlCode()">
9968 <span id="EventSharingCodeview"></span>
9969 <script id="EventShareingScript">
9970 function es_showHtmlCode(){
9971     showHtmlCode(EventSharingCodeview,EventSharingCodeSpan);
9972 }
9973 DestroyEventSharingCodeview = function(){
9974     //EventSharingCodeview.parentNode.removeChild(EventSharingCodeview);
9975     EventSharingCodeview.innerHTML = "";
9976     iframe0.style = "";
9977     //iframe0.srcdoc = "erased";
9978     //iframe1.srcdoc = "erased";
9979     //iframe2.srcdoc = "erased";
9980 }
9981 </script>
9982 <!-- EventSharing -->
9983 </span>
9984 </details>
9985 */
9986
9987 /*
9988 <!-- ----- "GShell Inside" Notifiaction { -->
9989 <script id="script-gshell-inside">
9990 var notices = 0;
9991 function noticeGShellInside(){
9992     ver = '';
9993     if( ver = document.getElementById('GshVersion') ){
9994         ver = ver.innerHTML;
9995     }
9996     console.log('GJShell Inside (^-^)' + ver);
9997     notices += 1;
9998     if( 2 <= notices ){
9999         document.removeEventListener('mousemove',noticeGShellInside);
10000     }
10001 }
10002 document.addEventListener('mousemove',noticeGShellInside);
10003 noticeGShellInside();
10004
10005 const FooterName = 'GshFooter'
10006 function DestroyFooter(){
10007     if( (footer = document.getElementById(FooterName)) != null ){
10008         //footer.parentNode.removeChild(footer);
10009         empty = document.createElement('div');
10010         empty.id = 'GshFooter0';
10011         footer.parentNode.replaceChild(empty,footer);
10012     }
10013 }
10014 function showFooter(){
10015     footer = document.createElement('div');
10016     footer.id = FooterName;
10017     footer.style.backgroundImage = "url("+ITSmoreQR+)";
10018     //GshFooter0.parentNode.appendChild(footer);
10019     GshFooter0.parentNode.replaceChild(footer,GshFooter0);
10020 }
10021 </script>
10022 <!-- } -->
10023
10024 <!--
10025     border:20px inset #888;
10026 -->
10027
10028 </span id="VirtualDesktopCodeSpan">
10029 /*
10030 <details id="VirtualDesktopDetails"><summary>Virtual Desktop</summary>
10031 <!-- ----- Web Virtual Desktop // 2020-0927 SatoxITS { -->
10032 <style>
10033 .VirtualSpace {
10034     z-index:0;
10035     xwidth:1280px !important; xheight:720px !important;
10036     width:5120px; height:2880px;
10037     border-width:0px;
10038     xbackground-color:rgba(32,32,160,0.8);
10039     xbackground-image:url("WD-WallPaper03.png");
10040     xbackground-size:100% 100%;
10041     color:#22a;xfont-family:Georgia;font-size:10pt;
10042     xxoverflow:scroll;
10043 }
10044 .VirtualGrid {

```

```

10045     z-index:0;
10046     position:absolute;
10047     width:800px; height:500px;
10048     border:1px inset #fff;
10049     color:rgba(192,255,192,0.8);
10050     font-family:Georgia, Courier New;
10051     text-align:right;
10052     vertical-align:middle;
10053     font-size:200px;
10054     text-shadow:4px 4px #ccf;
10055 }
10056.WD_GridScroll {
10057     z-index:100000;
10058     background-color:rgba(200,200,200,0.1);
10059 }
10060.VirtualDesktop {
10061     z-index:0;
10062     position:relative;
10063     resize:both !important;
10064     overflow:scroll;
10065     display:block;
10066     min-width:120px !important; min-height:60px !important;
10067     width:800px;
10068     height:500px;
10069     border:10px inset #228;
10070     border-width:30px; border-radius:20px;
10071     background-image:url("WD-WallPaper03.png");
10072     background-size:100% 100%;
10073     color:#22a;font-family:Georgia;font-size:10pt;
10074 }
10075.comment {
10076     // overflow=scroll seems to bound childrens' view in the element span
10077     // specifying overflow seems fix the position of the element
10078 }
10079.VirtualBrowserSpan {
10080     z-index:10;
10081     xxxborder:0.5px dashed #fff !important;
10082     border-color:rgba(255,255,255,0.5) !important;
10083     position:relative;
10084     left:100px;
10085     top:100px;
10086     display:block;
10087     resize:both !important;
10088     width:540px;
10089     height:320px;
10090     min-width:40px !important; min-height:20px !important;
10091     max-width:5120px !important; max-height:2880px !important;
10092     background-color:rgba(255,200,255,0.1);
10093     xoverflow:scroll;
10094 }
10095.xVirtualBrowserLocationBar:focus {
10096     color:#f00;
10097     background-color:rgba(255,128,128,0.2);
10098 }
10099.xVirtualBrowserLocationBar:active {
10100     color:#f00;
10101     background-color:rgba(128,255,128,0.2);
10102 }
10103a.VirtualBrowserLocation {
10104     color:#ccc !important;
10105     text-decoration:none !important;
10106 }
10107a.VirtualBrowserLocation:hover {
10108     color:#fff !important;
10109     text-decoration:underline;
10110 }
10111.VirtualBrowserLocationBar {
10112     position:absolute;
10113     z-index:100000;
10114     display:block;
10115     width:400px;
10116     height:20px;
10117     padding-left:2px;
10118     line-height:1.1;
10119     vertical-align:middle;
10120     font-size:14px;
10121     color:#fff;
10122     background-color:rgba(128,128,128,0.2);
10123     font-family:Georgia;
10124 }
10125.VirtualBrowserCommandBar {
10126     position:absolute;
10127     z-index:200000;
10128     xxxdisplay:inline;
10129     display:block;
10130     width:60px;
10131     height:20px;
10132     line-height:1.1;
10133     vertical-align:middle;
10134     font-size:14px;
10135     color:#fe4;
10136     background-color:rgba(128,128,128,0.1);
10137     font-family:Georgia;
10138     text-align:left;
10139     left:404px;
10140 }
10141.VirtualBrowserFrame {
10142     xxposition:relative;
10143     position:absolute;
10144     xxdisplay:inline;
10145     display:block;
10146     z-index:10;
10147     resize:both !important;
10148     width:480px; height:240px;
10149     min-width:60px; min-height:30px;
10150     max-width:5120px; max-height:2880px;
10151     border-radius:6px;
10152     background-color:rgba(255,255,255,0.9);
10153     border-top:20px solid;
10154     border-right:4px solid;
10155     border-bottom:10px solid;
10156 }
10157.WinFavicon {
10158     width:16px;
10159     height:16px;
10160     margin:1px;
10161     margin-right:3px;
10162     vertical-align:middle;
10163     background-color:rgba(255,255,255,1.0);
10164 }
10165.VirtualDesktopMenuBar {
10166     xposition:absolute;
10167     color:#fff;
10168     font-size:7pt;

```

```

10169     text-align:right;
10170     padding-right:4px;
10171     background-color:rgba(128,128,128,0.7);
10172 }
10173.WirtualDesktopCalender {
10174     color:#fff;
10175     font-size:22pt;
10176     text-align:right;
10177     padding-right:4px;
10178     xbackground-color:rgba(255,255,255,0.2);
10179 }
10180.xxxxinput { width:260pt !important; line-height:1.1 !important; margin:1px;
10181     display:inline !important; font-size:10pt !important; padding:1px !important;
10182 }
10183.WD_Config {
10184     display:inline !important;
10185     padding:2px !important;
10186     font-size:10pt !important;
10187     width:60pt !important;
10188     height:12pt !important;
10189     line-height:1.0pt !important;
10190     height:15pt !important;
10191 }
10192.WD_Button {
10193     display:inline !important;
10194     padding:2px !important;
10195     color:#fff !important;
10196     background-color:#228 !important;
10197     font-size:10pt !important;
10198     width:60pt !important;
10199     height:12pt !important;
10200     line-height:1.0pt !important;
10201     height:16pt !important;
10202     border:2px inset #44a !important;
10203 }
10204.WD_Href {
10205     display:inline !important;
10206     padding:2px !important;
10207     font-size:9pt !important;
10208     width:120pt !important;
10209     height:12pt !important;
10210     line-height:1.0pt !important;
10211     height:15pt !important;
10212 }
10213
10214.LiveHtmlCodeviewText {
10215     font-size:10pt;
10216     font-family:Courier New;
10217     xwhite-space:pre;
10218 }
10219
10220.WD_Panel {
10221     x-index:100 !important;
10222     color:#000 !important;
10223     margin-left:25px !important;
10224     width:800px !important;
10225     padding:4px !important;
10226     border:1px solid #888 !important;
10227     border-radius:6px !important;
10228     background-color:rgba(220,220,220,0.9) !important;
10229     font-size:9pt;
10230     font-family:Courier New;
10231 }
10232.WD_Help {
10233     font-size:10pt !important;
10234     font-family:Courier New;
10235     line-height:1.2 !important;
10236     color:#000 !important;
10237     width:100% !important;
10238     background-color:rgba(240,240,255,0.8) !important;
10239 }
10240
10241.WB_Zoom {
10242 }
10243</style>
10244<h2>CosmoScreen 0.0.8</h2>
10245<menu>
10246<span id="WD_Help_1" class="WD_Help"><b>ScopeControl command keys</b><br>
10247 g ... grid on/off<br>
10248 i ... zoom in<br>
10249 o ... zoom out<br>
10250 s ... save current scope<br>
10251 r ... restore saved scope<br>
10252</span>
10253</menu>
10254<div class="WD_Panel" draggable="true">
10255<p><!-- should be on the frame of the WD -->
10256Monitor <input id="WD_Resize_1" class="WD_Button" type="button" value="Resize">
10257 < <input id="WD_Width_1" class="WD_Config" type="text">
10258 x <input id="WD_Height_1" class="WD_Config" type="text">
10259 wall-paper: <a href="WD-WallPaper03.png" class="WD_Href" contenteditable="true">WD-WallPaler03.png</a>
10260</p>
10261<p>
10262Desktop <input id="WS_Resize_1" class="WD_Button" type="button" value="Resize">
10263 < <input id="WS_1_Width" class="WD_Config" type="text">
10264 x <input id="WS_1_Height" class="WD_Config" type="text">
10265</p>
10266<p>
10267Display <input id="WD_Zoom_1" class="WD_Button" type="button" value="Zoom">
10268 < <input id="WD_Zoom_1_XY" class="WD_Config" type="text" value="1.0">
10269 x <input id="WD_Zoom_1_MAG" class="WD_Config" type="text" value="1.41421356">
10270 < <input id="WD_Zoom_1_OUT" class="WD_Button" type="button" value="ZoomOut">
10271 < <input id="WD_Zoom_1_IN" class="WD_Button" type="button" value="ZoomIn">
10272</p>
10273<p>
10274Content <input id="WD_Scroll_1" class="WD_Button" type="button" value="Scroll">
10275 X <input id="WD_Left_1" class="WD_Config" type="text" value="0">
10276 Y <input id="WD_Top_1" class="WD_Config" type="text" value="0">
10277shift+wheel for horizontal scroll
10278</p>
10279<p>
10280Scopexx <input id="WD_Zoom_1_Restore" class="WD_Button" type="button" value="Restore">
10281 < <input id="WD_Zoom_1_RestoreScope" class="WD_Config" type="text" value="Scope0">
10282 | <input id="WD_Zoom_1_Save" class="WD_Button" type="button" value="Save">
10283 > <input id="WD_Zoom_1_SaveScope" class="WD_Config" type="text" value="Scope0">
10284</p>
10285<p>
10286Scopeyy <input id="WD_Zoom_1_Forw" class="WD_Button" type="button" value="Forw">
10287 < <input id="WD_Zoom_1_ForwScope" class="WD_Config" type="text" value="Scope0">
10288 | <input id="WD_Zoom_1_Back" class="WD_Button" type="button" value="Back">
10289 > <input id="WD_Zoom_1_BackScope" class="WD_Config" type="text" value="Scope0">
10290</p>
10291<p>
10292Scopezz <input id="WD_Zoom_1_Push" class="WD_Button" type="button" value="Push">

```

```

10293 <input id="WD_Zoom_1_PushScope" class="WD_Config" type="text" value="Scope0">
10294 | <input id="WD_Zoom_1_Pop" class="WD_Button" type="button" value="Pop">
10295 > <input id="WD_Zoom_1_PopScope" class="WD_Config" type="text" value="Scope0">
10296</p>
10297<p>
10298Display <input id="WD_Grid_1" class="WD_Button" type="button" value="GridOn">
10299</p>
10300<p>
10301Overflo <input id="WD_Overflow_1" class="WD_Button" type="button" value="scroll">
10302"scroll" imprisons windows inside the display
10303</p>
10304</div>
10305
10306<div id="WirtualDesktop_1" class="WirtualDesktop" draggable="true" style="" contenteditable="true">
10307<div id="WirtualDesktop_1_MenuBar" class="WirtualDesktopMenuBar" spellcheck="false">
10308<span id="WirtualDesktop_1_Clock"></span>
10309</div>
10310<div id="WirtualDesktop_1_Calender" class="WirtualDesktopCalender" >00:00</div>
10311<div align="right"><h1>WirtualSpace 1.</h1></div>
10312<div id="WirtualDesktop_1_Content" class="WirtualSpace">
10313
10314<div id="WirtualBrowser_1" class="WirtualBrowserSpan" spellcheck="false" draggable="true">
10315<div id="WirtualBrowser_1_Location" class="WirtualBrowserLocationBar"></div>
10316<span id="WirtualBrowser_1_Command" class="WirtualBrowserCommandBar">Reload</span>
10317<iframe id="WirtualBrowser_1_Frame" class="WirtualBrowserFrame" style=""></iframe>
10318</div>
10319
10320<div id="WirtualBrowser_2" class="WirtualBrowserSpan" spellcheck="false" draggable="true">
10321<div id="WirtualBrowser_2_Location" class="WirtualBrowserLocationBar"></div>
10322<span id="WirtualBrowser_2_Command" class="WirtualBrowserCommandBar">Reload</span>
10323<iframe id="WirtualBrowser_2_Frame" class="WirtualBrowserFrame" style=""></iframe>
10324</div>
10325
10326<div id="WirtualBrowser_3" class="WirtualBrowserSpan" spellcheck="false" draggable="true">
10327<div id="WirtualBrowser_3_Location" class="WirtualBrowserLocationBar"></div>
10328<span id="WirtualBrowser_3_Command" class="WirtualBrowserCommandBar">Reload</span>
10329<iframe id="WirtualBrowser_3_Frame" class="WirtualBrowserFrame" style=""></iframe>
10330</div>
10331
10332<div id="WirtualDesktop_1_GridPlane" class="WirtualSpace"></div>
10333</div>
10334</div>
10335
10336<input class="HtmlCodeViewButton" type="button" value="ShowCode" onclick="vd_showHtmlCode()">
10337<span id="WirtualDesktopCodeview"></span>
10338<script id="WirtualDesktopScript">
10339function vd_showHtmlCode(){
10340 codespan = document.getElementById('WirtualDesktopCodeSpan');
10341 showHtmlCode(WirtualDesktopCodeview,codespan);
10342 WirtualDesktopCodeview.setAttribute('class','LiveHtmlCodeviewText');
10343}
10344DestroyEventSharingCodeview = function(){
10345 WirtualDesktopCodeview.innerHTML = "";
10346}
10347
10348function wdllog(log){
10349 if( GJ_Channel != null ){
10350 GJ_SendMessage('WD '+log);
10351 }
10352 console.log(log);
10353}
10354var topMostWin = 10000;
10355function onEnterWin(e){
10356 t = e.target;
10357 oindex = t.style.zIndex;
10358 //if( oindex == '' ) oindex = 0;
10359 //t.saved_zIndex = oindex;
10360 //t.style.zIndex = 10000;
10361 topMostWin += 1;
10362 t.style.zIndex = topMostWin;
10363 nindex = t.style.zIndex;
10364 wdllog('Enter '+t+' #' +t.id+' ('+oindex+'->'+nindex+'');
10365 e.stopPropagation();
10366 e.preventDefault();
10367}
10368function onClickWin(e){ // can detect click on the thick border? t = e.target;
10369 oindex = t.style.zIndex;
10370 topMostWin += 1;
10371 t.style.zIndex = topMostWin;
10372 nindex = t.style.zIndex;
10373 wdllog('Click '+t+' #' +t.id+' ('+oindex+'->'+nindex+'');
10374 //e.stopPropagation();
10375 //e.preventDefault();
10376}
10377function onLeaveWin(e){
10378 t = e.target;
10379 //oindex = t.style.zIndex;
10380 //nindex = t.saved_zIndex;
10381 //t.style.zIndex = nindex;
10382 //wdllog('Leave '+e.target+' #' +e.target.id+' ('+oindex+'->'+nindex+'');
10383 e.stopPropagation();
10384 e.preventDefault();
10385}
10386
10387var WinDragstartX; // event
10388var WinDragstartY;
10389var WinDragstartTX; // target
10390var WinDragstartTY;
10391
10392function onWinDragstart(e){
10393 WinDragstartX = e.x;
10394 WinDragstartY = e.y;
10395
10396 t = e.target;
10397
10398 //WinDragstartTX = t.getBoundingClientRect().left.toFixed(0)
10399 //WinDragstartTY = t.getBoundingClientRect().top.toFixed(0)
10400 if( t.style.left == '' ){
10401 WinDragstartTX = x0 = 0;
10402 t.style.left = '0px';
10403 }else{
10404 //WinDragstartTX = x0 = Number(t.style.left);
10405 WinDragstartTX = x0 = parseInt(t.style.left);
10406 }
10407 if( t.style.top == '' ){
10408 WinDragstartTY = y0 = 0;
10409 t.style.top = '0px';
10410 }else{
10411 //WinDragstartTY = y0 = Number(t.style.top);
10412 WinDragstartTY = y0 = parseInt(t.style.top);
10413 }
10414 if( true ){ // to be undo
10415 t.wasAtX = WinDragstartTX;
10416 t.wasAtY = WinDragstartTY;

```

```

10417 }
10418 wdllog('DragSTA #' + t.id
10419 + ' event('+e.x+', '+e.y+')'
10420 + ' position=' + t.style.position
10421 + ' style left,top('+t.style.left+', '+t.style.top+')'
10422 );
10423 e.stopPropagation();
10424 //e.preventDefault();
10425 return true;
10426}
10427function onWinDragEvent(wh,e,set,dolog){
10428 t = e.target;
10429 dx = e.x - WinDragstartX;
10430 dy = e.y - WinDragstartY;
10431 nx = WinDragstartTX + dx;
10432 ny = WinDragstartTY + dy;
10433 log = 'Drag'+wh+' #' + t.id
10434 + ' event0('+WinDragstartX+', '+WinDragstartY+')'
10435 + ' event('+e.x+', '+e.y+')'
10436 + ' diff('+dx+', '+dy+')'
10437 + ' ( ' + nx + ', ' + ny + ' )'
10438 + ' ( ' + t.style.left + ', ' + t.style.top + ' )'
10439 + ' wasAt(' + t.wasAtX + ', ' + t.wasAtY + ' )'
10440 ;
10441 if( e.x != 0 || e.y != 0 ){
10442 if( set == true ){
10443 //t.style.x = nx + 'px'; // not effective
10444 //t.style.y = ny + 'px'; // not effective
10445 t.style.left = nx + 'px';
10446 t.style.top = ny + 'px';
10447 log += ' Set';
10448 }else{
10449 log += ' NotSet';
10450 if( !dolog ){
10451 log = '';
10452 }
10453 }
10454 }else{
10455 log += ' What?'; // the type is event start?
10456 if( !dolog ){
10457 log = '';
10458 }
10459 }
10460 if( and(dolog, log != '' )){
10461 wdllog(log);
10462 }
10463 if( true ){
10464 // should be propagated to parent in FireFox ?
10465 e.stopPropagation();
10466 }
10467 e.preventDefault();
10468 return false;
10469}
10470function onWinDrag(e){
10471 return onWinDragEvent('Ing',e,true,false);
10472}
10473function onWinDragend(e){
10474 return onWinDragEvent('End',e,false,true);
10475}
10476function onWinDragexit(e){
10477 return onWinDragEvent('Exit',e,false,true);
10478}
10479function onWinDragover(e){
10480 return onWinDragEvent('Over',e,false,true);
10481}
10482function onWinDragenter(e){
10483 return onWinDragEvent('Enter',e,false,true);
10484}
10485function onWinDragleave(e){
10486 return onWinDragEvent('Leave',e,false,true);
10487}
10488function onWinDragdrop(e){
10489 return onWinDragEvent('Drop',e,false,true);
10490}
10491function onFaviconChange(e){
10492 wdllog('--Favicon #' + e.target.id + ' href=' + e.details.href);
10493}
10494var savedSuppressGJShell = false;
10495function stopGShell(e){
10496 //wdlog('enter Gsh STOP');
10497 savedSuppressGJShell = SuppressGJShell;
10498 SuppressGJShell = true;
10499 e.stopPropagation();
10500 e.preventDefault();
10501}
10502function contGShell(e){
10503 //wdlog('leave Gsh STOP');
10504 SuppressGJShell = savedSuppressGJShell;
10505 e.stopPropagation();
10506 e.preventDefault();
10507}
10508
10509function WD_onKeydown(e){
10510 keycode = e.code;
10511 console.log('Keydown #' + e.target.id + ' ' + keycode);
10512 if( keycode == 'KeyG' ){
10513 WD_setGrid1(WD_Grid1);
10514 }else
10515 if( keycode == 'KeyI' ){
10516 WD_doZoomIN();
10517 }else
10518 if( keycode == 'KeyO' ){
10519 WD_doZoomOUT();
10520 }else
10521 if( keycode == 'KeyR' ){
10522 WD_RestoreScope(null);
10523 }else
10524 if( keycode == 'KeyS' ){
10525 WD_SaveScope(null);
10526 }
10527 e.stopPropagation();
10528 e.preventDefault();
10529}
10530function WD_onKeyUp(e){
10531 e.stopPropagation();
10532 e.preventDefault();
10533}
10534function WD_EventSetup1(){
10535 WirtualDesktop_1.addEventListener('keydown', e => { WD_onKeydown(e); });
10536 WirtualDesktop_1_Content.addEventListener('keydown', e => { WD_onKeydown(e); });
10537 WD_Help_1.addEventListener('keydown', e => { WD_onKeydown(e); });
10538 WD_Help_1.addEventListener('keyup', e => { WD_onKeyUp(e); });
10539}
10540function settleWin(s,l,cmd,f,u,w,h,x,y,c,scale){

```

```

10541 function VirtualBrowserCommand(e,s,l,cmd,f){
10542     command = cmd.innerHTML
10543     if( command == "Reload" ){
10544         href_id = e.target.href_id;
10545         d = document.getElementById(href_id);
10546         wdllog('href_tag#'+href_id+'\n elem=#'+href_id+'\n href='+d);
10547         url = d.innerHTML;
10548         wdllog('---- Load href_tag#'+href_id+'\n elem=#'+href_id+'\n href='+d
10549             +'\n url='+url);
10550         wdllog('---- Load target #' + f.id + ')' with url=' + url;
10551         f.src = url;
10552     }else{
10553         alert('unknown command "' + command + '" ' + e.target.id + ', ' + l.id + ', ' + f.id);
10554     }
10555 }
10556 function onKeyDown(e){
10557     if( e.code == 'Enter' ){
10558         e.stopPropagation();
10559         e.preventDefault();
10560     }
10561 }
10562 function onKeyUp(e){
10563     if( e.code == 'Enter' ){
10564         e.stopPropagation();
10565         e.preventDefault();
10566         // should reload immediately ?
10567     }
10568 }
10569
10570 if( false ){
10571     wdllog('start settle WirtualBrowser url='+u+'\n'
10572         + 'id=' + s.id + '\n'
10573         + 'width=' + s.style.width + '\n'
10574         + 'height=' + s.style.height
10575     );
10576 }
10577 // very iportant for WordPress ??
10578 s.style.width = f.style.width = 501; // for WordPress ...??
10579 s.style.height = f.style.height = 271; // for WordPress ...??
10580 if( false ){
10581     wdllog('midway settle WirtualBrowser url='+u+'\n'
10582         + 'id=' + s.id + '\n'
10583         + 'width=' + s.style.width + '\n'
10584         + 'height=' + s.style.height
10585     );
10586 }
10587 s.width = 502; // for WordPress ...??
10588 s.height = 272; // for WordPress ...??
10589 if( false ){
10590     wdllog('midway-2 settle WirtualBrowser url='+u+'\n'
10591         + 'id=' + s.id + '\n'
10592         + 'span-width=' + s.width + '\n'
10593         + 'span-height=' + s.height
10594     );
10595 }
10596
10597 s.style.width = w + 'px';
10598 s.style.height = h + 'px';
10599 f.style.width = w + 'px';
10600 f.style.height = h + 'px';
10601 //f.style.setProperty('-webkit-transform','scale('+scale+')');
10602 f.style.setProperty('transform','scale('+scale+')');
10603
10604 //wdllog('--x1-- u='+u+' width s='+s.style.width+',f='+f.style.width);
10605 //wdllog('--x2-- u='+u+' width s='+s.style.width+',f='+f.style.width);
10606 s.setAttribute('draggable','true')
10607 f.setAttribute('draggable','false'); // why necessary?
10608 l.setAttribute('draggable','false'); // why necessary?
10609 cmd.setAttribute('draggable','false'); // why necessary?
10610 s.addEventListener('dragstart', e => { onWinDragstart(e); });
10611 s.addEventListener('drag', e => { onWinDrag(e); });
10612 s.addEventListener('exit', e => { onWinDragexit(e); });
10613 s.addEventListener('dragend', e => { onWinDragend(e); });
10614 s.addEventListener('dragexit', e => { onWinDragexit(e); });
10615 s.addEventListener('dragenter', e => { onWinDragenter(e); });
10616 s.addEventListener('dragover', e => { onWinDragover(e); });
10617 s.addEventListener('dragleave', e => { onWinDragleave(e); });
10618 s.addEventListener('drop', e => { onWinDragdrop(e); });
10619
10620 s.addEventListener('mouseenter',e => { onEnterWin(e); });
10621 s.addEventListener('mouseleave',e => { onLeaveWin(e); });
10622
10623 if( false ){
10624     s.style.position = "absolute";
10625     s.style.x = x+'px';
10626     s.style.left = x+'px';
10627     s.style.y = y+'px';
10628     s.style.top = y+'px';
10629 }else{
10630     s.style.setProperty('position','absolute','important');
10631     s.style.setProperty('x',x+'px','important');
10632     s.style.setProperty('left',x+'px','important');
10633     s.style.setProperty('y',y+'px','important');
10634     s.style.setProperty('top',y+'px','important');
10635 }
10636
10637 favicon = './favicon.ico';
10638 uv1 = u.split('/:');
10639 if( 2 <= uv1.length ){
10640     uv2 = uv1[1].split('/');
10641     if( 2 <= uv2.length ){
10642         if( uv1[0] == 'file' ){
10643             //favicon = 'file://' + uv2.slice(0,uv2.length-1).join('/');
10644             // + '/favicon.ico';
10645             favicon = './favicon.ico';
10646         }else{
10647             favicon = uv1[0] + '://' + uv2[0] + '/favicon.ico';
10648         }
10649     }
10650 }
10651 //wdllog("---- favicon-url="+favicon);
10652 href_id = l.id + ' href';
10653 l.innerHTML = ''
10654     + '<a id="'+href_id+'" class="WirtualBrowserLocation" href="'+u+'>'+u+'</a>';
10655 l.addEventListener('click', e => { onClickWin(e); });
10656 l.addEventListener('mouseenter',e => { stopGShell(e); });
10657 l.addEventListener('mouseleave',e => { contGShell(e); });
10658 l.addEventListener('keydown', e => { onKeyDown(e); });
10659 l.addEventListener('keyup', e => { onKeyUp(e); });
10660
10661 cmd.href_id = href_id;
10662 wdllog('(0)cmd#'+cmd.id);
10663 wdllog('(1)href_id#'+href_id);
10664 wdllog('(2)href_id#'+cmd.href_id);

```

```

10665 cmd.addListener('click', e => { VirtualBrowserCommand(e,s,l,cmd,f); });
10666
10667 f.style.borderColor = c;
10668 f.src = u;
10669 //f.addListener('mouseenter',e => { onEnterWin(e); });
10670 //f.addListener('mouseleave',e => { onLeaveWin(e); });
10671
10672 //s.addListener('click', e => { onClickWin(e); });
10673 //f.addListener('click', e => { wdlog('click wbl'); });
10674 f.addListener('mozbrowsericonchange',onFaviconChange);
10675
10676 wdlog('done settle VirtualBrowser url='+u+'\n'
10677 + 'id=' + s.id + ' '
10678 + 'width=' + s.style.width + ' '
10679 + 'height=' + s.style.height + ' '
10680 + 'cmd=' + cmd.id
10681 );
10682
10683
10684function WD_EventSetup2(){
10685 dt = VirtualDesktop_1;
10686 dt.style.width = "800px";
10687 dt.style.height = "500px";
10688 dt.addListener('dragstart',e => { onWinDragstart(e); });
10689 dt.addListener('drag', e => { onWinDrag(e); });
10690 dt.addListener('exit', e => { onWinDragexit(e); });
10691}
10692
10693function GRonClick(){
10694 WD_SaveScope(null); // should be push
10695 t = event.target;
10696 x = t.getAttribute('data-leftx');
10697 y = t.getAttribute('data-topy');
10698 zoom = WD_Zoom_1_XY.value;
10699 x *= zoom;
10700 y *= zoom;
10701 WD_doScrollXY(event,x,y);
10702 //alert('scroll #' + t.id + ' x=' + x + ', y=' + y);
10703}
10704function WD_setGrid(e){
10705 t = e.target;
10706 WD_setGrid1(t);
10707}
10708function WD_setGrid(t){
10709 //ds = VirtualDesktop_1_Content; // should be VirtualSpace_1
10710 ds = VirtualDesktop_1_GridPlane;
10711 if( t.value == 'GridOn' ){
10712 for( col = 0; col < 16; col++ ){
10713 for( row = 0; row < 16; row++ ){
10714 g1 = document.createElement('span');
10715 g1.setAttribute('class','VirtualGrid');
10716 leftx = col * 800;
10717 topy = row * 500;
10718 gid = col + '.' + row
10719 label = '<' + 'span'
10720 + 'id="'+gid+'" '+ 'class="WD_GridScroll" '
10721 + 'contenteditable="false" onclick="GRonClick()" '
10722 + 'data-leftx=' + leftx + ' ' + 'data-topy=' + topy + ' '
10723 + '>'
10724 + gid + '<' + '/span>';
10725 console.log('grid '+label);
10726 g1.innerHTML = label;
10727 g1.position = 'relative';
10728 g1.leftx = leftx;
10729 g1.topy = topy;
10730 g1.style.left = g1.leftx + 'px';
10731 g1.style.top = g1.topy + 'px';
10732 if( col % 2 == row % 2 ){
10733 g1.style.backgroundColor = 'rgba(255,255,255,0.3)';
10734 }
10735 ds.appendChild(g1);
10736 }
10737 }
10738 t.value = 'GridOff';
10739 }else{
10740 ds.innerHTML = '';
10741 t.value = 'GridOn';
10742 }
10743}
10744
10745var sav_scrollLeft;
10746var sav_scrollTop;
10747var sav_nsacle;
10748function WD_SaveScope(e){
10749 sav_scrollLeft = WD_Left_1.value;
10750 sav_scrollTop = WD_Top_1.value;
10751 sav_nsacle = WD_Zoom_1_XY.value;
10752 //console.log('saved zoom='+sav_nsacle+', '+sav_nsacle);
10753}
10754function WD_RestoreScope(e){
10755 WD_Zoom_1_XY.value = sav_nsacle;
10756 WD_doZoom();
10757
10758 WD_Left_1.value = sav_scrollLeft;
10759 WD_Top_1.value = sav_scrollTop;
10760 WD_doScroll(null);
10761}
10762function ignoreEvent(e){
10763 e.stopPropagation();
10764 //e.preventDefault();
10765}
10766function zoomMag(){
10767 return WD_Zoom_1_MAG.value;
10768}
10769function WD_EventSetup3(){
10770 WD_Grid_1.addListener('click', e => { WD_setGrid(e); });
10771 WD_Zoom_1_Save.addListener('click', e => { WD_SaveScope(e); });
10772 WD_Zoom_1_Restore.addListener('click', e => { WD_RestoreScope(e); });
10773 WD_Width_1.value = dt.style.width;
10774 WD_Width_1.addListener('keydown',ignoreEvent);
10775 WD_Width_1.addListener('keyup',ignoreEvent);
10776 WD_Height_1.value = dt.style.height;
10777 WD_Height_1.addListener('keydown',ignoreEvent);
10778 WD_Height_1.addListener('keyup',ignoreEvent);
10779 WD_Zoom_1_MAG.addListener('keydown',ignoreEvent);
10780 WD_Zoom_1_MAG.addListener('keyup',ignoreEvent);
10781}
10782
10783function escale1(e,oscale,nscale){
10784 e.style.setProperty('transform','scale('+nscale+')');
10785 rscale = oscale / nscale;
10786 w = parseInt(e.style.width);
10787 h = parseInt(e.style.height);
10788 w = w * rscale; //(oscale/nscale);

```

```

10789 h = h * rscale; //(oscale/nscale);
10790 e.style.width = w + 'px';
10791 e.style.height = h + 'px';
10792
10793function scaleWD(ds,oscale,nscale){
10794  if( true ){
10795    escale1(WirtualBrowser_1,oscale,nscale);
10796    escale1(WirtualBrowser_1_Location,oscale,nscale);
10797    escale1(WirtualBrowser_1_Command,oscale,nscale);
10798    escale1(WirtualBrowser_1_Frame,oscale,nscale);
10799
10800    escale1(WirtualBrowser_2,oscale,nscale);
10801    escale1(WirtualBrowser_2_Location,oscale,nscale);
10802    escale1(WirtualBrowser_2_Command,oscale,nscale);
10803    escale1(WirtualBrowser_2_Frame,oscale,nscale);
10804
10805    escale1(WirtualBrowser_3,oscale,nscale);
10806    escale1(WirtualBrowser_3_Location,oscale,nscale);
10807    escale1(WirtualBrowser_3_Command,oscale,nscale);
10808    escale1(WirtualBrowser_3_Frame,oscale,nscale);
10809  }
10810}
10811function WD_doZoom(){
10812  ds = WirtualDesktop_1_Content; // should be WirtualSpace_1
10813  oscale = WD_Zoom_1_XY.ovalue; // hidden value for current zoom
10814  nscale = WD_Zoom_1_XY.value;
10815  ds.style.zoom = nscale;
10816  WD_Zoom_1_XY.value = ds.style.zoom;
10817  WD_Zoom_1_XY.ovalue = ds.style.zoom;
10818  scaleWD(ds,oscale,nscale);
10819}
10820function WD_EventSetup4(){
10821  WD_Zoom_1.addEventListener('click',WD_doZoom);
10822  WD_Zoom_1_XY.addEventListener('keydown',ignoreEvent);
10823  WD_Zoom_1_XY.addEventListener('keyup',ignoreEvent);
10824}
10825
10826function WD_doZoomOUT(){
10827  ds = WirtualDesktop_1_Content; // should be WirtualSpace_1
10828  oscale = WD_Zoom_1_XY.value;
10829  if( oscale == 0 || oscale == '' ){
10830    oscale = 1;
10831  }
10832  nscale = oscale / zoomMag();
10833  ds.style.zoom = nscale;
10834  WD_Zoom_1_XY.value = ds.style.zoom;
10835  WD_Zoom_1_XY.ovalue = ds.style.zoom;
10836  scaleWD(ds,oscale,nscale);
10837}
10838function WD_doZoomIN(){
10839  ds = WirtualDesktop_1_Content; // should be WirtualSpace_1
10840  oscale = WD_Zoom_1_XY.value;
10841  if( oscale == 0 || oscale == '' ){
10842    oscale = 1;
10843  }
10844  nscale = oscale * zoomMag();
10845  if( 4 < nscale ){
10846    alert('maybe too large, zoom='+nscale);
10847    return;
10848  }
10849  ds.style.zoom = nscale;
10850  WD_Zoom_1_XY.value = ds.style.zoom;
10851  WD_Zoom_1_XY.ovalue = ds.style.zoom;
10852  scaleWD(ds,oscale,nscale);
10853}
10854function WD_EventSetup5(){
10855  WD_Zoom_1_OUT.addEventListener('click',WD_doZoomOUT);
10856  WD_Zoom_1_IN.addEventListener('click',WD_doZoomIN);
10857}
10858
10859function WD_doResize(e){
10860  dt = WirtualDesktop_1;
10861  dt.style.width = WD_Width_1.value;
10862  dt.style.height = WD_Height_1.value;
10863  WD_Width_1.value = dt.style.width;
10864  WD_Height_1.value = dt.style.height;
10865}
10866WD_Resize_1.addEventListener('click',e => { WD_doResize(e); });
10867
10868
10869function WD_doRSResize(e){
10870  //alert('Resize Space');
10871  ds = WirtualDesktop_1_Content; // should be WirtualSpace_1
10872  ds.style.width = WS_1_Width.value;
10873  ds.style.height = WS_1_Height.value;
10874  WS_1_Width.value = ds.style.width;
10875  WS_1_Height.value = ds.style.height;
10876}
10877function WD_EventSetup6(){
10878  ds = WirtualDesktop_1_Content; // should be WirtualSpace_1
10879  ds.style.width = '5120px';
10880  ds.style.height = '2880px';
10881  WS_1_Width.value = ds.style.width;
10882  WS_1_Height.value = ds.style.height;
10883  WS_1_Width.addEventListener('keydown',ignoreEvent);
10884  WS_1_Width.addEventListener('keyup',ignoreEvent);
10885  WS_1_Height.addEventListener('keydown',ignoreEvent);
10886  WS_1_Height.addEventListener('keyup',ignoreEvent);
10887  WS_Resize_1.addEventListener('click',e => { WD_doRSResize(e); });
10888}
10889
10890function WD_doScrollXY(e,sleft,stop){
10891  dt = WirtualDesktop_1;
10892  dt.scrollLeft = sleft;
10893  dt.scrollTop = stop;
10894  WD_Left_1.value = dt.scrollLeft;
10895  WD_Top_1.value = dt.scrollTop;
10896  console.log('--Scroll #' + dt.id + ' (' + sleft + ', ' + stop + ')');
10897}
10898function WD_doScroll(e){
10899  //dt = WirtualDesktop_1_Content;
10900  dt = WirtualDesktop_1;
10901  sleft = parseInt(WD_Left_1.value);
10902  stop = parseInt(WD_Top_1.value);
10903  dt.scrollLeft = sleft;
10904  dt.scrollTop = stop;
10905  WD_Left_1.value = dt.scrollLeft;
10906  WD_Top_1.value = dt.scrollTop;
10907  console.log('--Scroll #' + dt.id + ' (' + sleft + ', ' + stop + ')');
10908}
10909function showScrollPosition(){
10910  if( false )
10911    console.log(
10912      'wstop=' + WirtualDesktop_1.style.top + ', ' +

```



```

10913     'wsx=' + VirtualDesktop_1.style.y + ',' +
10914     'wss=' + VirtualDesktop_1.scrollTop + ',' +
10915     'wdtop=' + VirtualDesktop_1_Content.style.top + ',' +
10916     'wdx=' + VirtualDesktop_1_Content.style.y + ',' +
10917     'wds=' + VirtualDesktop_1_Content.scrollTop + ',' +
10918     );
10919     WD_Left_1.value = VirtualDesktop_1.scrollTop;
10920     WD_Top_1.value = VirtualDesktop_1.scrollTop;
10921 }
10922 function WD_EventSetup7(){
10923     WD_Scroll_1.addEventListener('click', e => { WD_doScroll(e); });
10924     WD_Left_1.addEventListener('keydown', ignoreEvent);
10925     WD_Left_1.addEventListener('keyup', ignoreEvent);
10926     WD_Top_1.addEventListener('keydown', ignoreEvent);
10927     WD_Top_1.addEventListener('keyup', ignoreEvent);
10928 }
10929 function WD_EventSetup8(){
10930     VirtualDesktop_1.addEventListener('scroll', showScrollPosition);
10931     VirtualDesktop_1_Content.addEventListener('scroll', showScrollPosition);
10932 }
10933
10934 if( false ){
10935     w = 1000 + 'px';
10936     dt.style.width = w;
10937     dt.style.height = "300px";
10938     dt.style.resize = 'both';
10939     dt.style.borderWidth = 50 + 'px';
10940     dt.style.borderRadius = 25 + 'px';
10941     console.log('--2----- #' + dt.id + ' style=' + dt.style);
10942     console.log('----- #' + dt.id + ' width=' + dt.style.width);
10943     console.log('----- #' + dt.id + ' left=' + dt.style.left);
10944     console.log('----- #' + dt.id + ' border=' + dt.style.border);
10945 }
10946 function onDTRize(e){
10947     dt = e.target;
10948     h = parseInt(dt.style.height);
10949     dt.style.borderWidth = (h * 0.075) + 'px';
10950     console.log('----- borderWidgh=' + dt.style.borderWidth);
10951 }
10952
10953 VirtualDesktopDetails.addEventListener('toggle', VirtualDesktop_init);
10954 function VirtualDesktop_init(){
10955     if( !VirtualDesktopDetails.open ){
10956         return;
10957     }
10958     //GJ_Join();
10959     VirtualDesktop_1.addEventListener('resize', e => { onDTRize(e); });
10960     //console.log('----- #' + dt.id
10961     // + ' borderWidth=' + dt.style.getProperty('border-width'));
10962
10963     settleWin(
10964         VirtualBrowser_1,
10965         VirtualBrowser_1_Location,
10966         VirtualBrowser_1_Command,
10967         VirtualBrowser_1_Frame,
10968         document.URL,
10969         500, 280, 50, 20, '#262', 1.0);
10970     settleWin(
10971         VirtualBrowser_2,
10972         VirtualBrowser_2_Location,
10973         VirtualBrowser_2_Command,
10974         VirtualBrowser_2_Frame,
10975         'https://its-more.jp/ja_jp/',
10976         500, 280, 150, 100, '#448', 1.0);
10977     settleWin(
10978         VirtualBrowser_3,
10979         VirtualBrowser_3_Location,
10980         VirtualBrowser_3_Command,
10981         VirtualBrowser_3_Frame,
10982         '../gshell/gsh.go.html',
10983         'http://gshell.org/gshell/gsh.go.html',
10984         'https://golang.org',
10985         500, 280, 250, 180, '#444', 1.0);
10986         //1000, 720, 0, 0, '#444', 0.125);
10987         //1200, 720, -100, -50, '#444', 0.4);
10988     function WD_ClockUpdate(e){
10989         VirtualDesktop_1_Clock.innerHTML = DateShort();
10990         VirtualDesktop_1_Calender.innerHTML = DateHourMin();
10991     }
10992     window.setInterval(WD_ClockUpdate, 500);
10993
10994     WD_EventSetup1();
10995     WD_EventSetup2();
10996     WD_EventSetup3();
10997     WD_EventSetup4();
10998     WD_EventSetup5();
10999     WD_EventSetup6();
11000     WD_EventSetup7();
11001     WD_EventSetup8();
11002 }
11003 //VirtualDesktop_init();
11004
11005 Destroy VirtualDesktop = function(){
11006     VirtualDesktop_1.style = "";
11007
11008     VirtualBrowser_1.removeAttribute('style');
11009     VirtualBrowser_1_Location.innerHTML = '';
11010     VirtualBrowser_1_Frame.removeAttribute('src');
11011     VirtualBrowser_1_Frame.removeAttribute('style');
11012     VirtualBrowser_1_Frame.style = "";
11013
11014     VirtualBrowser_2.removeAttribute('style');
11015     VirtualBrowser_2_Location.innerHTML = '';
11016     VirtualBrowser_2_Frame.removeAttribute('src');
11017     VirtualBrowser_2_Frame.style = "";
11018
11019     VirtualBrowser_3.removeAttribute('style');
11020     VirtualBrowser_3_Location.innerHTML = '';
11021     VirtualBrowser_3_Frame.removeAttribute('src');
11022     VirtualBrowser_3_Frame.style = "";
11023
11024     GJFactory_1.style = "";
11025     iframe0.style = "";
11026     VirtualDesktop_1.style = "";
11027 }
11028
11029 </script>
11030 <!-- VirtualDesktop } -->
11031 </details>
11032 *//</span>
11033
11034 <!-- ===== Work { ===== -->
11035 </span id="SBSidebar_WorkCodeSpan">
11036 *

```

```

11037<details><summary>SBSidebar</summary>
11038<!-- ----- SBSidebar // 2020-0928 SatoxITS { -->
11039<h2>SBSidebar</h2>
11040<input id="SBSidebar_WorkOpensSnapshot" class="HtmlCodeViewButton" type="button" value="Snapshot">
11041<input id="SBSidebar_WorkCodeSignature" class="HtmlCodeViewButton" type="button" value="Signature">
11042<input id="SBSidebar_WorkCodeViewOpen" class="HtmlCodeViewButton" type="button" value="ShowCode">
11043<span id="SBSidebar_WorkCodeView"></span>
11044<script id="SBSidebar_WorkScript">
11045function SBSidebar_openWorkCodeView(){
11046    function SBSidebar_showWorkCode(){
11047        showHtmlCode(SBSidebar_WorkCodeView,SBSidebar_WorkCodeSpan);
11048    }
11049    SBSidebar_WorkCodeViewOpen.addEventListener('click',SBSidebar_showWorkCode);
11050}
11051SBSidebar_openWorkCodeView(); // should be invoked by an event
11052
11053console.log('-- SbsSlider // 2020-1006-01 SatoxITS --');
11054function SetSidebar(){
11055    sidebar = document.getElementById('secondary');
11056//    console.log('primary='+primary+ ' +secondary='+sidebar+ ' +main'+main+ ' ');
11057    wrap = sidebar.parentNode;
11058    console.log('-- SbsSlider parent is '+wrap+', #' +wrap.id+' .' +wrap.class);
11059//wrap = wrap.parentNode;
11060//console.log('-- SbsSlider parent is '+wwwrap+', #' +wwwrap.id+' .' +wwwrap.class);
11061//wwwrap = wwwrap.parentNode;
11062//console.log('-- SbsSlider parent is '+wwwwrap+', #' +wwwwrap.id+' .' +wwwwrap.class);
11063//nsb = sidebar.cloneNode();
11064    nsb = sidebar;
11065    nsb.style.width = '100%';
11066    slider = document.createElement('div');
11067    slider.id = 'SbSlider';
11068    slider.appendChild(nsb);
11069    slider.setAttribute('class', 'SbSlider');
11070    nsb.style.position = 'relative';
11071    slider.style.position = 'fixed';
11072    slider.style.display = 'block'; //inline;
11073    // nsb.style.zIndex = 100000;
11074    // nsb.style.zIndex = 200000;
11075    nsb.style.position = 'absolute';
11076    nsb.style.minWidth = '80px';
11077    nsb.style.left = '0px';
11078    nsb.style.top = '0px';
11079
11080    w = window.innerWidth;
11081    console.log('SliderWidth '+w+': ',(w/3)+'px');
11082    if( w < 640){
11083        slider.style.setProperty('width',(w/3) + 'px','important');
11084    }
11085    main.style.marginLeft = (parseInt(slider.style.width)/2 - 20) + 'px';
11086
11087    slider.style.resize = "both";
11088    slider.draggable = "true";
11089    wrap.appendChild(slider);
11090    console.log('-- added SbsSlider');
11091    //nsb.addEventListener('scroll',SbScrolled);
11092
11093    buttons = document.createElement('div');
11094    buttons.id = 'NaviButtons';
11095    buttons.setAttribute('class','NaviButtons');
11096    buttons.align = "center";
11097    buttons.innerHTML += '<'+p><a href="#TopOfPost" draggable="true">TOP<'+/a><'+/p>';
11098    buttons.innerHTML += '<'+p><a href="#EndOfPost" draggable="true">END<'+/p>';
11099    page.appendChild(buttons);
11100    buttons.style.position = 'fixed';
11101    buttons.style.zIndex = 30000;
11102    buttons.style.width = '180%';
11103    buttons.style.top = '320px';
11104    buttons.style.left = parseInt(w) * 1.0 + 'px';
11105    console.log('-- SbsSlider installed (^-^)/ SatoxITS');
11106}
11107//window.addEventListener('load',SetSidebar); // after load
11108DestroyNaviButtons = function(){
11109    nb = document.getElementById('NaviButtons');
11110    if( nb != null){
11111        nb.parentNode.removeChild(NaviButtons);
11112    }
11113}
11114</script>
11115
11116// 2020-1006 its-more.jp-blog-60000-style.css
11117<!-- {
11118<style>
11119#NaviButtons {
11120    position:fixed;
11121    display:block;
11122    xwidth:100%;
11123    xxtop:100px;
11124    xxleft:10px;
11125    z-index:30000;
11126    font-size:10pt;
11127    color:#2ff !important;
11128    text-align:center;
11129    background-color:rgba(230,230,230,0.01);
11130}
11131#NaviButtons a {
11132    color:#2a2 !important;
11133    font-size:20px;
11134    text-align:center;
11135    xtext-shadow:2px 2px #8ff;
11136    resize:both;
11137    padding:6px;
11138    margin:10px;
11139    border:1px solid #288 !important;
11140    border-radius:3px;
11141    background-color:rgba(160,160,160,0.05);
11142}
11143#SbSlider {
11144    overflow:auto;
11145    resize:both !important;
11146    xoverflow-y:hidden !important;
11147    height:100px !important;
11148    display:inline !important;
11149    position:fixed !important;
11150    left:0px;
11151    top:0px;
11152    xxwidth:180px;
11153    width:24%;
11154    min-width:80px;
11155    height:100% !important;
11156    background-color:rgba(100,100,200,0.1);
11157}
11158#secondary {
11159    position:fixed;
11160    left:0px;

```

```

11161 top:0px;
11162 xxxz-index:60000;
11163 scroll-behavior: overflow !important;
11164 xxxxxxxxxxxxxxxxxxxxxxxxxxxwidth:18% !important;
11165 padding-left:4pt;
11166 color:#fff;
11167 font-size:0.5em;
11168 background-color:rgba(64,160,64,0.6) !important;
11169 white-space:nowrap;
11170}
11171#secondary a {
11172 color:#fff !important;
11173 text-decoration:disable !important;
11174}
11175#primary {
11176 position:relative;
11177 width:75% !important;
11178 left:25% !important;
11179}
11180#main {
11181 position:relative;
11182 width:75% !important;
11183 left:25% !important;
11184}
11185#site-navigation {
11186 position:relative;
11187 left:120px;
11188}
11189#adswsc_countertext {
11190 color:#4169e1;
11191 font-size:16pt !important;
11192 xxfont-size:10% !important;
11193 font-weight:bold;
11194}
11195#nowTime {
11196 color:#a0ffa0;
11197 font-size:16pt !important;
11198 xxfont-size:10% !important;
11199 font-weight:bold;
11200 text-shadow:1px 1px #fff;
11201}
11202.navigation-top {
11203 color:#22a !important;
11204 border:0px;
11205 background-color:rgba(220,220,220,0.1);
11206}
11207
11208.visible-scrollbar, .invisible-scrollbar, .mostly-customized-scrollbar {
11209 display: block;
11210 xxwidth: 1em;
11211 xxoverflow: auto;
11212 xxheight: 1em;
11213}
11214.invisible-scrollbar::-webkit-scrollbar {
11215 xxdisplay: none;
11216 width:1px !important;
11217 height:1px !important;
11218}
11219.mostly-customized-scrollbar::-webkit-scrollbar {
11220 width: 2px;
11221 height: 2px;
11222 xxbackground-color: #aaa; xxx:or add it to the track;
11223}
11224.mostly-customized-scrollbar::-webkit-scrollbar-thumb {
11225 background: #000;
11226}
11227</style>
11228} -->
11229
11230
11231</details>
11232<!-- SBSidebar_WorkCodeSpan } -->
11233*! //</span>
11234//<!-- ===== Work } ===== -->
11235
11236
11237//<!-- ===== Work { ===== -->
11238//<span id="Affiliate_WorkCodeSpan">
11239/*
11240<div id="AffViewDock">
11241<div id="AffView" class="AffView" draggable="true" style="">
11242<div id="AffiSet" class="AffiPlate">
11243 <iframe id="aff_0" class="AffiItem"></iframe>
11244 <iframe id="aff_1" class="AffiItem"></iframe>
11245 <iframe id="aff_2" class="AffiItem"></iframe>
11246 <iframe id="aff_3" class="AffiItem"></iframe>
11247 <iframe id="aff_4" class="AffiItem"></iframe>
11248 <iframe id="aff_5" class="AffiItem"></iframe>
11249</div>
11250</div></div>
11251<details id="Affiliate_Test"><summary>Affiliate</summary>
11252<!-- ----- Affiliate // 2020-1010 SstoxITS { -->
11253<h2>Supportive Affiliate</h2>
11254<style>
11255.AffView {
11256 z-index:0;
11257 overflow-x:scroll;
11258 overflow-y:scroll;
11259 position:fixed;
11260 max-width:2560px;
11261 max-height:100%;
11262 width:270px;
11263 left:75%;
11264 height:95%;
11265 resize:both;
11266 xleft:-10%;
11267 margin-top:40px;
11268 xleft:0;
11269 xxalign:right;
11270 display:block;
11271 border:4px inset rgba(255,255,255,0.1);
11272 background-color:rgba(255,255,255,0.1);
11273}
11274.AffView:hover {
11275 z-index:1;
11276 width:300px;
11277 overflow:scroll;
11278 border:4px inset #foc;
11279 background-color:rgba(80,80,255,0.2);
11280 background-color:#ffc;
11281}
11282.AffPlate:hover {
11283 border-left:4px dashed #888;
11284}

```

```

11285.AffPlate{
11286   overflow-x:visible;
11287   border-left:4px dashed rgba(255,255,255,0.1);
11288   max-width:2560px;
11289   max-height:2880px;
11290   margin-top:10px;
11291   margin-bottom:10px;
11292   margin-left:4px;
11293   width:300px;
11294   xheight:1440px;
11295}
11296.AffItem {
11297   overflow-x:visible;
11298   xoverflow-y:scroll;
11299   max-width:2560px;
11300   max-height:1440px;
11301   z-index:0;
11302   display:block;
11303   xposition:fixed;
11304   xposition:absolute;
11305   position:relative;
11306   //left:300px;
11307   xresize:both;
11308   padding:0px;
11309   width:600px;
11310   height:400px;
11311   max-height:800px !important;
11312   margin-top:0%;
11313   margin-left:0%;
11314   margin-right:0% !important;
11315   border:16px inset #ccc;
11316   transform:scale(0.5);
11317   background-color:rgba(255,255,255,0.2);
11318   xxalign:right;
11319}
11320.AffItem:hover {
11321   border:16px inset #bbf;
11322}
11323</style>
11324<input id="Affiliate_WorkCodeViewOpen" class="HtmlCodeViewButton" type="button" value="ShowCode">
11325<input id="Affiliate_WorkOpenSnapshot" class="HtmlCodeViewButton" type="button" value="Snapshot">
11326<input id="Affiliate_WorkCodeSignature" class="HtmlCodeViewButton" type="button" value="Signature">
11327<span id="Affiliate_WorkCodeView"></span>
11328<script id="Affiliate_WorkScript">
11329function Affiliate_openWorkCodeView(){
11330   function Affiliate_showWorkCode(){
11331       showHtmlCode(Affiliate_WorkCodeView,Affiliate_WorkCodeSpan);
11332   }
11333   Affiliate_WorkCodeViewOpen.addEventListener('click',Affiliate_showWorkCode);
11334}
11335Affiliate_openWorkCodeView(); // should be invoked by an event
11336
11337<<iframe id="aff_8" xxsrc="https://stackoverflow.com/tags" class="AffItem"></iframe>
11338<<iframe id="aff_9" xxsrc="https://developer.mozilla.org/en-US/docs/Web" class="AffItem"></iframe>
11339var Aff_isSetup = false;
11340Affiliate_Test.addEventListener('click',Aff_Setup);
11341function Aff_Setup(){
11342   if( Aff_isSetup ){ return; } Aff_isSetup = true;
11343   parent = document.documentElement;
11344   parent.appendChild(AffView);
11345   AffView.style.top = '0px';
11346   AffView.style.left = (window.innerWidth - 280) + 'px';
11347
11348   var off = 100;
11349   zoom = 0.5;
11350   ozoom = 0.3;
11351   leftx = window.innerWidth - 300;
11352   left = leftx + 'px';
11353left = -130 + 'px';
11354   console.log('aff-init window.innerWidth='+window.innerWidth);
11355   w = 1000;
11356   h = 560;
11357
11358   aff_0.src = "../gshell/gsh.go.html";
11359   aff_1.src = "https://golang.org";
11360   aff_2.src = "https://drafts.csswg.org/";
11361   aff_3.src = "https://html.spec.whatwg.org/dev/";
11362   aff_4.src = "https://wikipedia.org";
11363   aff_5.src = "https://www.bing.com/translator";
11364
11365   //parent.appendChild(aff_0);
11366   aff_0.style.width = zoom*w+'px';
11367   aff_0.style.height = zoom*h+'px';
11368   aff_0.style.left = left;
11369   //aff_0.style.top = off+'px'; off += ozoom*h;
11370   aff_0.draggable = 'true';
11371
11372   //parent.appendChild(aff_1);
11373   aff_1.style.width = zoom*w+'px';
11374   aff_1.style.height = zoom*h+'px';
11375   aff_1.style.left = left;
11376   //aff_1.style.top = off+'px'; off += ozoom*h;
11377   aff_1.style.top = '-150px';
11378   aff_1.draggable = 'true';
11379
11380   //parent.appendChild(aff_2);
11381   aff_2.style.width = zoom*w+'px';
11382   aff_2.style.height = zoom*h+'px';
11383   aff_2.style.left = left;
11384   //aff_2.style.top = off+'px'; off += ozoom*h;
11385   aff_2.style.top = '-300px';
11386   aff_2.draggable = 'true';
11387
11388   //parent.appendChild(aff_3);
11389   aff_3.style.transform = 'scale(0.25)';
11390   aff_3.style.width = 2*zoom*w+'px';
11391   aff_3.style.height = 2*zoom*h+'px';
11392   aff_3.style.border = '32px inset #ccc';
11393   //aff_3.style.left = -390 + 'px'; //left+2;
11394   //aff_3.style.left = (leftx - 265) + 'px';
11395   aff_3.style.left = -395 + 'px';
11396   //aff_3.style.top = (-155+off)+'px'; off += ozoom*h;
11397   aff_3.style.top = '-600px';
11398   aff_3.draggable = 'true';
11399
11400   //parent.appendChild(aff_4);
11401   aff_4.style.width = zoom*w+'px';
11402   aff_4.style.height = zoom*h+'px';
11403   aff_4.style.left = left;
11404   //aff_4.style.top = off+'px'; off += ozoom*h;
11405   aff_4.style.top = '-900px';
11406   aff_4.draggable = 'true';
11407
11408   //parent.appendChild(aff_5);

```

```

11409   aff_5.style.transform = 'scale(0.300)';
11410   aff_5.style.width = zoom*(w*1.67)+'px';
11411   aff_5.style.height = zoom*(h*1.67)+'px';
11412   aff_5.style.border = '25px inset #ccc';
11413   aff_5.style.left = -308+'px';
11414   //aff_5.style.left = (-175+leftx)+'px';
11415   //aff_5.style.top = (-95+off)+'px'; off += ozoom*h;
11416   //aff_5.style.left = '0px';
11417   //aff_5.style.top = '0px';
11418   aff_5.style.top = '-1150px';
11419   ///aff_5.style.align = 'right';
11420   aff_5.draggable = 'true';
11421}
11422function affresize(){
11423   AffView.style.left = (window.innerWidth - 280) + 'px';
11424   leftx = window.innerWidth - 400;
11425   left = leftx + 'px';
11426   console.log('aff-resize window.innerWidth='+window.innerWidth);
11427}
11428window.addEventListener('resize',affresize);
11429//document.addEventListener('resize',affresize);
11430//gsh.addEventListener('resize',affresize);
11431
11432function ResetAffView(){
11433   AffViewDock.appendChild(AffView);
11434   AffView.removeAttribute('style');
11435   aff_0.removeAttribute('src');
11436   aff_0.removeAttribute('style'); aff_0.removeAttribute('draggable');
11437   aff_1.removeAttribute('src');
11438   aff_1.removeAttribute('style'); aff_1.removeAttribute('draggable');
11439   aff_2.removeAttribute('src');
11440   aff_2.removeAttribute('style'); aff_2.removeAttribute('draggable');
11441   aff_3.removeAttribute('src');
11442   aff_3.removeAttribute('style'); aff_3.removeAttribute('draggable');
11443   aff_4.removeAttribute('src');
11444   aff_4.removeAttribute('style'); aff_4.removeAttribute('draggable');
11445   aff_5.removeAttribute('src');
11446   aff_5.removeAttribute('style'); aff_5.removeAttribute('draggable');
11447}
11448</script>
11449</details>
11450<!-- Affiliate_WorkCodeSpan -->
11451*! //</span>
11452//<!-- ===== Work } ===== -->
11453
11454
11455
11456//<!-- ===== Work { ===== -->
11457//<span id="FontSelector_WorkCodeSpan">
11458/*
11459<details><summary>Font Selector</summary>
11460<!-- ----- FontSelector // 2020-1013 SatoxITS { -->
11461<h2>Font Selection</h2>
11462<div>
11463<div id="FontList"></div>
11464<div>
11465<style>
11466#FontList {
11467   overflow:visible;
11468   background-color:rgba(240,245,255,1.0) !important;
11469}
11470#FontList td {
11471   font-size:20px;
11472   padding:0px;
11473   padding-left:2px;
11474   padding-right:2px;
11475   margin:0px;
11476   line-height:1.2;
11477   border:0px;
11478}
11479#FontList tr:hover {
11480   color:#fff;
11481   background-color:#000;
11482   xxborder:1px solid #000;
11483}
11484.xcourier { colr:#000; font-size:16px; font-family:courier; }
11485.xcursive { colr:#000; font-size:16px; font-family:cursive; }
11486.xfantasy { colr:#000; font-size:16px; font-family:fantasy; }
11487.xgeorgia { colr:#000; font-size:16px; font-family:georgia; }
11488.xmonospace { colr:#000; font-size:16px; font-family:monospace; }
11489</style>
11490<script>
11491function fontstr(name,text){
11492   //tr = '<'+tr style='\font-family:'+name+';\>\n';
11493   tr = '<'+tr style='\font-family:'+name+';\>\n';
11494   tr += '<'+td style="font-family:Arial;font-size:12pt;">'+name+'<'+td>';
11495   tr += '<'+td>'+text+'<'+td>';
11496   tr += '<'+td><'+b'+text+'<'+b>'+td>';
11497   tr += '<'+td><'+i'+text+'<'+i>'+td>';
11498   tr += '<'+td><'+b><'+i'+text+'<'+i>'+td>';
11499   tr += '<'+tr>';
11500   return tr;
11501}
11502function lsfont(){
11503   text = 'GShell-Go012';
11504
11505   fl = '';
11506   fl += '<table>\n'
11507   fl += fontstr('Arial',text);
11508   fl += fontstr('Courier',text);
11509   fl += fontstr('Courier New',text);
11510   fl += fontstr('Georgia',text);
11511   fl += fontstr('Helvetica',text);
11512   fl += fontstr('Verdana',text);
11513   fl += fontstr('Times',text);
11514
11515   fl += fontstr('Osaka',text);
11516   fl += fontstr('Meiryo',text);
11517   fl += fontstr('YuMincho',text);
11518
11519   //fl += fontstr('Roman',text);
11520   //document.fonts.load("30px cursive");
11521   fl += fontstr('Serif',text);
11522   fl += fontstr('Sans-Serif',text);
11523   fl += fontstr('System-UI',text);
11524   fl += fontstr('Monospace',text);
11525   fl += fontstr('Cursive',text);
11526   fl += fontstr('Fantasy',text);
11527   fl += '</table>\n'
11528
11529   if( false ){
11530     fss = document.fonts.entries(); // FontFaceSet
11531     console.log('FSS='+fss);
11532     while( true ){

```

```

11533     font = fss.next();
11534     if( font.done ){
11535         break;
11536     }
11537     fl += font.value[0] + '<br>';
11538 }
11539 }
11540 FontList.innerHTML = fl;
11541 }
11542 lsfont();
11543 document.fonts.onloadingdone = function(fsse){
11544     //alert('font-loaded '+fsse.fontfaces.length);
11545 }
11546 </script>
11547
11548
11549 <h2>Drawing Text on Canvas</h2>
11550 <!-- 2020-1012 -- Drawing Text on Canvas // SatoxITS { -->
11551 <div id="TextCanvas_1_Panel" class="TextCanvasPanel">
11552 <input id="TextCanvas_1_Clear" class="PanelButton" type="button" value="Clear">
11553 <input id="TextCanvas_1_Draw" class="PanelButton" type="button" value="Draw">
11554 <input id="TextCanvas_1_Font" class="CanvasPanel" type="text" size="14" value="Georgia">
11555 <input id="TextCanvas_1_Size" class="CanvasPanel" type="text" size="3" value="64">Pixels
11556 <input id="TextCanvas_1_Bold" class="CanvasBox" type="checkbox" checked="">Bold
11557 <input id="TextCanvas_1_Italic" class="CanvasBox" type="checkbox" checked="">Italic
11558 <p>
11559 <input id="TextCanvas_1_Text" type="text" size="50" value="GShell">
11560 </p>
11561 </div>
11562 <p>
11563 <canvas id="TextCanvas_1" class="TextCanvas" width="400px" height="100px" draggable="true"></canvas>
11564 </p>
11565 <style>
11566 .CommandUsageText {
11567     font-family:Courier New;
11568 }
11569 .TextCanvas {
11570     border:1px solid #000;
11571     resize:both;
11572     display:inline !important;
11573 }
11574 .CanvasBox {
11575     vertical-align:middle;
11576     margin-left:4px !important;
11577     margin-right:2px !important;
11578 }
11579 .CanvasPanel {
11580     vertical-align:middle !important;
11581     height:14pt !important;
11582     width:inherit !important;
11583     padding:2px !important;
11584     margin:4px !important;
11585     margin-left:4px !important;
11586     margin-right:2px !important;
11587     font-size:10pt !important;
11588     font-family:Georgia !important;
11589     color:#000;
11590     display:inline !important;
11591 }
11592 .TextCanvas1Panel {
11593     vertical-align:middle;
11594     font-size:10pt !important;
11595     font-family:Georgia !important;
11596     color:#000;
11597     display:inline !important;
11598 }
11599 .PanelButton {
11600     font-size:10pt !important;
11601     font-family:Georgia !important;
11602     vertical-align:middle;
11603     width:45pt !important;
11604     height:14pt !important;
11605     line-height:1.2 !important;
11606     padding:2px !important;
11607     margin:1px !important;
11608     display:inline !important;
11609     padding:1px !important;
11610     color:#fff !important;
11611     background-color:#228 !important;
11612 }
11613 </style>
11614 <script>
11615 function DrawTextCanvas(){
11616     ctx = TextCanvas_1.getContext('2d');
11617     var textfont = '';
11618     if( TextCanvas_1_Italic.checked ) textfont += ' italic';
11619     if( TextCanvas_1_Bold.checked ) textfont += ' bold';
11620     textfont += '+TextCanvas_1_Size.value+'px';
11621     textfont += '+TextCanvas_1_Font.value';
11622     //ctx.font = 'italic bold 64px Georgia';
11623     //console.log('TxFont='+textfont);
11624     ctx.font = textfont;
11625     ctx.fillText(TextCanvas_1_Text.value,10,80);
11626 }
11627 DrawTextCanvas();
11628 TextCanvas_1_Draw.addEventListener('click',DrawTextCanvas);
11629 function ClearTextCanvas(){
11630     cv = TextCanvas_1;
11631     ctx = cv.getContext('2d');
11632     ctx.clearRect(0,0,cv.width,cv.height);
11633 }
11634 TextCanvas_1_Clear.addEventListener('click',ClearTextCanvas);
11635 </script>
11636 <!-- } -->
11637
11638 <script>
11639 //TextCanvas_1_Panel.addEventListener('mouseover',OffGJShell);
11640 //TextCanvas_1_Panel.addEventListener('mouseout',OnGJShell);
11641 </script>
11642 </details>
11643 <!-- FontSelector_WorkCodeSpan } -->
11644 *//</span>
11645 <!-- ===== Work } ===== -->
11646
11647
11648 <!-- ===== Work { ===== -->
11649 <span id="Shading_WorkCodeSpan">
11650 *
11651 <details><summary>Shading Canvas</summary>
11652 <!-- ----- Shading Canvas // 2020-1011 SatoxITS { -->
11653 <h2>Shading Canvas</h2>
11654 <note class="CommandUsageText">
11655 <b>Commands</b><br>
11656 Placement Mode<br>

```

```

11657a ... apply (into absolute position)<br>
11658j ... bring down (ArrowDown)<br>
11659k ... bring up (ArrowUp)<br>
11660h ... bring left (ArrowLeft)<br>
11661l ... bring right (ArrowRight)<br>
11662o ... z-index = 0<br>
11663+ ... z-index += 1<br>
11664- ... z-index -= 1<br>
11665r ... return to here (relative position)<br>
11666c ... clear the log text<br>
11667Note: the HTML text must be contenteditable to catch Key Event.<br>
11668</note>
11669
11670
11671<div id="Shading_1" class="ShadingPlate" draggable="true" contenteditable="true">
11672<div id="Shading_1_Html" class="ShadingHtml" draggable="true"></div>
11673<div id="Shading_1_Log" class="ShadingLog" draggable="true" style=""></div>
11674
11675<canvas id="Shading_1_Canvas" class="ShadingCanvas" width="300px" height="300px" draggable="true" style="">My Canvas.</canvas></div>
11676<style>
11677.ShadingPlate {
11678  z-index:0;
11679  position:static;
11680  overflow:scroll;
11681  display:block;
11682  width:100%;
11683  height:400px;
11684  font-size:9pt;
11685  font-family:Courier New;
11686  border:1px dashed #000;
11687  color:#444;
11688}
11689.ShadingLog {
11690  z-index:0;
11691  position:relative;
11692  display:block;
11693  top:0px;
11694  left:0px;
11695  overflow:scroll;
11696  width:100%;
11697  font-size:9pt;
11698  font-family:Courier New;
11699  color:#666;
11700  overflow:scroll;
11701  background:rgba(200,255,200,0.4);
11702  height:400px;
11703}
11704.ShadingHtml {
11705  z-index:2;
11706  position:relative;
11707  display:block;
11708  top:0px;
11709  left:0px;
11710  overflow:scroll;
11711  width:100%;
11712  font-size:12pt;
11713  font-family:Courier New;
11714  color:#666;
11715  overflow:scroll;
11716  background:rgba(200,255,200,0.4);
11717  height:400px;
11718}
11719.ShadingCanvas {
11720  z-index:3;
11721  position:relative;
11722  xdisplay:block;
11723  top:0px;
11724  left:100px;
11725  resize:both;
11726  border:1px solid #000;
11727}
11728</style>
11729<input id="Shading_WorkCodeViewOpen" class="HtmlCodeViewButton" type="button" value="ShowCode">
11730<input id="Shading_WorkOpensSnapshot" class="HtmlCodeViewButton" type="button" value="Snapshot">
11731<input id="Shading_WorkCodeSignature" class="HtmlCodeViewButton" type="button" value="Signature">
11732<span id="Shading_WorkCodeView"></span>
11733<script id="Shading_WorkScript">
11734function Shading_openWorkCodeView(){
11735  function Shading_showWorkCode(){
11736    showHtmlCode(Shading_WorkCodeView,Shading_WorkCodeSpan);
11737  }
11738  Shading_WorkCodeViewOpen.addEventListener('click',Shading_showWorkCode);
11739}
11740const BR = '<'+<br>';
11741Shading_openWorkCodeView(); // should be invoked by an event
11742  function sh_onClick(e){
11743    Shading_1_Log.innerHTML += 'Click '+e.target.nodeName+'#'+e.target.id
11744    +' offset('+e.offsetX+', '+e.offsetY+')'
11745    +' client('+e.clientX+', '+e.clientY+')'
11746    +' page('+e.pageX+', '+e.pageY+')'
11747    +' screen('+e.screenX+', '+e.screenY+')'
11748    +BR;
11749    e.stopPropagation();
11750    e.preventDefault();
11751  }
11752  function sh_onKeyUp(e){
11753    if( Shading_1.style.zIndex == '' ){
11754      Shading_1.style.zIndex = 0;
11755    }
11756    zi = parseInt(Shading_1.style.zIndex);
11757
11758    if( e.key.length == 1 ){
11759      Shading_1_Html.innerHTML += e.key;
11760    }
11761
11762    if( e.key == '0' ){ zi = 0; }else
11763    if( e.key == '+' ){ zi += 1; }else
11764    if( e.key == '-' ){ zi -= 1; }else
11765    if( e.key == 'c' ){
11766      Shading_1_Log.innerHTML = '';
11767    }else
11768    if( e.key == 'r' ){
11769      Shading_1.style.position = "relative";
11770      Shading_1.style.top = '0px';
11771      Shading_1.style.left = '0px';
11772      zi = 0;
11773    }else
11774    if( e.key == 'j' || e.code == 'ArrowDown' ){
11775      topx = parseInt(Shading_1.style.top) + 50;
11776      Shading_1.style.top = topx + 'px';
11777    }else
11778    if( e.key == 'k' || e.code == 'ArrowUp' ){
11779      topx = parseInt(Shading_1.style.top) - 50;
11780      Shading_1.style.top = topx + 'px';

```

```

11781     }else
11782     if( e.key == 'l' || e.code == 'ArrowRight' ){
11783         lefty = parseInt(Shading_1.style.left) + 50;
11784         Shading_1.style.left = lefty + 'px';
11785     }else
11786     if( e.key == 'h' || e.code == 'ArrowLeft' ){
11787         lefty = parseInt(Shading_1.style.left) - 50;
11788         Shading_1.style.left = lefty + 'px';
11789     }else
11790     if( e.key == 'a' ){
11791         Shading_1.style.position = "absolute";
11792         Shading_1.style.top = '0px';
11793         Shading_1.style.left = '0px';
11794     }else{
11795     }
11796     Shading_1.style.zIndex = zi;
11797     Shading_1_Log.innerHTML += 'KeyUp..' + e.target.nodeName + '#' + e.target.id
11798     + 'Up(' + e.key + '/' + e.code + ')'
11799     + 'z-index:' + zi + '/' + Shading_1.style.zIndex
11800     + 'top:' + Shading_1.style.top
11801     + BR;
11802     e.stopPropagation();
11803     e.preventDefault();
11804 }
11805 function sh_onKeyDown(e){
11806     Shading_1_Log.innerHTML += 'KeyDown' + e.target.nodeName + '#' + e.target.id
11807     + 'Down(' + e.key + '/' + e.code + ')' + BR;
11808     e.stopPropagation();
11809     e.preventDefault();
11810 }
11811 function Shading_Setup(){
11812     Shading_1_Log.innerHTML += '<' + h4 >Click here<' + h4 >;
11813     Shading_1.addEventListener('keydown', sh_onKeyDown);
11814     Shading_1.addEventListener('keyup', sh_onKeyUp);
11815     Shading_1.addEventListener('click', sh_onClick);
11816     Shading_1.addEventListener('click', sh_onClick);
11817
11818     Shading_1_Log.style.top = "-400px";
11819     Shading_1_Log.style.left = "200px";
11820
11821     Shading_1.appendChild(Shading_1_Canvas);
11822     Shading_1_Canvas.style.width = "300px";
11823     Shading_1_Canvas.style.height = "300px";
11824     Shading_1_Canvas.style.position = "relative";
11825     Shading_1_Canvas.style.top = "-750px";
11826     Shading_1_Canvas.style.left = "100px";
11827
11828     const ctx = Shading_1_Canvas.getContext('2d');
11829     ctx.fillStyle = 'rgba(160,0,0,0.9)';
11830     ctx.fillRect(50,50,40,40);
11831     ctx.fillStyle = 'rgba(0,160,0,0.9)';
11832     ctx.fillRect(60,60,40,40);
11833     ctx.fillStyle = 'rgba(0,0,160,0.9)';
11834     ctx.fillRect(70,70,40,40);
11835 }
11836 function Reset_ShadingCanvas(){
11837     Shading_1_Log.removeAttribute('style');
11838     Shading_1_Log.innerHTML = '';
11839     Shading_1_Canvas.style = "";
11840     //Shading_1_Canvas.removeAttribute('style');
11841 }
11842
11843 </script>
11844 </details>
11845 <!-- Shading_WorkCodeSpan } -->
11846 * // </span>
11847 // <!-- ===== Work } ===== -->
11848
11849
11850 // <!-- ===== Work { ===== -->
11851 // </span id="Charmap_WorkCodeSpan">
11852 /*
11853 <details id="Charmap_Work"><summary>Character Map</summary>
11854 <!-- ----- UnicodeCharmap // 2020-1015 SatoxITS { -->
11855 <h2>Unicode Character Maps</h2>
11856 <note>code 0x0000 - 0xFFFF / 16px / 3200 x 3200 px / zoom:0.25</note>
11857 <div id="Charmap_1_Frame">
11858 <div id="Charmap_1_Text" class="Charmap">
11859 </div>
11860 </div>
11861 <br>
11862
11863 <style>
11864 #Charmap_1_Frame {
11865     overflow:scroll;
11866     height:3200px; width:3200px;
11867     xtransform:scale(0.5);
11868     zoom:0.25;
11869     resize:both;
11870     background-color:#fff;
11871 }
11872 .Charmap {
11873     xzoom:0.25;
11874     font-size:16px;
11875     line-height:1.0;
11876     xxfont-family:Georgia;
11877     color:#000;
11878 }
11879 </style>
11880 <script>
11881 function charmapgen(){
11882     text = '';
11883     for( cc = 0; cc < 0x10000; cc++ ){
11884         text += String.fromCharCode(cc);
11885     }
11886     Charmap_1_Text.innerHTML = text;
11887 }
11888 Charmap_Work.addEventListener('click', charmapgen);
11889 //charmapgen();
11890 </script>
11891
11892 <input id="Charmap_WorkCodeViewOpen" class="HtmlCodeViewButton" type="button" value="ShowCode">
11893 <input id="Charmap_WorkOpenSnapshot" class="HtmlCodeViewButton" type="button" value="Snapshot">
11894 <input id="Charmap_WorkCodeSignature" class="HtmlCodeViewButton" type="button" value="Signature">
11895 <span id="Charmap_WorkCodeView"></span>
11896 <script id="Charmap_WorkScript">
11897 function Charmap_openWorkCodeView(){
11898     function Charmap_showWorkCode(){
11899         showHtmlCode(Charmap_WorkCodeView,Charmap_WorkCodeSpan);
11900     }
11901     Charmap_WorkCodeViewOpen.addEventListener('click',Charmap_showWorkCode);
11902 }
11903 Charmap_openWorkCodeView(); // should be invoked by an event
11904 </script>

```



```

11905</details>
11906<!-- Charmap_WorkCodeSpan } -->
11907*/ //</span>
11908//<!-- ===== Work } ===== -->
11909
11910
11911//<!-- ===== Work { ===== -->
11912//<span id="Template_WorkCodeSpan">
11913/*
11914<details><summary>Work Template</summary>
11915<!-- ----- Template of Work// 2020-0928 SatoxITS { -->
11916<h2>Template of Work</h2>
11917<input id="Template_WorkCodeViewOpen" class="HtmlCodeViewButton" type="button" value="ShowCode">
11918<input id="Template_WorkOpenSnapshot" class="HtmlCodeViewButton" type="button" value="Snapshot">
11919<input id="Template_WorkCodeSignature" class="HtmlCodeViewButton" type="button" value="Signature">
11920<span id="Template_WorkCodeView"></span>
11921<script id="Template_WorkScript">
11922function Template_openWorkCodeView(){
11923    function Template_showWorkCode(){
11924        showHtmlCode(Template_WorkCodeView,Template_WorkCodeSpan);
11925    }
11926    Template_WorkCodeViewOpen.addEventListener('click',Template_showWorkCode);
11927}
11928Template_openWorkCodeView(); // should be invoked by an event
11929</script>
11930</details>
11931<!-- Template_WorkCodeSpan } -->
11932*/ //</span>
11933//<!-- ===== Work } ===== -->
11934
11935
11936
11937//<!-- ===== Work { ===== -->
11938//<span id="OriginalSource_WorkCodeSpan">
11939/*
11940<details open=""><summary>Original Source</summary>
11941<!-- ----- OriginalSource // 2020-1009 SatoxITS { -->
11942<h2>Original Source of GShell</h2>
11943<input id="OriginalSource_WorkCodeViewOpen" class="HtmlCodeViewButton" type="button" value="ShowCode">
11944<input id="OriginalSource_WorkOpenSnapshot" class="HtmlCodeViewButton" type="button" value="Snapshot">
11945<input id="OriginalSource_WorkCodeSignature" class="HtmlCodeViewButton" type="button" value="Signature">
11946<span id="OriginalSourceTextElement"></span>
11947<span id="OriginalSource_WorkCodeView"></span>
11948<script id="OriginalSource_WorkScript">
11949function OriginalSource_openWorkCodeView(){
11950    function OriginalSource_showWorkCode(){
11951        //showHtmlCode(OriginalSource_WorkCodeView,OriginalSource_WorkCodeSpan);
11952        //OriginalSourceTextElement = OriginalSourceNode;
11953        //console.log('src3=\n'+OriginalSourceNode.outerHTML);
11954        showHtmlCodeX(OriginalSource_WorkCodeView,OriginalSourceNode,
11955            '\n',
11956            '\n',true);
11957    }
11958    OriginalSource_WorkCodeViewOpen.addEventListener('click',OriginalSource_showWorkCode);
11959}
11960//OriginalSourceNode = document.documentElement.cloneNode();
11961//OriginalSourceNode = gsh.cloneNode(true); //=====
11962//console.log('src0=\n'+document.documentElement.outerHTML);
11963//console.log('src1=\n'+gsh.outerHTML);
11964//console.log('src2=\n'+OriginalSourceNode.innerHTML);
11965OriginalSource_openWorkCodeView(); // should be invoked by an event
11966//showNodeAsHtmlSource(OriginalSource_WorkCodeView,OriginalSourceNode);
11967function SaveOriginalNode(){
11968    if( false ){
11969        m0 = performance.memory;
11970        mu0 = m0.usedJSHeapSize;
11971        console.log('-- heap bef clone: '
11972            +m0.usedJSHeapSize+'/'+m0.totalHeapSize+'/'+m0.jsHeapSizeLimit);
11973    }
11974    OriginalSourceNode = gsh.cloneNode(true);
11975    if( false ){
11976        m1 = performance.memory;
11977        mu1 = m1.usedJSHeapSize;
11978        mu = mu1 - mu0;
11979        //alert('-- clone: used heap '+mu0+' -> '+mu1+' = '+mu+' bytes');
11980        console.log('-- heap aft clone: '
11981            +m1.usedJSHeapSize+'/'+m1.totalHeapSize+'/'+m1.jsHeapSizeLimit);
11982        //OriginalSourceNode = document.documentElement.cloneNode(true);
11983    }
11984}
11985
11986function Gsh_setupPage(){
11987    GshSetImages();
11988    //Indexer_afterLoaded();
11989    //GShell_initKeyCommands();
11990    //GJConsole_initConsole();
11991    GJConsole_initFactory();
11992    GJLink_init();
11993    InterFrameComm_init();
11994    Gshell_initTopbar();
11995    //VirtualDesktop_init();
11996    Banner_init();
11997// Aff_Setup();
11998    Shading_Setup();
11999    window.setInterval(ShowResourceUsage,1000);
12000    //document.addEventListener('keydown',jgshCommand); // should be applied later?
12001}
12002function OnLoad(){
12003    SaveOriginalNode();
12004    Gsh_setupPage();
12005}
12006document.addEventListener('load',Gsh_setupPage);
12007</script>
12008</details>
12009<!-- OriginalSource_WorkCodeSpan } -->
12010*/ //</span>
12011//<!-- ===== Work } ===== -->
12012
12013
12014
12015//</div>
12016//<br><script>OnLoad();</script></span>
12017

```